

Chapter NR 262

PORCELAIN ENAMELING

NR 262.01	Purpose (p. 242-11)		
NR 262.015	Applicability (p. 242-11)		duction attainable by the application of the best available technology economically achievable (p. 242-17)
NR 262.02	General definitions (p. 242-12)		
NR 262.03	Monitoring and reporting requirements (p. 242-12)	NR 262.23	New source performance standards (p. 242-17)
NR 262.04	Compliance date for pretreatment standards for existing sources (PSES) (p. 242-13)	NR 262.24	Pretreatment standards for existing sources (p. 242-18)
NR 262.10	Applicability; description of the steel basis material subcategory (p. 242-13)	NR 262.25	Pretreatment standards for new sources (p. 242-19)
NR 262.11	Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (p. 242-13)	NR 262.30	Applicability; description of the aluminum basis material subcategory (p. 242-19)
NR 262.12	Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable (p. 242-14)	NR 262.31	Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (p. 242-19)
NR 262.13	New source performance standards (p. 242-14)	NR 262.32	Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable (p. 242-20)
NR 262.14	Pretreatment standards for existing sources (p. 242-15)	NR 262.33	New source performance standards (p. 242-20)
NR 262.15	Pretreatment standards for new sources (p. 242-16)	NR 262.34	Pretreatment standards for existing sources (p. 242-21)
NR 262.20	Applicability; description of the cast iron basis material subcategory (p. 242-16)	NR 262.35	Pretreatment standards for new sources (p. 242-22)
NR 262.21	Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (p. 242-16)	NR 262.40	Applicability; description of the copper basis material subcategory (p. 242-22)
NR 262.22	Effluent limitations representing the degree of effluent re-	NR 262.43	New source performance standards (p. 242-22)
		NR 262.45	Pretreatment standards for new sources (p. 242-23)
		NR 262.50	Cross-references (p. 242-23)

NR 262.01 Purpose. The purpose of this chapter is to establish effluent limitations, standards of performance, and pretreatment standards for discharges of process wastes from the porcelain enameling category of point sources and its subcategories.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.015 Applicability. (1) Except as provided in subs. (2) and (3), the provisions of this chapter apply to any porcelain enameling facility which discharges pollutants to waters of the state or introduces pollutants into a publicly owned treatment works.

(2) Any existing porcelain enameling facility which prepares or coats less than 1600 m²/day and which introduces less than 60,000 l/day of wastewater into a publicly owned treatment works is not controlled by the pretreatment standards for existing sources established by this rule. Such facilities shall comply with the provisions of 40 C.F.R. Part 403.

(3) This chapter does not apply to the porcelain enameling on precious metal basis material.

(4) When wastewaters from coating cast iron are co-treated with wastewaters from coating steel, the limitations for coating steel contained in s. NR 262.11 may be applied to the entire wastestream.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.02 General definitions. In addition to the definitions set forth in 40 C.F.R. Part 401, the following definitions apply to this chapter:

(1) "Area coated" means the area of basis material covered by each coating of enamel.

(2) "Area processed" means the total basis material area exposed to processing solutions.

(3) "Basis material" means the metal part or base onto which porcelain enamel is applied.

(4) "Coating operations" means all of the operations associated with preparation and application of the vitreous coating. Usually this includes ballmilling, slip transport, application of slip to the work pieces, cleaning and recovery of faulty parts, and firing (fusing) of the enamel coat.

(5) "Control authority" means the publicly owned treatment works if it has an approved pretreatment program; in the absence of such a program, the state.

(6) "Existing source" means any source that is not a new source.

(7) "Metal preparation" means any and all of the metal processing steps preparatory to applying the enamel slip. Usually this includes cleaning, pickling and applying a nickel flash or chemical coating.

(8) "New source," as defined for PSES and PSNS, means any building, structure, facility, or installation from which there is or may be a discharge of pollutants, the construction of which commenced after April 27, 1984.

(9) "New source," as defined for BPT, BAT, BCT, and NSPS, means any point source the construction of which commenced after October 21, 1985.

(10) "Porcelain enameling" means the entire process of applying a fused vitreous enamel coating to a metal basis material. Usually this includes metal preparation and coating operations.

(11) "Precious metal" means gold, silver, or platinum group metals and the principal alloys of those metals.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.03 Monitoring and reporting requirements. (1) Periodic analyses for chromium as may be required under 40 C.F.R. Part 122 or 403 is not required when both of the following conditions are met:

(a) The first wastewater sample of each calendar year has been analyzed and found to contain less than 0.08 mg/l chromium.

Register, October, 1986, No. 370

DEPARTMENT OF NATURAL RESOURCES 242-13
NR 262

(b) The owner or operator of the porcelain enameling facility certifies in writing to the control authority that chromium is not contained in the raw materials or process chemicals of that facility and will not be used in the facility.

(2) The "monthly average" regulatory values shall be the basis for the monthly average discharge in direct discharge permits and for pretreatment standards. Compliance with the monthly discharge limit is required regardless of the number of samples analyzed and averaged.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.04 Compliance date for pretreatment standards for existing sources (PSES). The compliance date for pretreatment standards for existing sources is November 25, 1985.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.10 Applicability; description of the steel basis material subcategory. This subcategory applies to discharges to waters of the state and introduction of pollutants into publicly owned treatment works from porcelain enameling on steel basis materials.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.11 Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available. Except as provided in 40 C.F.R. ss. 125.30-125.32, any existing point source subject to this subcategory shall achieve the following effluent limitations for metal preparation operations and for coating operations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available (BPT):

Pollutant or pollutant property	BPT effluent limitations			
	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Metric units-mg/m ² of area processed or coated			
Chromium.....	16.82	3.41	6.81	1.38
Lead.....	6.01	1.21	5.21	1.06
Nickel.....	56.46	11.43	40.05	8.11
Zinc.....	53.26	10.78	22.43	4.54
Aluminum.....	182.2	36.87	74.47	15.07
Iron.....	112.12	22.69	56.06	11.34
Oil and grease.....	800.84	162.1	480.51	97.23
TSS.....	1642.0	332.2	800.9	162.0
pH.....	(1)	(1)	(1)	(1)

	English units-pounds per 1 million ft ² of area processed or coated			
Chromium	3.45	0.07	1.4	0.29
Lead	1.23	0.25	1.07	0.22
Nickel	11.57	2.34	8.2	1.66
Zinc	10.91	2.21	4.6	0.93
Aluminum	37.32	7.85	15.26	3.09
Iron	22.96	4.65	11.48	2.32
Oil and grease	164.03	33.19	98.42	19.92
TSS	337.0	68.1	164.0	33.2
pH	(1)	(1)	(1)	(1)

¹ Within the range 7.5 to 10.0.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.12 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable. Except as provided in 40 C.F.R. ss. 125.30-125.32 any existing point source subject to this subcategory shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable:

Pollutant or pollutant property	BAT effluent limitations			
	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Metric units-mg/m ² of area processed or coated			
Chromium	16.82	0.53	6.81	0.22
Lead	6.01	0.19	5.21	0.16
Nickel	56.5	1.78	40.05	1.26
Zinc	53.3	1.68	22.43	0.71
Aluminum	182.0	5.74	74.48	2.35
Iron	112.12	3.53	56.06	1.77
	English units-pounds per 1 million ft ² of area processed or coated			
Chromium	3.45	0.11	1.4	0.05
Lead	1.23	0.04	1.07	0.03
Nickel	11.57	0.37	8.2	0.26
Zinc	10.91	0.35	4.6	0.15
Aluminum	37.32	1.18	15.26	0.48
Iron	22.96	0.72	11.48	0.36

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.13 New source performance standards. Any new source subject to this subcategory shall achieve the following new source performance standards:

Register, October, 1986, No. 370

DEPARTMENT OF NATURAL RESOURCES 242-15
NR 262

NSPS

Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
Metric units-mg/m ² of area processed or coated				
Chromium.....	3.7	0.47	1.5	0.19
Lead.....	1.0	0.13	0.9	0.11
Nickel.....	12.0	1.51	6.3	0.79
Zinc.....	10.2	1.29	4.2	0.53
Aluminum.....	30.3	3.82	12.4	1.56
Iron.....	28.0	3.53	14.0	1.77
Oil and grease.....	100.0	12.6	100.0	12.6
TSS.....	150.0	18.91	120.0	15.12
pH.....	(1)	(1)	(1)	(1)

Pollutant or pollutant property	English units-pounds per 1 million ft ² of area processed or coated			
	Metal preparation	Coating operation	Metal preparation	Coating operation
Chromium.....	0.76	0.1	0.31	0.04
Lead.....	0.21	0.03	0.19	0.03
Nickel.....	2.46	0.31	1.29	0.16
Zinc.....	2.09	0.27	0.86	0.11
Aluminum.....	6.21	0.78	2.54	0.32
Iron.....	5.74	0.72	2.87	0.36
Oil and grease.....	20.48	2.58	20.48	2.58
TSS.....	30.72	3.87	24.58	3.1
pH.....	(1)	(1)	(1)	(1)

¹ Within the range 7.5 to 10.0.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.14 Pretreatment standards for existing sources. (1) Except as provided in 40 C.F.R. ss. 403.7 and 403.13, any existing source subject to this subcategory which introduces pollutants into a publicly owned treatment works shall comply with 40 C.F.R. Part 403 and achieve the following pretreatment standards for existing sources.

PSES

Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
Milligrams per liter (mg/l)				
Chromium.....	0.42		0.17	
Lead.....	0.15		0.13	
Nickel.....	1.41		1.0	
Zinc.....	1.33		0.56	

(2) In cases where POTWs find it necessary to impose mass effluent pretreatment standards the following equivalent mass standards are provided:

PSES

Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
Metric units-mg/m ² of area processed or coated				
Chromium.....	16.82	0.53	6.81	0.22
Lead.....	6.01	0.19	5.21	0.16
Nickel.....	56.5	1.78	40.1	1.26
Zinc.....	53.3	1.68	22.5	0.71
English units-pounds per 1 million ft ² of area processed or coated				
Chromium.....	3.45	0.11	1.4	0.05
Lead.....	1.23	0.04	1.07	0.03
Nickel.....	11.6	0.37	8.2	0.26
Zinc.....	10.9	0.35	4.6	0.15

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.15 Pretreatment standards for new sources. Except as provided in 40 C.F.R. ss. 403.7 and 403.13, any new source subject to this subcategory which introduces pollutants into a publicly owned treatment works shall comply with 40 C.F.R. Part 403 and achieve the following pretreatment standards for new sources:

PSNS

Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
Metric units-mg/m ² of area processed or coated				
Chromium.....	3.7	0.47	1.5	0.19
Lead.....	1.0	0.13	0.9	0.11
Nickel.....	12.0	1.51	6.3	0.79
Zinc.....	10.2	1.29	4.2	0.53
English units-pounds per 1 million ft ² of area processed or coated				
Chromium.....	0.76	0.1	0.31	0.04
Lead.....	0.2	0.03	0.19	0.02
Nickel.....	2.46	0.31	1.29	0.16
Zinc.....	2.09	0.27	0.86	0.11

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.20 Applicability; description of the cast iron basis material subcategory. This subcategory applies to discharges to waters of the state and introductions of pollutants into publicly owned treatment works from porcelain enameling of cast iron basis materials.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.21 Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available. Except as provided in 40 C.F.R. ss. 125.30-125.32, any existing point source subject to this subcategory shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available:

Register, October, 1986, No. 370

DEPARTMENT OF NATURAL RESOURCES 242-17
NR 262

(1) There may not be discharge of process wastewater pollutants from metal preparation operations.

(2) The discharge of process wastewater pollutants from all porcelain enameling coating operations may not exceed the values set forth below:

BPT effluent limitations				
Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	Mg/m ² (Pounds per million ft ²) of area coated			
Chromium	0.29	(0.06)	0.12	(0.024)
Lead	0.11	(0.02)	0.09	(0.02)
Nickel	0.98	(0.02)	0.7	(0.15)
Zinc	0.93	(0.19)	0.39	(0.08)
Aluminum	3.16	(0.65)	1.29	(0.27)
Iron	0.86	(0.18)	0.44	(0.09)
Oil and grease	13.86	(2.48)	8.32	(1.71)
TSS	28.42	(5.82)	13.86	(2.84)
pH	(1)	(1)	(1)	(1)

¹ Within the range 7.5 to 10.0.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.22 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable. Except as provided in 40 C.F.R. ss. 125.30-125.32, any existing point source subject to this subcategory shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable:

(1) There may not be discharge of process wastewater pollutants from metal preparation operations.

(2) The discharge of process wastewater pollutants from all porcelain enameling coating operations may not exceed the values set forth below:

BAT effluent limitations				
Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	Mg/m ² (Pounds per/million ft ²) of area coated			
Chromium	0.53	(0.11)	0.22	(0.05)
Lead	0.19	(0.04)	0.16	(0.03)
Nickel	1.78	(0.37)	1.26	(0.26)
Zinc	1.68	(0.35)	0.71	(0.15)
Aluminum	5.74	(1.18)	2.35	(0.48)
Iron	1.55	(0.32)	0.79	(0.16)

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.23 New source performance standards. Any new source subject to this subcategory shall achieve the following new source performance standards:

(1) There may not be discharge of process wastewater pollutants from metal preparation operations.

(2) The discharge of process wastewater pollutants from all porcelain enameling coating operations may not exceed the values set forth below:

Pollutant or pollutant property	NSPS			
	Maximum for any 1 day		Maximum for monthly average	
	Mg/m ² (Pounds per million ft ²) of area coated			
Chromium	0.47	(0.1)	0.19	(0.04)
Lead	0.13	(0.03)	0.11	(0.02)
Nickel	0.69	(0.14)	0.47	(0.1)
Zinc	1.29	(0.27)	0.53	(0.11)
Aluminum	3.82	(0.78)	1.56	(0.32)
Iron	1.55	(0.32)	0.79	(0.16)
Oil and grease	12.6	(2.58)	12.6	(2.58)
TSS	18.91	(3.87)	15.12	(3.1)
pH	(1)	(1)	(1)	(1)

¹ Within the range 7.5 to 10.0.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.24 Pretreatment standards for existing sources. (1) Except as provided in 40 C.F.R. ss. 403.7 and 403.13, any existing source subject to this subcategory which introduces pollutants into a publicly owned treatment works shall comply with 40 C.F.R. Part 403 and achieve the following pretreatment standards for existing sources:

(a) There may not be discharge of process wastewater pollutants from metal preparation operations.

(b) The discharge of process wastewater pollutants from all porcelain enameling coating operations may not exceed the values set forth below:

Pollutant or pollutant property	PSES	
	Maximum for any 1 day	Maximum for monthly average
	Milligrams per liter (mg/l)	
Chromium	0.42	0.17
Lead	0.15	0.13
Nickel	1.41	1.0
Zinc	1.33	0.56

(2) In cases where POTWs find it necessary to impose mass pretreatment standards the following equivalent mass standards are provided:

(a) There may not be discharge of process wastewater pollutants from metal preparation operations.

(b) The discharge of process wastewater pollutants from all porcelain enameling coating operations may not exceed the values set forth below:

Pollutant or pollutant property	PSES			
	Maximum for any 1 day		Maximum for monthly average	
	Mg/m ² (Pounds per million ft ²) of area coated			
Chromium	0.53	(0.11)	0.22	(0.05)
Lead	0.19	(0.04)	0.16	(0.03)
Nickel	1.78	0.37	1.26	(0.26)
Zinc	1.68	(0.35)	0.71	(0.15)

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

Register, October, 1986, No. 370

DEPARTMENT OF NATURAL RESOURCES 242-19
NR 262

NR 262.25 Pretreatment standards for new sources. Except as provided in 40 C.F.R. s. 403.7, any new source subject to this subcategory which introduces pollutants into a publicly owned treatment works shall comply with 40 C.F.R. Part 403 and achieve the following pretreatment standards for new sources.

(1) There may not be discharge of process wastewater pollutants from metal preparation operations.

(2) The discharge of process wastewater pollutants from all porcelain enameling coating operations may not exceed the values set forth below:

PSNS				
Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	Mg/m ² (Pounds per million ft ²) of area coated			
Chromium.....	0.47	(0.1)	0.19	(0.04)
Lead.....	0.13	(0.03)	0.11	(0.02)
Nickel.....	0.69	(0.14)	0.47	(0.1)
Zinc.....	1.29	(0.27)	0.53	(0.11)

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.30 Applicability; description of the aluminum basis material subcategory. This subcategory applies to discharges to waters of the state and introductions of pollutants into publicly owned treatment works from porcelain enameling of aluminum basis materials.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.31 Effluent limitations representing the degree of effluent reduction attainable by the application of the best practicable control technology currently available. Except as provided in 40 C.F.R. ss. 125.30-125.32, any existing point source subject to this subcategory shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable:

BPT effluent limitations				
Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
Metric units-mg/m ² of area processed or coated				
Chromium.....	16.34	6.32	6.63	2.56
Lead.....	5.84	2.26	5.06	1.96
Nickel.....	54.85	21.21	38.9	15.04
Zinc.....	51.73	20.01	21.79	8.43
Aluminum.....	176.98	68.44	72.35	27.98
Iron.....	47.85	18.5	24.51	9.48
Oil and grease.....	777.92	300.84	466.76	108.5
TSS.....	1594.74	616.68	777.92	300.82
pH.....	(1)	(1)	(1)	(1)

Register, October, 1986, No. 370

	English units-pounds per 1 million ft ² of area processed or coated			
Chromium.....	3.35	1.3	1.37	0.53
Lead.....	1.2	0.47	1.04	0.4
Nickel.....	11.24	4.35	7.97	3.08
Zinc.....	10.6	4.1	4.46	1.73
Aluminum.....	36.25	14.02	14.82	5.73
Iron.....	9.8	3.79	5.02	1.94
Oil and grease.....	159.33	61.61	95.6	36.97
TSS.....	326.62	126.33	159.33	61.61
pH.....	(¹)	(¹)	(¹)	(¹)

¹ Within the range 7.5 to 10.0.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.32 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable. Except as provided in 40 C.F.R. ss. 125.30-125.32, any existing point source subject to this subcategory shall achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable.

Pollutant or pollutant property	BAT effluent limitations			
	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Metric units-mg/m ² of area processed or coated			
Chromium.....	16.34	0.53	6.62	0.22
Lead.....	5.84	0.19	5.06	0.16
Nickel.....	54.85	1.78	38.9	1.26
Zinc.....	51.74	1.68	21.79	1.71
Aluminum.....	176.98	5.74	72.35	2.35
Iron.....	47.85	1.55	24.51	0.8
	English units-pounds per 1 million ft ² of area processed or coated			
Chromium.....	3.35	0.11	1.36	0.05
Lead.....	1.2	0.04	1.04	0.03
Nickel.....	11.24	0.37	7.97	0.26
Zinc.....	10.6	0.35	4.46	0.35
Aluminum.....	36.25	1.18	14.82	0.48
Iron.....	9.8	0.32	5.02	0.16

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.33 New source performance standards. Any new source subject to this subcategory shall achieve the following new source performance standards:

Register, October, 1986, No. 370

DEPARTMENT OF NATURAL RESOURCES 242-21
NR 262

NSPS

Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
Metric units-mg/m ² of area processed or coated				
Chromium.....	3.6	0.47	1.46	0.19
Lead.....	0.97	0.13	0.88	0.11
Nickel.....	5.35	0.69	3.6	0.47
Zinc.....	9.92	1.29	4.09	0.53
Aluminum.....	29.46	3.82	12.06	1.56
Iron.....	11.96	1.55	6.13	0.79
Oil and grease.....	97.24	12.6	97.24	12.6
TSS.....	145.86	18.91	116.69	15.12
pH.....	(¹)	(¹)	(¹)	(¹)
English units-pounds per 1 million ft ² of area processed or coated				
Chromium.....	0.74	0.1	0.3	0.04
Lead.....	0.2	0.03	0.18	0.2
Nickel.....	1.1	0.14	0.74	0.1
Zinc.....	2.03	0.27	0.84	0.11
Aluminum.....	6.03	0.78	2.47	0.32
Iron.....	2.45	0.32	1.26	0.16
Oil and grease.....	19.92	2.58	19.92	2.58
TSS.....	29.88	3.87	23.9	3.1
pH.....	(¹)	(¹)	(¹)	(¹)

¹ Within the range 7.5 to 10.0.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.34 Pretreatment standards for existing sources. (1) Except as provided in 40 C.F.R. ss. 403.7 and 403.13, any existing source subject to this subcategory which introduces pollutants into a publicly owned treatment works shall comply with 40 C.F.R. Part 403 and achieve the following pretreatment standards for existing sources:

Pollutant or pollutant property	PSES	
	Maximum for any 1 day	Maximum for monthly average
Milligrams per liter (mg/l)		
Chromium.....	0.42	0.17
Lead.....	0.15	0.13
Nickel.....	1.41	1.0
Zinc.....	1.33	0.56

(2) In cases where POTWs find it necessary to impose mass pretreatment standards the following equivalent mass standards are provided:

Pollutant or pollutant property	PSES	
	Maximum for any 1 day	Maximum for monthly average
Metric units-mg/m ² of area processed or coated		
Chromium.....	16.34	6.62
Lead.....	5.84	5.06
Nickel.....	54.85	38.9
Zinc.....	51.74	21.79

Register, October, 1986, No. 370

	English units-pounds per 1 million ft ² of area processed or coated			
Chromium.....	3.35	0.11	1.36	0.05
Lead.....	1.2	0.04	1.04	0.03
Nickel.....	11.24	0.37	7.97	0.25
Zinc.....	10.6	0.35	4.46	0.35

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.35 Pretreatment standards for new sources. Except as provided in 40 C.F.R. s. 403.7, any new source subject to this subcategory which introduces pollutants into a publicly owned treatment works shall comply with 40 C.F.R. Part 403 and achieve the following pretreatment standards for new sources:

Pollutant or pollutant property	PSNS			
	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
	Metric units-mg/m ² of area processed or coated			
Chromium.....	3.6	0.47	1.46	0.19
Lead.....	0.97	0.13	0.88	0.11
Nickel.....	5.35	0.69	3.6	0.47
Zinc.....	9.92	1.29	4.09	0.53
	English units-pounds per 1 million ft ² of area processed or coated			
Chromium.....	0.74	0.1	0.3	0.04
Lead.....	0.2	0.03	0.18	0.02
Nickel.....	1.1	0.14	0.74	0.1
Zinc.....	2.03	0.27	0.84	0.11

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.40 Applicability; description of the copper basis material subcategory. This subcategory applies to discharges to waters of the state and introductions of pollutants into publicly owned treatment works from porcelain enameling of copper basis materials.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.43 New source performance standards. Any new source subject to this subcategory shall achieve the following new source performance standards:

Register, October, 1986, No. 370

DEPARTMENT OF NATURAL RESOURCES 242-23
NR 262

NSPS				
Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
Metric units-mg/m ² of area processed or coated				
Chromium	6.23	0.46	2.52	0.19
Lead	1.69	0.13	1.52	0.11
Nickel	9.25	0.69	6.23	0.47
Zinc	17.16	1.29	7.07	0.53
Aluminum	50.97	3.82	20.86	1.56
Iron	20.69	1.55	10.6	0.79
Oil and grease	168.23	12.6	168.23	12.6
TSS	252.35	18.91	201.88	15.12
pH	(1)	(1)	(1)	(1)
English units-pounds per 1 million ft ² of area processed or coated				
Chromium	1.28	0.1	0.52	0.04
Lead	0.35	0.03	0.31	0.03
Nickel	1.9	0.14	1.28	0.1
Zinc	3.52	0.27	1.45	0.11
Aluminum	10.44	0.78	4.27	0.32
Iron	4.24	0.32	2.17	0.16
Oil and grease	34.46	2.58	34.46	2.58
TSS	51.69	3.87	41.35	3.1
pH	(1)	(1)	(1)	(1)

¹ Within the range 7.5 to 10.0.

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.45 Pretreatment standards for new sources. Any new source subject to this subcategory which introduces pollutants into a publicly owned treatment works shall comply with 40 C.F.R. Part 403 and achieve the following pretreatment standards for new sources:

PSNS				
Pollutant or pollutant property	Maximum for any 1 day		Maximum for monthly average	
	Metal preparation	Coating operation	Metal preparation	Coating operation
Metric units-mg/m ² of area processed or coated				
Chromium	6.23	0.46	2.52	0.19
Lead	1.69	0.13	1.52	0.11
Nickel	9.25	0.69	6.23	0.47
Zinc	17.16	1.29	7.07	0.53
English units-pounds per 1 million ft ² of area processed or coated				
Chromium	1.28	0.1	0.52	0.04
Lead	0.35	0.03	0.31	0.02
Nickel	1.9	0.14	1.28	0.1
Zinc	3.52	0.27	1.45	0.11

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.

NR 262.50 Cross-references. The federal citations in this chapter correspond to provisions of the Wisconsin Administrative Code and Wisconsin Statutes. The federal citations may be cross-referenced in the following table:

242-24 WISCONSIN ADMINISTRATIVE CODE

NR 262

CODE OF FEDERAL REGULATIONS CORRESPONDING STATE CODE SECTION

40 C.F.R. Part 466	ch. NR 262
40 C.F.R. ss. 125.30-125.32	s. NR 211.14, s. 147.04 (3), Stats.
40 C.F.R. Part 401	chs. NR 205, 215, 219
40 C.F.R. Part 403	chs. NR 211, 217
40 C.F.R. s. 403.7	s. NR 211.13
40 C.F.R. s. 403.13	s. NR 211.14

History: Cr. Register, October, 1986, No. 370, eff. 11-1-86.