

AB425B
21

SENATE HEARING SLIP

(Please Print Plainly)

DATE: Feb 13, 2001

BILL NO. AB425

SUBJECT Substance to induce

Early Negative drug test

(NAME) Chick Poy Tettit

(Street Address or Route Number) 383 Park Street

Orphan. Wis. 53775

(City and Zip Code) Wisconsin Chair's of Public Assoc
WIS. LAW ENFORCEMENT LEAST
(Representing)

Speaking in Favor:

Speaking Against:

Registering in Favor:

but not speaking:

Registering Against:

but not speaking:

Speaking for information only; Neither for nor against:

Please return this slip to a messenger PROMPTLY.
Senate Sergeant-At-Arms
State Capitol - B35 South
P.O. Box 7882
Madison, WI 53707-7882

SENATE HEARING SLIP

(Please Print Plainly)

DATE: 2/13/02

BILL NO. AB425

SUBJECT _____

(NAME) Melissa Gilbert

(Street Address or Route Number) _____

(City and Zip Code) Rep. Scott Walker author
14th AD
(Representing)

Speaking in Favor:

Speaking Against:

Registering in Favor:

but not speaking:

Registering Against:

but not speaking:

Speaking for information only; Neither for nor against:

Please return this slip to a messenger PROMPTLY.
Senate Sergeant-At-Arms
State Capitol - B35 South
P.O. Box 7882
Madison, WI 53707-7882

**Senate Committee on Judiciary, Consumer Affairs and Campaign
Finance Reform**

Request for Paper Ballot Executive Action on 2001 Assembly Bill 425

The Senate Committee on Judiciary, Consumer Affairs and Campaign Finance Reform was unable to hold a formal Executive Session on Assembly Bill 425 as planned. We would like to conduct a paper ballot on the bill. **Please return your ballot to Sen. George's office (Room 118 South) by 5:00 PM Friday, March 8, 2002.**

Concurrence in Assembly Bill 425:


_____ Moved (Optional -- Please check if you wish to Move
Concurrence in the Bill)

_____ Seconded (Optional -- Please check if you wish to Second
Concurrence in the Bill)

_____ Aye (In Favor of Concurrence in the Bill)

_____ No (Oppose Concurrence in the Bill)

Signed:



Friday, March 8, 2002

Please return to Sen. George's Office by 5:00 PM, Friday, March 8, 2002.

**Senate Committee on Judiciary, Consumer Affairs and Campaign
Finance Reform**

Request for Paper Ballot Executive Action on 2001 Assembly Bill 425

The Senate Committee on Judiciary, Consumer Affairs and Campaign Finance Reform was unable to hold a formal Executive Session on Assembly Bill 425 as planned. We would like to conduct a paper ballot on the bill. **Please return your ballot to Sen. George's office (Room 118 South) by 5:00 PM Friday, March 8, 2002.**

Concurrence in Assembly Bill 425:

 X Moved (Optional -- Please check if you wish to Move Concurrence in the Bill)

 X Seconded (Optional -- Please check if you wish to Second Concurrence in the Bill)

 X Aye (In Favor of Concurrence in the Bill)

 No (Oppose Concurrence in the Bill)

Signed:

Joanna Heelsman
By PR via phone

Friday, March 8, 2002

Please return to Sen. George's Office by 5:00 PM, Friday, March 8, 2002.

**Senate Committee on Judiciary, Consumer Affairs and Campaign
Finance Reform**
Request for Paper Ballot Executive Action on 2001 Assembly Bill 425

The Senate Committee on Judiciary, Consumer Affairs and Campaign Finance Reform was unable to hold a formal Executive Session on Assembly Bill 425 as planned. We would like to conduct a paper ballot on the bill. **Please return your ballot to Sen. George's office (Room 118 South) by 5:00 PM Friday, March 8, 2002.**

Concurrence in Assembly Bill 425:

_____ Moved (Optional -- Please check if you wish to Move
Concurrence in the Bill)

_____ Seconded (Optional -- Please check if you wish to Second
Concurrence in the Bill)

_____ **Aye** (In Favor of Concurrence in the Bill)

_____ **No** (Oppose Concurrence in the Bill)

Signed: _____

Robert W. Ulrich

Friday, March 8, 2002

Please return to Sen. George's Office by 5:00 PM, Friday, March 8, 2002.

MERTER

AB425 June 4, 2001

Representative Scott Walker
Phone: 608-266-8180
Fax: 608-262-3614
Rep.Walker@legis.state.wi.us

Re: Ban on Detoxification Drugs

Dear Representative Walker:

We at General Medical Laboratories support the efforts to introduce the bill preventing the purchase, sale or manufacture of products used in the adulteration of drug tests. The availability of these products indirectly affects the general population since it has forced companies and laboratories to modify their procedures and increase the price of the drug tests.

As a SAMHSA accredited drug testing toxicology laboratory performing testing for rehabilitation programs and the medical establishment we have seen a dramatic increase in the use of adulteration products over the last few years. In order to prevent inadequate results from being reported to our clients we have implemented several testing procedures to identify samples that are adulterated, substituted and/or unsuitable for testing.


Even with this adulteration testing in place, the major problem is the continued availability of new adulterants in the market place. The laboratories can only test for those adulterants that are known. If a new adulterant is introduced into the market and the laboratory can not identify the specific component of the adulterant, then the sample has to be reported as unsuitable. This information does not help the employer because the actual source of the problem has not been identified.

Another effect of adulterants is the increase in the cost of the testing. Urine drug testing is a well established part of the DHHS administered program to fight drug use and abuse in the federal workplace. Other employers who are not under these federal regulations have also seen the need to test their employees or potential employees. A company which chooses not to test may be left with those persons unable to gain employment elsewhere. However, the companies that choose to test for drugs incur an extra expense to warranty the employees they hire are free of drugs.

Because of the problems caused by the sale of adulterants to the public and to better serve the community, we support the ban on these products from the market place.

If you have any questions, you can reach me at the laboratory at (608) 267-6225 or (608) 267-6274.

Sincerely,


Javier Velasco
Toxicology Director

Cc Todd Van Fossen

General Medical Laboratories
36 S. Brooks Street
Madison, WI 53715-1304
608 267-6267

Sales and Marketing
202 S. Park Street
Madison, WI 53715-1599
608 267-5500



Substance Abuse Management, Inc.
500 N. 19th Street
Milwaukee, Wisconsin 53233

TEL 414-977-7264
FAX 414-977-7240

Henry M. Goldberg, M.D.
Chairman and Chief Executive Officer

May 15, 2001

The Honorable Scott K. Walker
Wisconsin House of Representatives
2334 North 73rd Street
Wauwatosa, Wisconsin 53213

Dear Mr. Walker:

I am delighted to learn that you are an advocate of Drug-Free Workplace Programs for Wisconsin businesses. Our Milwaukee based company, Substance Abuse Management, Inc. (SAMI) is the leading provider of Medical Review Officer and Third Party Administrator services to employers nationwide. Since founding the company in 1989, I have seen workplace drug testing grow tremendously so that today over 85 percent of all large employers include testing as part of their Drug Free Workplace Programs.

One of our physician Medical Review Officers, David Nahin, M.D. recently participated in a program presented by Channel 6, Milwaukee, on the topic of cheating on urine drug tests. As workplace drug testing has become more widespread in US companies, countless products and devices designed to subvert the drug testing process have been introduced in the marketplace. Most of these products are developed to adulterate the urine specimen by adding chemicals that mask illicit drug use or render the specimen unsuitable for testing. Other products are designed to be ingested by the employee, usually with large quantities of water, in an attempt to "flush" the drug metabolites from the user's system. There are also devices designed to enable an employee to substitute someone else's urine specimen for his/her own.

I understand you are committed to sponsoring legislation that would prohibit the manufacture, sale, or distribution of products designed to adulterate, substitute or otherwise confound a specimen for drugs of abuse testing. I applaud your initiative and offer the assistance and expertise of my staff at SAMI on behalf of your efforts. SAMI has some of the most knowledgeable individuals available anywhere in this arena.

Drug testing does work in reducing workplace drug use and the negative impact it has on productivity and safety. The percentage of positive drug tests has steadily declined over the past decade. People are getting the drug deterrence message. Unfortunately, the percentage of adulterated or substituted specimens has increased dramatically in the past three years as the availability of "drug test cheating" products has reached across the Internet, nutrition stores, and personal fitness industries.


Please don't hesitate to contact me if SAMI can be of any assistance to you or your staff in drafting the legislation, supporting it, or otherwise advancing the initiative. Thank you for taking the time and effort to address this matter for the businesses and employees throughout Wisconsin.

Very truly yours,

Henry M. Goldberg, M.D.

NEW QCLEAN Chewable Tablet


from the Makers of Quick Tabs™



AVAILABLE IN GRAPE AND TROPICAL FLAVORS

QCLEAN Chewable Emergency Flush:


- Works in **45 minutes**
- **Money Back Guarantee**
- Advanced Proven Formula
- Convenient Chewable Tablet
- **FREE** unit offer in each box
- Available in 2 great tasting flavors: Tropical & Grape



Nothing Is Faster or Easier Than QCLEAN Chewable Tablet!

QCLEAN Chewable Tablet contains:

Creatine Monohydrate, Phosphorous, Rice Protein Powder, Magnesium Oxide, L-Glutamine, Taruine, Apple Pectin, Uva Ursi Leaf, Alfalfa Leaf, Dandelion Root, Calcium Carbonate, Vitamin B2, Vitamin C, Dextrose, Fructose, Natural Flavorings.



**CLICK HERE FOR
INSTRUCTIONS
ON USE**

QCLEAN Chewable Tablets are available at

GNC
GENERAL NUTRITION CENTERS
LIVE WELL™

and Other Fine Health Food Stores
Or Call 1-800-445-0161 to Order




AVAILABLE IN 6 GREAT TASTING FLAVORS:
 Strawberry/Mango, Sweet Orange, Totally Tropical, Groovy Grape, Chocolate Smoothie, Vanilla Smoothie

QCARBO Fast Cleansing Formula™:

- Works in 1 hour
- **Money Back Guarantee**
- **Hi-Tech Formula**
- Conveniently packaged in a box, ready to drink!
- Available in 6 great tasting flavors
- No preparation required

16 ounce QCARBO Fast Cleansing Formula contains:

Purified water, Carbohydrates, Creatine, Guarana, Citric Acid, Protein, Pectin, Riboflavin, Fiber, Natural Flavorings, Potassium Sorbate.



NEW! QCARBO Super Cleansing Formula™ Specially Formulated For People With Higher Toxin Levels Or Larger Body Weight!

20 ounce QCARBO Super Cleansing Formula contains:
 Purified water, Carbohydrates, Creatine, Guarana, Citric Acid, Protein, Pectin, Riboflavin, Fiber, Natural Flavorings, Potassium Sorbate.

QCARBO Super Booster Tabs contain:
 Riboflavin, Alfalfa, Wheat Grass, Barley Grass, Creatine.

20 ounce QCARBOPlus Super Cleansing Formula Liquid available in Strawberry/Mango flavor.

Put Us To The Test! Trust The Best!

Follow these simple instructions for using
QCARBO Fast Cleansing Formula

Step 1) 60 minutes prior to the time you desire to be clean, drink the entire 16 oz. QCarbo liquid at a comfortable yet consistent pace.

Step 2) 15 minutes after completing Herbal Clean QCarbo liquid, refill bottle with cold water and drink until gone.

Step 3) Sit back and relax for 45 minutes and then you're ready to go! It is helpful to drink an additional 16 oz. of water. Product will be most effective from 1 to 5 hours after drinking carbo.

Follow these simple instructions for using
QCARBOPlus Super Cleansing Formula

Step 1) Drink one 20 oz. glass of water, then wait 30 minutes.

Step 2) Immediately after the 30 minutes, drink the entire 20 oz. QCarboPlus liquid along with the 4 concentrated tablets at a comfortable yet consistent pace.

Step 3) 15 minutes after completing QCarboPlus liquid and tablets, refill bottle with cold water and drink until gone.

Step 4) You're finished! Sit back and relax because you just purchased the most reliable Quick Flush product available!

IMPORTANT HINTS FOR SUCCESS!!!

- We highly recommend the use of PreTox™ Master Concentrated Capsules as a preliminary cleanse prior to Q Carbo Fast Cleansing Liquid.
- When cleansing the system, it is important to drink as much water as possible on a daily basis.
- 48 hours prior to use, avoid all unwanted toxins and do not use any over the counter drugs, large quantities of vitamins, alcohol, acidic liquids (vinegar, juices).
- Do not eat any large meal before drinking carbo. However, you may eat lightly 2-3 hours prior.
- **Urinate as often as possible to remove toxins**, this is an important step in the cleansing process.
- Results are temporary, **TIME IT CAREFULLY!**

Warning: Consult your physician before using this product if you are pregnant or breastfeeding.

[Back to Herbal Clean menu page](#)

Instructions for QCLEAN Hair Detox™ Emergency Flush 10 Minute Use:

1. Wash your hair thoroughly with non-conditioning shampoo (not included).
2. Apply 2 ounces (entire bottle) of Hair Detox gel to hair.
3. Saturate all parts of hair with Hair Detox, and massage thoroughly into hair.
4. Cover with enclosed hair shower cap and let Hair Detox gel stand in hair for **10 minutes**.
5. Rinse hair and style as usual.

Do not use any other conditioner or hair product in your hair until after your "Clean Time" has passed.

IMPORTANT HINTS FOR SUCCESS!!!

- Hair Detox is a custom formula specifically designed for people with hair cleaning needs. Hair Detox uses a combination of special ingredients to penetrate and eliminate unwanted impurities from the hair.
- Use Hair Detox just prior to the time you want your hair to be toxin free. Always use purifying gel the same day you desire toxin free hair (within 8 hours).
- Since the hair is constantly growing and absorbing toxins, results will not last for more than 24 hours. **TIME IT CAREFULLY!**
- Hair Detox may alter the effects of some perms and temporary colors.
- **Avoid all unwanted toxins for 24-48 hours** prior to using QCLEAN Hair Detox. (The longer the better!)

[Back to Herbal Clean menu page](#)

QCLEAN Hair Detox™ Emergency Flush Safely Removes All Residues And Toxins Within Ten Minutes!



QCLEAN Hair Detox™ Emergency Flush:

- Works in 10 minutes
- **Guaranteed or your Money Back**
- Tested and proven effective
- Safe for hair and scalp
- For all hair cleansing needs

NEW! from the makers of Quick Tabs™
99.9% Satisfaction

QCLEAN Hair Detox contains:

Deionized Water, Aloe Vera Gel, Propylene Glycol USP, Glycerin USP, Tetrasodium EDTA, Extract of Marshmallow, Carbomer 934P, Methylparaben, DMDM Hydantoin and Aminomethylpropanol.



**CLICK HERE FOR
INSTRUCTIONS
ON USE**

QCLEAN Hair Detox Emergency Flush is available at



and Other Fine Health Food Stores
Or Call 1-800-445-0161 to Order

[Back to Herbal Clean menu page](#)

IN LABS



PRODUCTS

ORDER

#1 in Sales and Results!

Pass Any Drug Test--GUARANT

Drug Testing Laws

Drug Testing Info

Message Boards


Links

Store Locator

zip code
finder

Store Locator

Enter your zip code in the box below to find a store near the fine products:




Find It!



[Products](#) | [Order](#) | [Drug Testing Laws](#) | [Drug Testing Info](#) | [Message Boards](#) | [Links](#) | [Zip Code Finder](#) | [Privacy Policy](#) | [Refund Policy](#) | [Cor](#)

® Copyright 2001

LABS



PRODUCTS


ORDER

#1 in Sales and Results!

Pass Any Drug Test--GUARANT

Drug Testing Laws | Drug Testing Info | Message Boards | Links | Store Locator

products



Absolute Carbo Drinks

Ne:

\$32

Order Now!

Lemon-Lime
Grape
Cherry



Product Information

The Carbo-Drink is a detoxifying product that actually h toxins in your body. Toxins are stored in the fat cells of For these toxins to be released the fat cells must be bur toxins are released in the blood stream. In the blood th filtered out by the kidneys and sent onto the bladder. TI Drink prevents the body from burning fat cells so the to never released. This Carbo-Drink works on all toxins an undetectable. The Carbo-Drink is designed for individua smoke 4 times a week or less. If the individual is over 2 recommend they consume two drinks before a test, and full bottles of water.

The Carbo-Drink has a **99.6%** success rate if the direct followed. Shake the bottle before drinking. Drink entire then after 15 minutes, drink 16 oz. of water. Wait 45 m effective.

Directions

- 1 Avoid toxins 48 hours before deadline.
- 2 Do not drink more than 16 oz. of water per hour.
- 3 On the day of the deadline, eat and drink normal avoid foods high in sugar.
- 4 If possible, schedule deadline for the afternoon a 3 - 4 times after consuming the Carbo-Drink.
- 5 Drink is effective for 45 minutes to 5 hours, how

- effectiveness is at 2 hours.
- 6 As with any drug test, avoid foods or drinks high content (fruit juices) and strenuous exercise. Oth and drink normally.
- 7 The drink tastes better if it is refrigerated prior to consumption.

Drinking the Carbo-Drink the day before the test does a good and is a waste of money. The Carbo-Drink comes flavors: Cherry, Grape and Lemon-Lime.

[Order Now!](#)

[Products](#) | [Order](#) | [Drug Testing Laws](#) | [Drug Testing Info](#) | [Message Boards](#) | [Links](#) | [Zip Code Finder](#) | [Privacy Policy](#) | [Refund Policy](#) | [Cor](#)

© Copyright 200

SPECTRUM LABS



PRODUCTS

ORDER

#1 in Sales and Results!

Pass Any Drug Test--GUARANT


Drug Testing Laws | Drug Testing Info | Message Boards | Links | Store Locator

products

Urine Luck Urine Additive

\$32

Order Now!



Product Information

Urine Luck is a chemical solution, which destroys unwar substances in the urine, which can be detected during a The product comes in a vial about the size of a pinkie fi added directly to the sample before being turned over t medical personnel. It is designed for a daily user and fo testing because preparations are not needed.

The Urine LuckTM changes the molecular structure of th compound, which also changes every chemical property compound. The equivalent would be changing someone fingerprints. They might look similar but will actually be person because they have new fingerprints. This is also LuckTM works better on drug tests than on drug screen: screens are a cheap and quick way to detect THCA and reason are harder to fool. The drug screen only adheres side of the molecule; however, the Urine LuckTM alters side of the molecule (see explanation in test kit section) though the THCA is no longer THCA, the screen can not between THCA and THCA-like. The GC/MS is much more and looks at the entire molecule. When part of the THC/ has been changed, the GC/MS immediately recognizes t produce a negative result.

Urine LuckTM begins to works instantly, however, the lc sample the more effectively the product works due to in contact time. Urine LuckTM works on all toxins, includin and tobacco. These toxins are all organically based so tl mechanism of Urine LuckTM with each toxin is similar, t identical. It is undetectable, and contains no acids, Glut nitrites, or pyridine. The instructions state to urinate 1- before the test, because the first urination of the day is

before the test, because the first urination of the day has the highest toxin level. It does not hurt to have a couple of glasses of water prior to the test. However, if the tester drinks too much water, the sample will be rejected for "too dilute", and Urine Luck™ is wasted.

Urine Luck™ has a **99.6%** success rate at beating urine tests if the directions are followed. The directions are listed below and are also printed on the vial label.

Directions

- 1 Urinate 1-2 times before test.
- 2 Simply add one vial of Urine Luck to 3-5 ounces of urine. Use half of vial for less than 3 ounces (90% success) of urine.
- 3 Do not use with other Detoxifying Products.
- 4 Do not drink more than 16 oz. of water an hour before the test.
- 5 Mix slightly.
- 6 Do not take internally.
- 7 Avoid contact with skin, may cause irritation; flush the contact area with large amounts of water.
- 8 Do not store in direct sunlight.

There is an expiration date on the bottom left hand side of the label. The shelf life is two years. However, Spectrum changes its formula approximately every 6-9 months to stay ahead of the competition. If a certain formula stays on the market too long, the product is reverse-engineered by the labs and eventually becomes obsolete. Older formulations can be exchanged for a current formula without charge. Inform the customer to return the old formula to Spectrum, a new bottle will be shipped.

DETECTION of URINE LUCK™

Most of the older formulas of Urine Luck™ can be detected by the labs, because formulas 1.0 through 5.9 are detectable by the labs, because these products have not been sold for years. If the product is detected, it will show up as high level of chrome, chromium, or chromate. The tester not following directions usually causes the entire bottle of Urine Luck™ to be added to less than 3 ounces of urine, the chromate levels will be too high. Labs will often flag a sample adulterated, presence of masking agent, or the presence of a blocker. (see Section 8 - Adulterating Compounds)

With current formulations of Urine Luck™ 6.0 and higher, the directions state, "to add contents of vial to 3-5 ounces of urine, for samples less than 3 ounces add half the vial." If an individual fails to follow directions and adds the entire vial of Urine Luck™ to 1-2 ounces of urine the sample will be rejected as adulterated because the pH will be less than 3.0 or too high.

Frequently Asked Questions

Will Urine Luck™ work if it has been frozen?

Yes, thaw the vial and bring to solution back up to temperature before using.

Does Urine Luck™ work on screens?

Urine Luck™ is 80% effective on screens. If the test is positive they have a screen only with no GC/MS product different than the Urine Luck™ should be

Warning

Do not take internally. Avoid contact with skin, may cause irritation; flush affected area with large amounts of water. Temporary discoloration may occur. Do not store in sunlight.

Ingredients

Urine Luck contains proprietary ingredients which are specially formulated for removal of unwanted substances.

Note:

As of 11/1/00, if you have FORMULA 5.9 or below please send vial back to us so we can exchange it for the current formulation.

Vials can be sent to:

Spectrum Labs
PO Box 8401
Cincinnati, OH 45208

Please check out our site periodically for the latest product formulation. Older formulations can be exchanged free of charge.

Order Now!

[Products](#) | [Order](#) | [Drug Testing Laws](#) | [Drug Testing Info](#) | [Message Boards](#) | [Links](#) | [Zip Code Finder](#) | [Privacy Policy](#) | [Refund Policy](#) | [Contact Us](#)

© Copyright 2001

SPECTRUM LABS



PRODUCTS

ORDER

#1 in Sales and Results!

Pass Any Drug Test--GUARANT

Drug Testing Laws | Drug Testing Info | Message Boards | Links | Store Locator


products



Bake N Shake Detoxifying Bag

\$32

Order Now!



Product Information

The Bake-n-Shake is a revolutionary new product invented by Spectrum Labs, which removes toxins from a urine sample. The toxins remain in the bag and are discarded when the users throw the bag away. This product is revolutionary for two reasons. First, no one has ever failed using this product. Second, the labs can detect additives that are several years old. The Bake-n-Shake will never be detectable because the chemicals stay in the bag. The chemicals do not stay in urine and move on to the lab as with the use of an additive.

Two chemicals are in the bag. One chemical destroys the toxins, while the second chemical destroys the first chemical. The compounds end up breaking down to air and water. For this reason, use of the Bake-n-Shake is absolutely undetectable. The tester must not be watched while using the Bake-n-Shake because sample needs to be shaken.

This product is perfect for the heavy smoker that needs to detoxify at a moment's notice. No traces of the product or toxins are left behind in the urine.

Directions

Do not open bag until day of test and let air in!

- 1 For test, open bag and fill bag 3/4 full with sample.
- 2 Close bag tightly. Shake bag for 30 seconds.
- 3 Make sure clasp on straw is closed then stab bag with straw being careful not to stab straw through both sides of the bag.

being careful not to stab straw through both side bag.

- 4 Release clasp on straw and gently squeeze bag to get sample to flow out of straw.
- 5 Empty bag of all liquid contents and safely discard of bag.

Warning

Do NOT take internally and avoid contact with skin.

Order 1217

[Products](#) | [Order](#) | [Drug Testing Laws](#) | [Drug Testing Info](#) | [Message Boards](#) | [Links](#) | [Zip Code Finder](#) | [Privacy Policy](#) | [Refund Policy](#) | [Cor](#)


© Copyright 200

SPECTRUM LABS



#1 in Sales and Results!

Pass Any Drug Test--GUARANT
[Drug Testing Laws](#)
[Drug Testing Info](#)
[Message Boards](#)
[Links](#)
[Store Locator](#)
products

Urine Luck Urine Additive
\$32
Order Now!


Product Information

Urine Luck is a chemical solution, which destroys unwanted substances in the urine, which can be detected during an *urinalysis*. The product comes in a vial about the size of a pinkie finger and is added directly to the sample before being turned over to the medical personnel. It is designed for a daily user and for *random* testing because preparations are not needed.

The Urine LuckTM changes the molecular structure of the compound, which also changes every chemical property of the compound. The equivalent would be changing someone's fingerprints. They might look similar but will actually be a person because they have new fingerprints. This is also why Urine LuckTM works better on drug tests than on drug screens. The screens are a cheap and quick way to detect THCA and for this reason are harder to fool. The drug screen only adheres to the left side of the molecule; however, the Urine LuckTM alters the right side of the molecule (see explanation in test kit section). So even though the THCA is no longer THCA, the screen can not differentiate between THCA and THCA-like. The GC/MS is much more accurate and looks at the entire molecule. When part of the THCA molecule has been changed, the GC/MS immediately recognizes this and will produce a negative result.

Urine LuckTM begins to work instantly, however, the longer in the sample the more effectively the product works due to increased contact time. Urine LuckTM works on all toxins, including alcohol and tobacco. These toxins are all organically based so the mechanism of Urine LuckTM with each toxin is similar, but not identical. It is undetectable, and contains no acids, Glutaredehyd nitrites, or pyridine. The instructions state to urinate 1-2 times before the test because the first urination of the day has the

before the test, because the first urination of the day has the highest toxin level. It does not hurt to have a couple of 8oz glasses of water prior to the test. However, if the tester drinks too much water, the sample will be rejected for "too dilute", and Urine Luck™ is wasted.

Urine Luck™ has a 99.6% success rate at beating urinalysis if directions are followed. The directions are listed below which are also printed on the vial label.

Directions

- 1 Urinate 1-2 times before test.
- 2 Simply add one vial of Urine Luck to 3-5 ounces (90-150 ml) of urine. Use half of vial for less than 3 ounces (90 ml) urine.
- 3 Do not use with other Detoxifying Products.
- 4 Do not drink more than 16 oz. of water an hour on the day of the test.
- 5 Mix slightly.
- 6 Do not take internally.
- 7 Avoid contact with skin, may cause irritation; flush affected area with large amounts of water.
- 8 Do not store in direct sunlight.

< There is an expiration date on the bottom left hand side label. The shelf life is two years. However, Spectrum changes the formula approximately every 6-9 months to stay ahead of the labs. If a certain formula stays on the market too long, the product is reverse-engineered by the labs and eventually becomes detectable. Older formulations can be exchanged for a current formulation free of charge. Inform the customer to return the old formula and once received by Spectrum, a new bottle will be shipped.

DETECTION of URINE LUCK™

Most of the older formulas of Urine Luck™ can be detected. Formulas 1.0 through 5.9 are detectable by the labs, however, these products have not been sold for years. If the product is detected, it will show up as high level of chrome, chromates, or chromium. The tester not following directions usually causes this. IF the entire bottle of Urine Luck™ is added to less than 3oz of urine, the chromate levels will be too high. Labs will often call the sample adulterated, presence of masking agent, or the a blocker. (see Section 8 - Adulterating Compounds)

With current formulations of Urine Luck™ 6.0 and higher the directions state, "to add contents of vial to 3-5 ounces (90-150 ml) of urine, for samples less than 3 ounces add half the vial." IF an individual fails to follow directions and adds the entire vial of Urine Luck™ to 1-2 ounces of urine the sample will be rejected as adulterated because the pH will be less than 3.0 or too acidic.