

***RULES CLEARINGHOUSE***

**Ronald Sklansky**  
Director  
(608) 266-1946

**Richard Sweet**  
Assistant Director  
(608) 266-2982



**David J. Stute, Director**  
Legislative Council Staff  
(608) 266-1304

One E. Main St., Ste. 401  
P.O. Box 2536  
Madison, WI 53701-2536  
FAX: (608) 266-3830

---

**CLEARINGHOUSE REPORT TO AGENCY**

---

[THIS REPORT HAS BEEN PREPARED PURSUANT TO S. 227.15, STATS. THIS IS A REPORT ON A RULE AS ORIGINALLY PROPOSED BY THE AGENCY; THE REPORT MAY NOT REFLECT THE FINAL CONTENT OF THE RULE IN FINAL DRAFT FORM AS IT WILL BE SUBMITTED TO THE LEGISLATURE. THIS REPORT CONSTITUTES A REVIEW OF, BUT NOT APPROVAL OR DISAPPROVAL OF, THE SUBSTANTIVE CONTENT AND TECHNICAL ACCURACY OF THE RULE.]

**CLEARINGHOUSE RULE 94-216**

AN ORDER to repeal NR 105 Table 6 substance entry 1; and to amend NR 105.06 (5) (f) and NR 105 Table 2 parameter entry 1, substance entry 1 and 2, parameter entry 2, 2A entry 1, 4, 4A and 6 substance entry 1, relating to water quality standards for cadmium for the protection of aquatic life.

Submitted by **DEPARTMENT OF NATURAL RESOURCES**

12-08-94 RECEIVED BY LEGISLATIVE COUNCIL.  
01-09-95 REPORT SENT TO AGENCY.

RNS:AS:kjf;jt

