


RULES CLEARINGHOUSE

Ronald Sklansky
Director
(608) 266-1946

Richard Sweet
Assistant Director
(608) 266-2982



David J. Stute, Director
Legislative Council Staff
(608) 266-1304

One E. Main St., Ste. 401
P.O. Box 2536
Madison, WI 53701-2536
FAX: (608) 266-3830

CLEARINGHOUSE REPORT TO AGENCY

[THIS REPORT HAS BEEN PREPARED PURSUANT TO S. 227.15, STATS. THIS IS A REPORT ON A RULE AS ORIGINALLY PROPOSED BY THE AGENCY; THE REPORT MAY NOT REFLECT THE FINAL CONTENT OF THE RULE IN FINAL DRAFT FORM AS IT WILL BE SUBMITTED TO THE LEGISLATURE. THIS REPORT CONSTITUTES A REVIEW OF, BUT NOT APPROVAL OR DISAPPROVAL OF, THE SUBSTANTIVE CONTENT AND TECHNICAL ACCURACY OF THE RULE.]

CLEARINGHOUSE RULE 99-079

AN ORDER to repeal HSS 165.02 (4), (12) (b) and (14), 165.03 (1) (title) and (intro.), (a) (intro.) and (b) to (d); 165.14 (2) (a) 11. and (3) (g), 165.20 (2) and 165.23 (1) (g); to renumber HSS 165.03 (1) (a) 1. to 7.; to amend HSS 165.01 (1) and (2), 165.02 (8), (9), (12) (intro.), (13) and (17), 165.03 (1) (intro.) and 165.04 (1) (intro.); to repeal and recreate ch. ATCP 77; and to create HSS 165.03 (intro.), relating to certification of laboratories engaged in public health testing of milk, water and food.

Submitted by **DEPARTMENT OF AGRICULTURE, TRADE AND CONSUMER PROTECTION**

05-03-99 RECEIVED BY LEGISLATIVE COUNCIL.

06-01-99 REPORT SENT TO AGENCY.

RS:MM:jal;rv

