



Wisconsin Legislative Council

RULES CLEARINGHOUSE

Scott Grosz
Clearinghouse Director

Anne Sappenfield
Legislative Council Director

Margit Kelley
Clearinghouse Assistant Director

CLEARINGHOUSE REPORT TO AGENCY

[THIS REPORT HAS BEEN PREPARED PURSUANT TO S. 227.15, STATS. THIS IS A REPORT ON A RULE AS ORIGINALLY PROPOSED BY THE AGENCY; THE REPORT MAY NOT REFLECT THE FINAL CONTENT OF THE RULE IN FINAL DRAFT FORM AS IT WILL BE SUBMITTED TO THE LEGISLATURE. THIS REPORT CONSTITUTES A REVIEW OF, BUT NOT APPROVAL OR DISAPPROVAL OF, THE SUBSTANTIVE CONTENT AND TECHNICAL ACCURACY OF THE RULE.]

CLEARINGHOUSE RULE **23-051**

AN ORDER to amend DE 1.01 and 5.02 (intro.), (5), (9), (14m), (18), (20), (24), and (25); and to create DE 5.02 (22m), 13.045, and 13.05 (3), and chapter DE 16, relating to certification of expanded function dental auxiliaries.

Submitted by **DENTISTRY EXAMINING BOARD**

09-05-2023 RECEIVED BY LEGISLATIVE COUNCIL.

10-03-2023 REPORT SENT TO AGENCY.

SG:SM

LEGISLATIVE COUNCIL RULES CLEARINGHOUSE REPORT

This rule has been reviewed by the Rules Clearinghouse. Based on that review, comments are reported as noted below:

1. STATUTORY AUTHORITY [s. 227.15 (2) (a)]

Comment Attached YES NO

2. FORM, STYLE AND PLACEMENT IN ADMINISTRATIVE CODE [s. 227.15 (2) (c)]

Comment Attached YES NO

3. CONFLICT WITH OR DUPLICATION OF EXISTING RULES [s. 227.15 (2) (d)]

Comment Attached YES NO

4. ADEQUACY OF REFERENCES TO RELATED STATUTES, RULES AND FORMS
[s. 227.15 (2) (e)]

Comment Attached YES NO

5. CLARITY, GRAMMAR, PUNCTUATION AND USE OF PLAIN LANGUAGE [s. 227.15 (2) (f)]

Comment Attached YES NO

6. POTENTIAL CONFLICTS WITH, AND COMPARABILITY TO, RELATED FEDERAL
REGULATIONS [s. 227.15 (2) (g)]

Comment Attached YES NO

7. COMPLIANCE WITH PERMIT ACTION DEADLINE REQUIREMENTS [s. 227.15 (2) (h)]

Comment Attached YES NO