



# Wisconsin Legislative Council

## RULES CLEARINGHOUSE

**Scott Grosz**  
Clearinghouse Director

**Anne Sappenfield**  
Legislative Council Director

**Margit Kelley**  
Clearinghouse Assistant Director

### CLEARINGHOUSE REPORT TO AGENCY

[THIS REPORT HAS BEEN PREPARED PURSUANT TO S. 227.15, STATS. THIS IS A REPORT ON A RULE AS ORIGINALLY PROPOSED BY THE AGENCY; THE REPORT MAY NOT REFLECT THE FINAL CONTENT OF THE RULE IN FINAL DRAFT FORM AS IT WILL BE SUBMITTED TO THE LEGISLATURE. THIS REPORT CONSTITUTES A REVIEW OF, BUT NOT APPROVAL OR DISAPPROVAL OF, THE SUBSTANTIVE CONTENT AND TECHNICAL ACCURACY OF THE RULE.]

#### CLEARINGHOUSE RULE **24-022**

AN ORDER to amend DHS 181.03 (10), relating to the definition of “lead poisoning or exposure” when reporting blood lead test results.

Submitted by **DEPARTMENT OF HEALTH SERVICES**

02-21-2024 RECEIVED BY LEGISLATIVE COUNCIL.

03-01-2024 REPORT SENT TO AGENCY.

MSK:SM

**LEGISLATIVE COUNCIL RULES CLEARINGHOUSE REPORT**

This rule has been reviewed by the Rules Clearinghouse. Based on that review, comments are reported as noted below:

1. STATUTORY AUTHORITY [s. 227.15 (2) (a)]

Comment Attached YES  NO

2. FORM, STYLE AND PLACEMENT IN ADMINISTRATIVE CODE [s. 227.15 (2) (c)]

Comment Attached YES  NO

3. CONFLICT WITH OR DUPLICATION OF EXISTING RULES [s. 227.15 (2) (d)]

Comment Attached YES  NO

4. ADEQUACY OF REFERENCES TO RELATED STATUTES, RULES AND FORMS  
[s. 227.15 (2) (e)]

Comment Attached YES  NO

5. CLARITY, GRAMMAR, PUNCTUATION AND USE OF PLAIN LANGUAGE [s. 227.15 (2) (f)]

Comment Attached YES  NO

6. POTENTIAL CONFLICTS WITH, AND COMPARABILITY TO, RELATED FEDERAL  
REGULATIONS [s. 227.15 (2) (g)]

Comment Attached YES  NO

7. COMPLIANCE WITH PERMIT ACTION DEADLINE REQUIREMENTS [s. 227.15 (2) (h)]

Comment Attached YES  NO