PUBLIC SERVICE COMMISSION OF WISCONSIN

Retention of Meters 1-AC-227

Clearinghouse Rule 13-033

ORDER ADOPTING FINAL RULES

The Public Service Commission of Wisconsin adopts an order to renumber PSC

113.0923 and (title) and 185.78 and (title); renumber and amend PSC 185.77; amend PSC

113.0614, 113.0922 (title), 134.20, 134.31 (3), 185.19 (1), 185.73 (2) and (4), and 185.77 (title);

repeal and recreate PSC 113.0919 (1) and (2), 134.19 (1) and (2), and 185.46 (1) and (2); and

create PSC 113.0919 (3) (title) and (4) (title), 113.0922 (1) (title), (3) and (6), 134.19 (3) (title),

134.31 (4), and 185.77 (3), relating to the retention of customer meters so that they are available

for testing.

REPORT TO THE LEGISLATURE

The Report to the Legislature is set forth as Attachment A.

FISCAL ESTIMATE

The Economic Impact Analysis for this rulemaking is included as Attachment A4.

FINAL REGULATORY FLEXIBILITY ANALYSIS

This rule will not affect small businesses. The s. 227.114(12), Stats., definition of "small

business" states that to be considered a small business, the business must not be dominant in its

field. Since gas, electric, and water utilities are monopolies in their service territories, they are

dominant in their fields, and so, are not small businesses.

Docket 1-AC-227

EFFECTIVE DATE

These rules shall take effect on the first day of the month following publication in the

Wisconsin Administrative Register as provided in s. 227.22 (2) (intro.), Stats.

CONTACT PERSON

Questions regarding this matter should be directed to docket coordinator Joyce Dingman

at (608) 267-6919 or joyce.dingman@wisconsin.gov. Small business questions may be directed

to Christine Swailes at (608) 266-8776, or via e-mail at christine.swailes@wisconsin.gov. Media

questions should be directed to Nathan Conrad, Communications Director, at (608) 267-9600.

Hearing- or speech-impaired individuals may also use the commission's TTY number. If calling

from Wisconsin, use (800) 251-8345; if calling from outside Wisconsin, use (608) 267-1479.

The commission does not discriminate on the basis of disability in the provision of

programs, services, or employment. Any person with a disability who needs accommodations to

participate in this proceeding or who needs to obtain this document in a different format should

contact the docket coordinator listed above.

Dated at Madison, Wisconsin, this day of

By the Commission:

Sandra J. Paske

Secretary to the Commission

Attachments

DL: 00977710

REPORT TO THE LEGISLATURE

A. TEXT OF THE RULE

The text of the proposed rules is set forth in Attachment A1.

B. PLAIN LANGUAGE ANALYSIS

1. Statutory Authority and Explanation of Authority

This rule is authorized under ss. 196.02 (1) and (3), 196.06 (3), 196.17 (1), and 227.11, Stats.

Section 227.11 authorizes agencies to promulgate administrative rules. Section 196.02 (1) authorizes the commission to do all things necessary and convenient to its jurisdiction. Section 196.02 (3) grants the commission specific authority to promulgate rules. Section 196.06 (3) allows the commission to prescribe the manner and form in which utilities keep records. Section 196.17 (1) requires the commission to provide for meter testing.

Statutes Interpreted

This rule interprets ss. 196.03 (1) and 196.17.

Related Statutes or Rules

PSC ss. 113.0922, 113.0923, 134.31, 185.77, and 185.78 deal with customer-requested and commission-refereed tests. This rulemaking deals with how long to retain meters after such tests, and after customer complaints are filed, so that the meters are available should further tests be requested. PSC ss. 113.0614, 134.20, and 185.19 deal with the retention of records.

2. <u>Brief Summary of Proposed Rules</u>

This rule establishes retention periods for meter test records. It also ensures that meters remain available for a reasonable period of time for subsequent testing, if necessary, to resolve a customer dispute. Further, it ensures that utility-tested and referee-tested meters are retained long enough that they are available should further testing or review be needed.

3. Comparison with Existing or Proposed Federal Regulations

49 CFR 192 contains some records retention regulations for gas pipeline operators.

18 CFR 225 contains some gas records retention requirements. 18 CFR 125.3 contains some electric records retention regulations. They do not address the issue of meter retention.

4. Comparison with Similar Rules in Adjacent States

This rulemaking was opened after the commission dealt with a number of situations in which a customer had requested an accuracy test of a meter, but then the meter was thrown away before a second, commission-refereed test could be requested and performed. The approach is to require that a meter be retained for a period of time after a test to ensure that it is available for a follow-up test, should one be requested. This rulemaking involves three types of utility service: gas, electric and water.

Although surrounding states anecdotally report at least some of the same problems experienced by this commission, none of them have rules that specify time periods for which meters must be retained. However, Iowa does advise utilities to keep meters until the time for an appeal has passed, especially if a referee test is performed. Further, when the Iowa Utilities

¹ Referee tests involve commission staff observing the test as it is performed.

Board issues orders granting waivers from meter testing requirements, it requires the utility to hold the meters for 120 days before disposing of them.

Retention periods for meter testing records vary among surrounding states, although the general format is the same. Records from an individual meter test must be retained for a period of time after the results are recorded in a history record that contains a wide variety of information about a particular meter, including all of the test results for that meter. That history record is retained for a longer period of time. The proposed rule requires utilities to retain an individual test record until it is recorded in the meter history record. The meter history record must be kept for the life of the meter, plus six years. Six years was chosen because it is the general statute of limitations for consumer issues. This retention period will help ensure that appropriate records remain available should an issue arise during that time.

Minnesota, Iowa, and Illinois require that initial test records be kept for at least three years, while Michigan requires that they be kept for at least two years. In Minnesota, such records must be kept longer if necessary to permit compliance with commission rules. In Michigan, they must be kept longer if necessary to comply with rules regarding refunds on fast meters. In Illinois, meter history records need only be kept for three years. In Michigan and Minnesota, they must be kept for the life of the meter.

5. Summary of Factual Data and Analytical Methodologies Used

The commission relied on its own experiences with metering disputes, the experiences of its consumer protection division, communication with other states and data provided by the industry.

6. Effect on Small Business

The s. 227.114(1), Stats., definition of "small business" states that to be considered a small business, the business must not be dominant in its field. Since they are monopolies in their service territories, gas, electric, and water utilities are dominant in their fields, and so, are not small businesses.

7. Agency Contacts

Questions regarding this matter should be directed to docket coordinator Joyce Dingman at (608) 267-6919 or joyce.dingman@wisconsin.gov. Small business questions may be directed to Christine Swailes at (608) 266-8776, or via e-mail at Christine.swailes@wisconsin.gov. Media questions should be directed to Nathan Conrad, Communications Director, at (608) 267-9600. Hearing- or speech-impaired individuals may also use the commission's TTY number. If calling from Wisconsin, use (800) 251-8345; if calling from outside Wisconsin, use (608) 267-1479.

8. Accommodation

The commission does not discriminate on the basis of disability in the provision of programs, services, or employment. Any person with a disability who needs to receive this document in a different format should contact the docket coordinator, as indicated in the following paragraph, as soon as possible.

C. FISCAL ESTIMATE AND ECONOMIC IMPACT ANALYSIS

The Fiscal Estimate and Economic Impact Analysis for this rulemaking is included in Attachment A4.

D. BASIS AND PURPOSE OF RULES

This rule establishes retention periods for meter test records. It also ensures that meters remain available for a reasonable period of time for subsequent testing, if necessary, to resolve a customer dispute or metering issue. Further, it ensures that utility-tested and referee-tested meters² are retained long enough that they are available should further testing or review be needed.

E. SUMMARY OF PUBLIC COMMENTS AND COMMISSION RESPONSES

The summary of public comments and commission responses for this rulemaking is included in Attachment A2.

F. APPEARANCES AT PUBLIC HEARING

William Skewes for the Wisconsin Utilities Association appeared at the public hearing but did not testify. The following filed written comments:

William Skewes, Executive Director, Wisconsin Utilities Association

James A. Schubilske, Vice President, State Regulatory Affairs, Wisconsin Electric Power Company

Nicolas E. Kumm, Electric, Communications, & Gas Manager, Marshfield Utilities

Daniel Duchniak, Waukesha Water Utility

Julie Bohen, Watertown

Kelly Zylstra, Waukesha

Valerie Kraemer, Oconomowoc

Earl Smith, Milwaukee Water Works

Sen. Paul Farrow, Chair Senate Committee on Government Operations, Public Works and Telecommunications

Municipal Environmental Group - Water Division (MEG)

Filing in support of MEG comments:

Lori Sweet, Waukesha Water Utility Lake Como Sanitary District Scott Osborne, Oconomowoc Chris Hardy, Administrator, Winneconne David Botts, Janesville Jerry Weisnicht, Administrator, Shawano Lake Sanitary Dist.

² Referee tests involve Commission staff observing the test as it is performed.

Keith Haas, Racine
Mark Simon, Brookfield
Deb Geier, Wausau Water Works
Frank Miller, Cudahy Water Utility
Travis Coenen, Super. Public Works, Wrightstown
Chris Stempa, Dept of Utils, Appleton
Randy Kerkman, Bristol
Keith Mueller, Comptroller, Green Bay Water Utility

Steve Berndt, Public Works, Bonduel Amy Barrilleaux, Madison Water Utility Wally Thorn, Rice Lake Utilities Dan Knapp, Dir. Pub. Works, Chetek Raymond Hyde, Pub. Works, Dir., Ashland Donna Scholl, Oconomowoc Edward St. Peter, Kenosha Water Util. Daniel Duchniak, Franklin

G. ANY CHANGES TO THE FISCAL ESTIMATE OR THE ANALYSIS UNDER s. 227.14 (2), STATS.

None.

H. RESPONSE TO LEGISLATIVE COUNCIL COMMENTS

A copy of the report from the Legislative Council is included as Attachment A3.

2. Form, Style and Placement in Administrative Code

- a. Agree. Changes made.
- b. Agree. Changes made.
- c. Agree. Change made.
- d. Agree. Change made.
- e. Agree. Change made.
- f. Agree. Change made.
- g. Agree. Change made.
- h. Agree. Change made.
- i. Agree. Change made.
- j. Agree. Change made.
- k. Disagree. Since there is only one definition, the format used is appropriate.
- l. Agree. Change made.

3. Clarity, Grammar, Punctuation and Use of Plain Language

- a. Agree. Change made.
- b. Disagree. These are terms of art that have been in the rules, undefined, for many years.
- c. Agree. Change made.

I. MISCELLANEOUS DETERMINATIONS

The commission's WEPA coordinator examined whether the rules have an environmental impact and concluded that they do not. Commission staff also considered

whether the rule will directly or substantially impact housing under s. 227.115, Stats., and concluded that it will not.

TEXT OF RULES

- 2 **SECTION 1**. PSC 113.0614 is amended to read:
- 3 PSC 113.0614 Preservation of records. The A utility shall preserve the following
- 4 records shall be preserved in a readable format and kept keep them available for
- 5 inspection by the commission for the periods indicated. The list is not to be taken as
- 6 comprehending a complete list of all types of utility records.

Description of Records	Period to be Retained
(1) Maps showing the location and physical characteristics of existing facilities	Perpetually
(2) Engineering records in connection with construction projects if construction of projects results wholly or in part	Until record is superseded or 6 years after plant is retired
Production Records:	
(3) Station and system generation records	Permanently
(4) All other records taken in the plant	6 years
Operating Records:	
(5) Load dispatcher data	6 years
(6) Interruption records	6 years
(7) Meter test records	See PSC 113.0919 Until the information
Note that if meter test records are being used as meter history records under PSC 113.0919 (2) (b), the meter test records must be preserved for the time period required for meter history records.	in the meter test record is entered in the meter history record and the meter is tested again
(8) Meter history records	Life of meter plus 6 years
(9) Annual meter accuracy summary	<u>16 6</u> y ears
(10) Voltmeter records	2 years or until replaced by more recent records
(11) All other records of operation	6 years
Equipment Records:	
(12) Must be placed in mortality study before destroying	Life of equipment
Customers' Records:	
(13) Inspection of customers' premises	6 years
(14) Customers' complaint record	6 years after complaint is resolved
(15) Meter reading sheets records used for billing	* years 6 years
(16) Billing record	* years 6 years
(17) Customer deposits	6 years after refund
(18) Filed rates and rules	Permanently

Note: See also "Regulations to Govern the Preservation of Records of Electric, Gas and Water Utilities" adopted by the commission in dockets 2-U-5005 and 2-U-5396, May 4, 1972, for more comprehensive listing of retention periods of specific records.

^{*}Where machine billing is used and meter readings recorded on tabulating eards the register sheets may be considered the "meter reading sheets" and the "billing records." "Meter reading sheets" and "billing records" or the "register sheets" shall be kept 6 years or until they are no longer needed to adjust bills. This means that the records must be kept 6 years or from the date of one meter text to the next whichever is longer.

- 1 **SECTION 2.** PSC 113.0919 (1) and (2) are repealed and recreated to read:
- 2 PSC 113.0919 (1) (title) METER TEST RECORDS. (a) A utility shall keep a record of a test
- 3 whenever a unit of metering equipment is tested. The meter test record shall include all of
- 4 the following:
- 5 1. Information to identify the unit of metering equipment.
- 6 2. The service address at which the unit of metering equipment is installed.
- 7 3. The equipment with which the unit of metering equipment is associated.
- 8 4. The date of the test.
- 9 5. The reason for the test.
- 10 6. A statement of "as found" accuracies.
- 7. A statement of "as left" accuracies, when applicable.
- 12 8. The name of the person making the test.
- 9. The readings before and after the test.
- 14 10. A statement as to whether or not the unit of metering equipment "creeps" and in case
- of creeping, all of the following:
- 16 a. The rate.
- b. A statement of "as found" and "as left" accuracies sufficiently complete to permit
- 18 checking of the calculations employed.
- 19 c. Indications showing that all required checks have been made.
- d. A statement of repairs made by the utility, if any, or a notation that the unit was
- 21 returned to the manufacturer for repairs.
- e. Identification of the testing standard.

1 (b) Meter test records and meter history records may be kept as separate records or one

2 record.

3

- 4 PSC 113.0919 (2) METER HISTORY RECORDS. (a) Each utility shall keep a history record
- 5 for each unit of metering equipment showing all of the following:
- 6 1. The date the unit was purchased.
- 7 2. The unit's cost.
- 8 3. Information identifying the unit.
- 9 4. Equipment associated with the unit.
- 10 5. The unit's essential name-plate data.
- 11 6. Dates of the last 2 tests.
- 7. Results of the last "as found" and "as left" tests, unless separate records are kept of
- each test for each unit.
- 8. Locations where the unit has been installed, with dates of installation and removal.
- 15 (b) Meter test records and meter history records may be kept as separate records or one
- 16 record.
- 17 **SECTION 3.** PSC 113.0919 (3) (title) and (4) (title) are created to read:
- 18 **PSC 113.0919 (3)** STATISTICAL SAMPLING SUMMARIES.
- 19 **PSC 113.0919 (4)** Computerized meter record system.

20

- 21 **SECTION 4.** PSC 113.0922 (title) is amended to read:
- 22 PSC 113.0922 (title) Customer request test and commission referee tests.

- 1 **SECTION 5.** PSC 113.0922 (1) (title) is created to read:
- 2 **PSC 113.0922 (1) (title)** CUSTOMER REQUEST TEST.

- 4 **SECTION 6.** PSC 113.0922 (3) is created to read:
- 5 **PSC 113.0922 (3)** METER RETENTION. (a) After a customer requested test. When a utility
- 6 performs a customer requested test on a customer's meter under sub. (1) or when the
- 7 commission requests that a meter be tested, the utility shall keep the tested meter, in "as
- 8 tested" condition, at a designated location on the utility's premises for at least one full
- 9 billing period plus 4 weeks after the test result report is issued so that the meter is
- available should another meter test be requested. If the meter tests as accurate, the utility
- may choose to keep the tested meter installed at the customer's premises for the
- designated time period rather than storing it at the utility's premises.
- 13 (b) After a referee test. When a utility performs a referee test on a customer's meter
- under sub. (2), the utility shall keep the tested meter, in "as tested" condition, at a
- designated location on the utility's premises for at least 10 business days after the test
- 16 result report is issued so that the meter is available should further testing or review be
- 17 needed. If the meter tests as accurate, the utility may choose to keep the tested meter
- 18 installed at the customer's premises for the designated time period rather than storing it at
- 19 the utility's premises.
- 20 (c) When a complaint or dispute occurs. When a utility receives a complaint under s. PSC
- 21 113.0610 or is notified about a dispute under s. PSC 113.0407 involving a meter-related
- issue, the utility shall keep the meter, in "as tested" condition, at a designated location on
- 23 the utility's premises for at least one full billing period plus four weeks after the

- 1 complaint or dispute and any appeal of that dispute is resolved so that the meter is
- 2 available should testing be requested. If the meter was tested during the complaint or
- dispute process, and it tested as accurate, the utility may choose to keep the tested meter
- 4 installed at the customer's premises for the designated time period rather than storing it at
- 5 the utility's premises.

6

- 7 **SECTION 7.** PSC 113.0922 (6) is created to read:
- 8 **PSC 113.0922 (6)** RECORDS RETENTION REQUIREMENTS. A utility shall keep the
- 9 complete, original record from any test under this section on file for the time period
- 10 specified in s. PSC 113.0614.

11

12 **SECTION 8.** PSC 113.0923 and (title) are renumbered PSC 113.0922 (2) and (2) (title).

- **SECTION 9.** PSC 134.19 (1) and (2) are repealed and recreated to read:
- 15 PSC 134.19 (1) METER TEST RECORDS. (a) A utility shall keep a record of a meter test
- whenever a meter is tested. The meter test record shall include all of the following:
- 17 1. Information identifying the meter.
- 18 2. The reason for making the test.
- 19 3. The reading of the meter before it was removed from service.
- 4. All the data that was taken at the time of the test.
- 5. The results of the test measurement
- 22 (b) The meter test record must be sufficiently complete to permit convenient checking of
- 23 the methods and calculations that have been employed.

1 (c) Meter test records and meter history records may be kept as separate records or one

2 record.

3

- 4 (2) METER HISTORY RECORDS. (a) A utility shall keep a meter history record showing all
- 5 of the following:
- 6 1. The date the meter was purchased.
- 7 2. The meter's size.
- 8 3. Information identifying the meter.
- 9 4. The meter's various places of installation, with dates of installation and removal.
- 10 5. The dates and results of all tests.
- 6. The dates and details of all repairs by the utility, or notations of the date and that the
- meter was returned to the manufacturer for repair.
- 13 (b) The record shall be arranged in such a way that the record for any meter can be
- 14 readily located.
- 15 (c) Meter test records and meter history records may be kept as separate records or one
- 16 record.

17

- 18 **SECTION 10.** PSC 134.19 (3) (title) is created to read:
- 19 PSC 134.19 (3) (title) METER ACCURACY SUMMARIES.

- 21 **SECTION 11.** PSC 134.20 is amended to read:
- 22 **PSC 134.20 Preservation of records.** The A utility shall preserve the following records
- 23 shall be preserved in a readable format and kept keep them available for inspection by the

- 1 commission for the periods indicated. The list is not to be taken as comprehending a
- 2 <u>complete list of</u> all types of utility records.

	Description of Record	Period to be Retained
(1)	Maps showing the location and physical characteristics of existing plant	Currently
(2)	Engineering records in connection with construction projects	Permanently
(3)	Supply records:	
<u>(a)</u>	Station and system supply records	Permanently
<u>(b)</u>	All other records taken in the plant	6 years
(4)	Operating records:	
<u>(a)</u>	Load dispatcher data	6 years
<u>(b)</u>	Interruption records	6 years
<u>(c)</u>	Meter test <u>records</u>	See s. PSC 134.19 Until the information in the meter test record is entered in the meter history record and the meter is tested again
<u>(d)</u>	Meter history records	Life of meter <u>plus 6</u> <u>years</u>
<u>(e)</u>	Annual meter accuracy summary	20 <u>6</u> years
<u>(f)</u>	Heating value records	6 years
(g)	Pressure records	6 years
<u>(h)</u>	Specific gravity records	6 years
<u>(i)</u>	All other records of operation	6 years
(5)	Equipment record:	
	Must be placed in mortality study before destroying	Life of equipment
(6)	Customers' records:	
<u>(a)</u>	Inspection of customers' equipment	10 years
<u>(b)</u>	Complaint record	6 years <u>after the</u> <u>complaint is resolved</u>
<u>(c)</u>	Meter reading sheets or cards records used for billing	* years 6 years
<u>(d)</u>	Billing record	* years 6 years
<u>(e)</u>	Customer deposits	6 years after refund
(7)	Filed rates and rules	Permanently

*Where machine billing is used and meter readings recorded on tabulating eards, the register sheets may be considered the "meter reading sheets" and the "billing records." "Meter reading sheets" and "billing records" or the "register sheets" shall be kept 6 years or until they are no longer needed to adjust bills. This means that the records must be kept 6 years or from the date of one meter test to the next, whichever is longer.

- 1 **SECTION 12.** PSC 134.31 (3) is amended to read:
- 2 PSC 134.31 (3) All request and referee meter tests shall include an inspection of the
- 3 meter index by removing the index from the meter body. The dials, gears and all other
- 4 parts of the index shall be visually inspected for wear, misalignment or other mechanical
- 5 defects which would affect the accuracy of the meter on a continuing or sporadic basis.
- 6 Any defects affecting the meter's accuracy shall be noted and evaluated in the report of
- 7 the test.

- 9 **SECTION 13.** PSC 134.31 (4) is created to read:
- 10 **PSC 134.31 (4)** METER RETENTION. (a) After a customer requested test. When a utility
- performs a customer-requested test on a customer's meter under sub. (1) or when the
- 12 commission requests that a meter be tested, the utility shall keep the tested meter, in "as
- tested" condition, at a designated location on the utility's premises for at least one full
- billing period plus four weeks after the test result report is issued so that the meter is
- 15 available should another meter test be requested. If the meter tests as accurate, the utility
- may choose to keep the tested meter installed at the customer's premises for the
- designated time period rather than storing it at the utility's premises.
- 18 (b) After a referee test. When a utility performs a referee test on a customer's meter
- under sub. (2), the utility shall keep the tested meter, in "as tested" condition, at a
- 20 designated location on the utility's premises for at least 10 business days after the test
- 21 result report is issued so that the meter is available should further testing or review be
- 22 needed. If the meter tests as accurate, the utility may choose to keep the tested meter

1 installed at the customer's premises for the designated time period rather than storing it at

- 2 the utility's premises.
- 3 (c) When a complaint or dispute occurs. When a utility receives a complaint under s.
- 4 PSC 134.17 or is notified about a dispute under s. PSC 134.064 involving meter
- 5 accuracy, the utility shall keep the meter, in "as tested" condition, at a designated location
- on the utility's premises for at least one full billing period plus four weeks after the
- 7 complaint or dispute and any appeal of that dispute is resolved so that the meter is
- 8 available should testing be requested. If the meter was tested during the complaint or
- 9 dispute process, and it tested as accurate, the utility may choose to keep the tested meter
- installed at the customer's premises for the designated time period rather than storing it at
- 11 the utility's premises.

- 13 **SECTION 14.** PSC 185.19 (1) is amended to read:
- 14 **PSC 185.19** (1) The A utility shall preserve the following records shall be preserved in a
- 15 <u>readable format</u> and kept keep them available for inspection by the commission for the
- period indicated. The list is not to be taken as comprehending all types of utility records.

Description of Record	Period to be Retained
(a) Maps showing the location and physical characteristics of the utility plant	Until maps are superseded or 6 years after plant is retired, provided mortality data are retained
(b) Engineering and original cost records in connection with construction projects	Until records are superseded or 6 years after plant is retired, provided mortality data are retained. An exception is allowed when a utility maintains approved continuing property records; then, engineering and original cost records need only be preserved for a period of 6 years after construction is completed.
(c) Operating records	
1. Station pumpage records	15 years or 3 years after the source is abandoned, whichever is shorter
2. Interruption records	6 years

information in the meter test record is entered in the meter history record and

the meter is tested again

4. Meter history record* Life of meter <u>plus 6 years</u>

5. Annual meter accuracy summary $10 \underline{6}$ years6. Pressure records6 years

(d) Customer records:

1. Complaint records 3 years <u>after the complaint is resolved</u>

2. Customer deposit 6 years after refund

3. Meter reading sheets or cards records ** 6 years

used for billing

4. Billing record ** 6 years

(e) Filed rates and rules Permanently

* Where practicable shall be placed in mortality study before destroying.

** Where machine billing is used and meter readings recorded on tabulated cards, the register sheets may be considered to be "meter reading sheets" and the "billing records." Meter reading sheets and billing records or the register sheets shall be kept 6 years or until they are no longer needed to adjust bills. This means that the records shall be kept 6 years or from the date of one meter test to the next, whichever is longer.

Note: See also "Regulations to Govern the Preservation of Records of Electric, Gas and Water Utilities" adopted by the commission in docket 2. U 5005, April 27, 1981, "Investigation to Consider Proposed Changes to Records Retention Requirements for Electric. Gas and Water Utilities" adopted by the commission in docket 5-US-114, December 12, 2006, for a more comprehensive listing of retention periods of specific records.

10 11

- 12 **SECTION 15.** PSC 185.46 (1) and (2) are repealed and recreated to read:
- 13 **PSC 185.46** (1) METER TEST RECORDS. (a) A utility shall create a record of a meter test
- whenever a meter is tested. If the meter is tested again, the utility need not retain the
- previous test record once the information in that record has been entered in the meter
- 16 history record. The meter test record shall include all of the following:
- 17 1. Identification of the meter.
- 18 2. The service address at which the meter is installed.
- 19 3. The date of the test.
- 4. A statement of "as found" accuracies.
- 5. A statement of "as left" accuracies, when applicable.
- 22 6. The name of the person making the test.

1 (b) Meter test records and meter history records may be kept as separate records or one

2 record.

3

- 4 (2) METER HISTORY RECORDS. (a) Each utility shall keep a history record for each meter
- 5 sufficient to fulfill the requirements of s. PSC 185.19, including all of the following:
- 6 1. The date the meter was placed into service.
- 7 2. The information in all of the meter's test records under sub. (1).
- 8 3. The date the meter was retired from service.
- 9 (b) Meter test records and meter history records may be kept as separate records or one
- 10 record.

11

- 12 **SECTION 16.** PSC 185.73 (2) is amended to read:
- 13 **PSC 185.73 (2)** Meters shall be tested A utility shall test a meter "as found," or before
- repair (As Found) and, and, unless the meter must be retained under s. PSC 185.77 (3),
- 15 <u>"as left," or after repair (As Left)</u>. (See s. PSC 185.46 for exceptions.)

16

- 17 **SECTION 17.** PSC 185.73 (4) is amended to read:
- 18 **PSC 185.73(4)** Meters A meter not meeting the accuracy or other requirements of s. PSC
- 19 185.61 or 185.65 shall, unless the meter must be retained under s. PSC 185.77 (3), be
- 20 repaired or rebuilt to meet those requirements before further use.

- 22 **SECTION 18.** PSC 185.77 (title) is amended to read:
- 23 PSC 185.77 Complaint Request and referee tests.

1

2 **SECTION 19.** PSC 185.77 is renumbered 185.77 (1) and amended to read:

- 3 PSC 185.77 (1) REQUEST TESTS. Each utility shall promptly make an accuracy test
- 4 without charge of any metering installation upon request of the customer if 24 months or
- 5 more have elapsed since the last complaint customer requested test of the meter in the
- 6 same location. If less than 24 months have elapsed, an amount equal to one-half the
- 7 estimated cost of the meter test shall be advanced to the utility by the customer. Said The
- 8 amount shall be refunded if the test shows the meter to be over- or under- registering by
- 9 more than 2 percent-%. A report giving the results of such the test shall be made to the
- 10 customer and a complete original test record shall be kept on file in the office of the
- 11 utility. Upon request, the test shall be made in the presence of the customer during
- normal business hours. (See also s. PSC 185.35, Adjustment of bills.)

- 14 **SECTION 20.** PSC 185.77 (3) is created to read:
- 15 **PSC 185.77** (3) METER RETENTION. (a) *Definitions*. For purposes of this subsection, "as
- 16 found" means retained, filled with water and capped without any other adjustments being
- made since the last test was performed.
- 18 (b) After a customer requested test. When a utility performs a customer requested test on
- a customer's meter under sub. (1) or when the commission requests that a meter be
- 20 tested, the utility shall keep the tested meter, in "as found" condition, at a designated
- 21 location on the utility's premises for at least one full billing period plus four weeks after
- 22 the test result report is issued so that the meter is available should another meter test be
- 23 requested. If the meter tests as accurate, the utility may choose to keep the tested meter

1 installed at the customer's premises for the designated time period rather than storing it at

- 2 the utility's premises.
- 3 (b) After a referee test. When a utility or third party retests a customer's meter under sub.
- 4 (2), the utility shall keep the tested meter, in "as found" condition, at a designated
- 5 location on the utility's premises for at least 10 business days after the test result report is
- 6 issued so that the meter is available should further testing or review be needed. If the
- 7 meter tests as accurate, the utility may choose to keep the tested meter installed at the
- 8 customer's premises for the designated time period rather than storing it at the utility's
- 9 premises.
- 10 (c) When a complaint or dispute occurs. When a utility receives a complaint under s.
- 11 PSC 185.42 or is notified about a dispute under s. PSC 185.39 involving a meter-related
- issue, the utility shall keep the meter, in "as tested" condition, at a designated location on
- the utility's premises for at least one full billing period plus four weeks after the
- 14 complaint or dispute and any appeal of that dispute is resolved so that the meter is
- 15 available should testing be requested. If the meter was tested during the complaint or
- dispute process, and it tested as accurate, the utility may choose to keep the tested meter
- installed at the customer's premises for the designated time period rather than storing it at
- 18 the utility's premises.

19

20 **SECTION 21.** PSC 185.78 and (title) are renumbered 185.77 (2) and (2) (title).

- 22 **SECTION 22. Effective date.** This rule shall take effect on the first day of the month
- 23 following publication in the Wisconsin Administrative Register as provided in s. 227.22
- 24 (2) (intro.), Stat..

1-AC-227 Meter & Record Retention

Item		PSC Code	Public Service Commission	Comments and Questions	PSC Responses
1	WUA	113.0614(7) & note	Preservation of records – meter test records	WUA members do not want to keep two records of meter tests. Often meters are tested in the field and those test results are entered into meter history records and then purged. (Suggested change) Modify period to be retained to "See PSC 113.0919. Until the information is the meter test record is entered in the meter history record."	Agree in part. The proposed language is not a change. Currently, a meter test record must be kept until the next test is performed, and a meter history record must be kept. The proposed language only clarified that the test record information must also be made a part of the meter history record before it is disposed of. However, the language will be changed to make clear that a utility need only retain test record information until it is entered into the meter history record. It is important to note that the meter history record need not be a separate, stand-alone document so long as the required information can be gathered from other sources.
2	WUA	113.0919(1)(b)	Location of the unit of metering equipment	A clarification is needed. Is this part of where the meter was tested, or a history of location of meters, service address, etc. ?	Agree. Clarify that "location" is intended to mean the service address.
3	WUA	113.0919 (1) (j) 4.	A statement of repairs made, if any	If a product is returned to a manufacturer that fact is tracked however the details of the repair are not.	Agree. Language will be changed to require a statement of repairs made by the utility or a notation that the unit was returned to the manufacturer for repairs.

4	WUA	113.0921(1)(g)	Repeal	WUA members would oppose repeal of PSC 113.0921(1)(g). A clarification of when meters can be retired without a test is needed. As drafted the repeal could be costly to customers. Meters in sampling program with acceptable lot performance would be found to be accurate. A retention period for retired without test under PSC 113.0922 could be acceptable.	
5	WUA	113.0922(3)(d)	Meter retention when a complaint or dispute occurs	The proposed rule provision referring to "meter-related issue" is vague. The wording should refer to complaints related to meter accuracy.	Agree. Change made.
6	WUA	113.0922(3)(e)	When a meter is retired	The rule needs to clarify on when a meter can be retired without a test.	Agree. The new provisions about retaining meters at retirement and after other tests have been deleted.
7	WUA	113.0922(6)	Records Retention Requirements	WUA members do not want to keep two records of the meter tests. Often meters are tested in the field and those test results are then recorded in the meter history records and purged from the field test records.	Agree in part. The proposed language is not a change. Currently, a meter test record must be kept until the next test is performed, and a meter history record must be kept. The proposed language only clarified that the test record information must also be made a part of the meter history record before it is disposed of. However, the language will be changed to make clear that a utility need only retain test record information until it is entered into the meter history record. It is important to note that the meter history record need not be a separate, stand-alone document so long as the required information can be gathered from other sources.

8	WUA	113.0922	Records Retention Requirements	The draft rule includes 1-3 and 6 but does not include 4 and 5.	Agree. Provisions have been renumbered as necessary
9	WUA	134.19(1)	Meter Test Records	The requirement to create a record every time a meter is tested implies a redundant recordkeeping system that would add to costs. WUA would prefer changing the term from "create" to "keep" a record so that entries in the meter history record are sufficient for compliance.	Agree in part. The proposed language is not a change. Currently, a meter test record must be kept until the next test is performed, and a meter history record must be kept. The proposed language only clarified that the test record information must also be made a part of the meter history record before it is disposed of. However, the language will be changed to make clear that a utility need only retain test record information until it is entered into the meter history record. It is important to note that the meter history record need not be a separate, stand-alone document so long as the required information can be gathered from other sources.
10	WUA	134.19(1)(a)4	Meter Test Records	The provision needs to recognize that certain meters (rotary and turbine) are tested by methods that do not calculate meter accuracy. They test the functioning of the meter. WUA would prefer language that requires a test record to include the "results" of measurement instead of "accuracy" of measurement.	Agree. Change made.

11	WUA	134.20	Preservation of Records	Also see W UA comment on PSC 113.0614(7). W UA would support a note similar to that being proposed for 113.0614 but referring to meter history records under PSC 134.19(2)	Agree in part. The proposed language is not a change. Currently, a meter test record must be kept until the next test is performed, and a meter history record must be kept. The proposed language only clarified that the test record information must also be made a part of the meter history record before it is disposed of. However, the language will be changed to make clear that a utility need only retain test record information until it is entered into the meter history record. It is important to note that the meter history record need not be a separate, stand-alone document so long as the required information can be gathered from other sources.
12	WUA	134.31(4)(a)	Meter Retention	Some meters will need to be left in place following a test and it would be preferable for them to be adjusted for accuracy instead of requiring them to remain in "as tested" condition. The rule needs to accommodate adjustment of a field-tested meter and the time of a test.	Disagree. The goal of this rule is to have meters available in "as tested" condition in case further testing is requested or required. This requires that inaccurate meters be removed rather than adjusted in the field.

13	WUA	134.31(4)(c)	Meter Retention	modified to specify that it is	Agree. The new provisions about retaining meters at retirement and after other tests have been deleted.
14	WUA	134.31(4)(d)	Meter Retention	The use of the terms "meter-related issue" is too vague and should instead refer to "meter accuracy." (see W UA comment on PSC 113.0922(3)(d)) Also would like clarification of when retention period starts. Is the date of the meter test the start of the retention period?	Agree. The new provisions about retaining meters at retirement and after other tests have been deleted.
15	WUA	134.31	Drafting issue	We notice that the rule seems to be drafted without a (5) but continues to a (6)	Agree. The new provisions about retaining meters at retirement and after other tests have been deleted.
16	WUA	134.31(6)	Record retention requirement	WUA would like a clarification as to whether the retention time period requirement applies to meter history records, meter test records, or both?	Agree in part. This provision has been deleted. A note has been added referring readers to the records retention chart.

17	WEPCO	113.0921	PSC 113.0921(1)(g) appears in the	Agree. The new provisions about retaining meters
		(1) (g)	portion of ch. PSC 113 that defines the	at retirement and after other tests have been
		() ()	statistical sample test plan for in-service	deleted.
			electric meters and currently reads "Any	
			meter that is included in this plan, which	
			is removed from service for retirement,	
			may be retired without a test." We do	
			not understand the rationale for and do	
			not agree with the repeal of this portion	
			of the code. From a meter retention	
			perspective, meter retirement without a	
			test is addressed in the proposed PSC	
			113.0922 (3) (e).	
			Since PSC 113.0921 (1) (g) was	
			implemented in 2000 we have retained	
			meters for multiple billing periods	
			when meters are removed from service	
			for retirement to allow for customer	
			requested tests and have received very	
			few test requests.	
			Staffing in our meter shop has been	
			reduced based on PSC 113.0921 (1) (g).	
			Repeal of PSC 113.0921 (1) (g) will	
			significantly increase the number of	
			meters that require a test, will require	
			additional meter shop staff and will result	
			in additional cost for the utility and our	
			customers. We do not believe this	
			additional cost adds significant value to	
			our overall customer service.	
			We agree the retention of the	
			meters before retirement should	
			remain in order to allow customer-	
			requested tests but feel that PSC	
			113.0921 (1) (g) should be	
			retained.	

18	Nicolas E.	134.19 (1) 113.0911 (1) (d),		PSC 134.19(1) defines the creation of a "Meter test record". PSC 134.19(2) defines the creation of a "Meter History Record" which includes "the dates and results of all tests". PSC 134.19(1) requires the utility to create a redundant record since we are required to keep a record of the same information in the meter history record. We recommend PSC 134.19(1) be eliminated and all references to "meter test record" be removed and replaced with a reference to the "meter history record" when appropriate. Currently, PSC 113.0911 (1) (d), PSC 113.0912 (1) (d), PSC113.0913 (1)(d),	Agree in part. The proposed language is not a change. Currently, a meter test record must be kept until the next test is performed, and a meter history record must be kept. The proposed language only clarified that the test record information must also be made a part of the meter history record before it is disposed of. However, the language will be changed to make clear that a utility need only retain test record information until it is entered into the meter history record. It is important to note that the meter history record need not be a separate, stand-alone document so long as the required information can be gathered from other sources. As
	Electric, Communi- cations, & Gas Manager Marshfield Utilities	113.0912 (1) (d), 113.0913 (1) (d)		and PSC113.0914(1)(d) require utilities to test every electric meter that is removed from service or retired. The proposed rule in PSC 113.0922(3)(e) states retired meters do not need to be tested if the meter is kept by the utility in the "as found" condition for a period of time. The existing rules and the proposed rules appear to contradict each other.	deleted.
20	Daniel Duchniak Waukesha Water Utility	185.77	Request and referee tests, tests at retirement	This adds an unnecessary burden and cost to the utilities to address an issue that is limited in nature.	Agree. The new provisions about retaining meters at retirement and after other tests have been deleted.

21	Julie Bohen Watertown	185.77	Request and referee tests, tests at retirement	Storing meters for 4 months is a bad idea. The benefit is really, really small as very few if any customers ever inquire about their old meters. The potential detriment is very, very large. The extra storage costs and labor needed to handle all the old meters will add up quickly. These extra costs could be passed on to ratepayers. Please consider getting rid of the language that requires water utilities to store meters four 4 months.	Agree. The new provisions about retaining meters at retirement and after other tests have been deleted.
22	Kelly Zylstra Waukesha.	185.77	Request and referee tests, tests at retirement	Why spend the money when less than 0.2% of customers who had retired meters replaced had concerns over the accuracy of their new meter? Those funds could be spent in much better ways to help our failing infrastructure.	Agree. The new provisions about retaining meters at retirement and after other tests have been deleted.
23	Valerie Kraemer Oconomo- woc	185.77	Request and referee tests, tests at retirement	I do not support the new requirement in PSC 185.77 (3) (e).	Agree. The new provisions about retaining meters at retirement and after other tests have been deleted.

24	Earl Smith Milwaukee	185.77	Request and referee tests, tests at	Endorse and support the concept of ensuring that meters used to prepare	Agree. The new provisions about retaining meters at retirement and after other tests have been
	Milwaukee Water Works		tests, tests at retirement	a customer's bill are performing their designed function accurately, thus providing the customer for an accurate bill. That being said, MWW tests meters as they are retired on a routine basis and always tests them upon customer request. Current PSC code more than adequately promotes this, therefore it is the opinion of MWW that the rule changes proposed address a scenario that happens very rarely. The adoption of these proposed changes will not benefit the majority of ratepayers of MWW. This is especially true since it is the understanding of MWW that a meter that tests within the PSC accuracy limits for a removed meter that will not result in an adjustment to a customer bill can be destroyed immediately with no requirement to	at retirement and after other tests have been deleted.
25	Municipal	185.77	Request and referee	median meter supports the meter	Agree. The new provisions about retaining meters
	Environ- mental Group - Water Division (MEG)		tests, tests at retirement	retention requirements applicable after a customer-requested test, after a referee test, when performing other tests, and when a complaint or dispute occurs.	at retirement and after other tests have been deleted.

26	MEG	185.77	Request and referee	Does not support the new requirement	Agree. The new provisions about retaining meters
			tests, tests at		at retirement and after other tests have been
			retirement	utility to test or retain all meters that	
				have been retired. This is	
				burdensome, increases costs, will	
				increase utility rates, and would	
				provide no benefit customers in most	
				cases. The limit to benefits that would	
				be provided by this requirement do	
				not justify the additional costs and	
				burdens that would be imposed by	
				this requirement.	
				tins requienent.	
				A better, more targeted, approach	
				would be to require the utility to test	
				or retain an untested retired meter	
				only if 1) the utility issues the	
				customer a backbill for service	
				provided while the retired meter was	
				used or 2) the bill issued prior to the	
				meter replacement was estimated.	
				1	
				In those cases, a customer request for	
				a meter test could be reasonably	
				anticipated and might provide useful	
				information to the customer. This	
				targeted approach would only require	
				those retired meters that meet the	
				specified conditions to be tested are	
				retained. This would limit the utility's	
				costs, while providing customer	
				protection in those situations where	
				an issue might arise. MEG believes	
				this is a better, more cost effective	
				approach that focuses utility	
				resources on those situations where	
				meaningful benefits might be	
				provided.	
				-	

27	Waukesha	185.77	Request and referee	PSC 185.77 (3) (e) is over-arching.	Agree. The new provisions about retaining meters
	Water	103.77	tests, tests at	This language is proposed to	at retirement and after other tests have been
	Utility		retirement	address only a few specific events.	deleted.
	Othicy		lethenent	It reacts to a special cause as if it	deleted.
				•	
				were common.	
				Customer requests to check retired	
				meters are not common. WWU only	
				received two requests from	
				customers to test meters in 2012	
				(rate of 0.13%). If WWU is	
				accepted as a sample of the state, it	
				appears unnecessary to implement a	
				procedure that would provide very	
				little value to the general public.	
				If the PSC does receive a complaint	
				related to a retired, untested meter,	
				the WWU would like to suggest that	
				a settlement be negotiated between	
				the involved parties.	
28	Waukesha	185.77	Request and referee	PSC 185.77 (3) (e) adds cost to the	Agree. The new provisions about retaining meters
	Water		tests, tests at	system.	at retirement and after other tests have been
	Utility		retirement		deleted.
				Testing showed that capping and	
				storing was ineffective and costly.	
				While there is an opportunity for a	
				utility to request a waiver, this is	
				yet another unnecessary and costly	
				process for a utility to engage in.	

29	Sen. Paul	185.77	Request and referee	The proposed rule for retired water	Agree. The new provisions about retaining meters
	Farrow		tests, tests at	meters appears to be an overbroad and	at retirement and after other tests have been
			retirement	costly burden for the state's water	deleted.
				utilities and their customers, especially	
				considering the small number of water	
				users who could potentially see any	
				benefit. In addition, it appears that the	
				storage requirements may actually be	
				ineffective in preserving the meter. If	
				effective preservation is possible, any	
				requirements should be limited to those	
				cases where customers had water use	
				estimated or were issued a backbill for	
				past unmetered use.	
				The State has an obligation to ensure	
				the wise use of financial resources and	
				to avoid regulations that are overly	
				burdensome or unnecessary. The PSC	
				should work with utilities to find a	
				better way to address its limited	
				concern. I urge the Commission to	
				carefully review the public comments	
				and to consider needed revisions to the	
				proposed rule before submitting it for	
				legislative review.	

In support of MEG's comments:

Lori Sweet Waukesha Water Utility

Scott Osborne Oconomowoc Keith Haas Racine Mark Simon Brookfield

Frank Miller, Cudahy Water Utility

Travis Coenen, Super. Public Works, Wrightstown

Donna Scholl, Oconomowoc

Keith Mueller, Comptroller, Green Bay Water Utility

Chris Hardy, Administrator, Winneconne Jerry Weisnicht, Shawano Lake Sanitary Dist. Steve Berndt, Public Works, Bonduel Amy Barrilleaux, Madison Water Utility Dan Knapp, Dir. Pub. Works, Chetek Raymond Hyde, Pub. Works, Dir., Ashland

Randy Kerkman, Bristol Daniel Duchniak, Franklin Lake Como Sanitary District David Botts, Janesville Deb Geier, Wausau Water Works Wally Thorn, Rice Lake Utilities Chris Stempa, Dept of Utils, Appleton Edward St. Peter, Kenosha Water Util

FORM 2



WISCONSIN LEGISLATIVE COUNCIL RULES CLEARINGHOUSE

Scott Grosz and Jessica Karls-Ruplinger *Clearing house Co-Directors*

Terry C. Anderson
Legislative Council Director

Laura D. Rose
Legislative Council Deputy Director

CLEARINGHOUSE REPORT TO AGENCY

[THIS REPORT HAS BEEN PREPARED PURSUANT TO S. 227.15, STATS. THIS IS A REPORT ON A RULE AS ORIGINALLY PROPOSED BY THE AGENCY; THE REPORT MAY NOT REFLECT THE FINAL CONTENT OF THE RULE IN FINAL DRAFT FORM AS IT WILL BE SUBMITTED TO THE LEGISLATURE. THIS REPORT CONSTITUTES A REVIEW OF, BUT NOT APPROVAL OR DISAPPROVAL OF, THE SUBSTANTIVE CONTENT AND TECHNICAL ACCURACY OF THE RULE.]

CLEARINGHOUSE RULE 13-033

AN ORDER to repeal PSC 113.0921 (1) (g); to renumber PSC 113.0923 and (title) and 185.78 and (title); to renumber and amend PSC 185.77; to amend PSC 113.0614, 113.0921 (1) (e) and (f), 113.0922 (title), 134.20, 134.31 (3), 185.19 (1), 185.73 (2) and (4), and 185.77 (title); to repeal and recreate PSC 113.0919 (1) and (2), 134.19 (1) and (2), and 185.46 (1) and (2); and to create 113.0919 (1) (title), (2) (title), (3) (title), and (4) (title), 113.0922 (1) (title), (3), and (6), 134.19 (1) (title), (2) (title), and (3) (title), 134.31 (4) and (6), 185.46 (1) (title) and (2) (title), 185.76 (6) (Note), 185.761 (2) (Note), and 185.77 (3) and (5), relating to the retention of customer meters so that they are available for testing.

Submitted by **PUBLIC SERVICE COMMISSION**

04-29-2013 RECEIVED BY LEGISLATIVE COUNCIL.

05-22-2013 REPORT SENT TO AGENCY.

SG:LAK

1-AC-227 Attachment A3

Clearinghouse Rule No. 13-033 Form 2 - page 2

LEGISLATIVE COUNCIL RULES CLEARINGHOUSE REPORT

This rule has been reviewed by the Rules Clearinghouse. Based on that review, comments are reported as noted below:

1.	STATUTORY AUTHORITY [s. 2	227.15 (2) (a)]	
	Comment Attached	YES	NO 🗸
2.	FORM, STYLE AND PLACEME	ENT IN ADMINISTRATI	VE CODE [s. 227.15 (2) (c)]
	Comment AttachedYES ✓	NO 🗌	
3.	CONFLICT WITH OR DUPLICA	ATION OF EXISTING RU	JLES [s. 227.15 (2) (d)]
	Comment AttachedYES	NO	✓ 🔲
4.	ADEQUACY OF REFERENCES [s. 227.15 (2) (e)]	TO RELATED STATUT	ES, RULES AND FORMS
	Comment Attached	YES	NO 🗸
5.	CLARITY, GRAMMAR, PUNCT	TUATION AND USE OF	PLAIN LANGUAGE [s. 227.15 (2) (f)
	Comment AttachedYES ✓	NO	
6.	POTENTIAL CONFLICTS WITH REGULATIONS [s. 227.15 (2) (g		ΓΥ ΤΟ, RELATED FEDERAL
	Comment Attached	YES	NO 🗸
7.	COMPLIANCE WITH PERMIT	ACTION DEADLINE RE	QUIREMENTS [s. 227.15 (2) (h)]
	Comment AttachedYES	NO	✓ 🔲

1-AC-227 Attachment A3



WISCONSIN LEGISLATIVE COUNCIL RULES CLEARINGHOUSE

Scott Grosz and Jessica Karls-Ruplinger *Clearing house Co-Directors*

Terry C. Anderson *Legislative Council Director*

Laura D. RoseLegislative Council Deputy Director

CLEARINGHOUSE RULE 13-033

Comments

[NOTE: All citations to "Manual" in the comments below are to the Administrative Rules Procedures Manual, prepared by the Legislative Reference Bureau and the Legislative Council Staff, dated November 2011.]

2. Form, Style and Placement in Administrative Code

- a. In the introductory clause of the proposed rule, the enumeration of provisions treated by the rule should be revised to conform to the style described in s. 1.02 (1), Manual. For example, the commission should write "185.73 (2) and (4)," rather than "185.73 (2), 185.73 (4),". Additionally, the enumeration refers to the creation of s. PSC 185.46 (3) (title), which does not appear in the rule text.
- b. In the enumeration of provisions treated as well as the rule text, the commission should refer to notes by reference to ss. PSC 185.76 (6) (Note) and 185.761 (2) (Note) rather than "a note following...". [s. 1.09 (2), Manual.]
- c. In s. PSC 113.0614 (Table), the commission should consider additional subdivisions that would conform the table more completely to the typical format for rule organization. For example, the commission could identify "Production Records:" as sub. (3), and the items "Station and system generation records" and "All other records taken in the plant" as pars. (a) and (b), with the remainder of the table reorganized in similar fashion. [See also, comment h., below.]
- d. SECTIONS 2 to 5 of the proposed rule may be combined as a single SECTION that repeals and recreates s. PSC 113.0919 (1) and (2). [Compare to SECTION 12 of the proposed rule.]
 - e. The underlining of text in SECTION 11 should be removed. [s. 1.055, Manual.]

f. SECTION 13 should renumber s. PSC 113. ff. SECTION 13 should renumber s. PSC 113.0923 and (title) as s. PSC 113.0922 (2) and (2) (title).

g. SECTIONS 14 to 17 of the proposed rule may be combined as a single SECTION that repeals and recreates s. PSC 134.19 (1) and (2). [Compare to SECTION 12 of the proposed rule.]

- h. In s. PSC 134.20 (Table), the commission should consider additional subdivisions that would conform the table more completely to the typical format for rule organization. For example, the commission could identify additional paragraphs following subs. (3), (4), (5), and (6). For example, following sub. (3), "Station and system generation records" and "All other records taken in the plant" could be identified as pars. (a) and (b). [See also, comment c., above.]
- i. SECTIONS 24 to 27 of the proposed rule may be combined as a single SECTION that repeals and recreates s. PSC 185.46 (1) and (2). [Compare to SECTION 12 of the proposed rule.]
 - j. In SECTION 33, the word "(title)" may be removed from the rule text.
- k. In s. PSC 185.77 (3) (a), the phrase "In this subsection:" should be indicated as s. PSC 185.77 (3) (a) (intro.) and the phrase "as found" should be identified as a subdivision (i.e., "1.").
- 1. SECTION 36 should renumber s. PSC 185.78 and (title) as s. PSC 185.77 (2) and (2)

5. Clarity, Grammar, Punctuation and Use of Plain Language

- a. In the description of statutory authority in the rule summary (Attachment A), the commission should remove "PSC" from the list of cited authorities.
- b. The commission should consider adding definitions for "as found," "as left," "as tested," "creeps," and "essential name-plate data" where relevant.
 - c. In SECTION 33, should the phrase "over <u>or under</u> registering" be rewritten with

hyphens following "over" and "under"?

STATE OF WISCONSIN DEPARTMENT OF ADMINISTRATION DOA-2049 (R03/2012) DIVISION OF EXECUTIVE BUDGET AND FINANCE 101 EAST WILSON STREET, 10TH FLOOR P.O. BOX 7864 MADISON, WI 53707-7864 FAX: (608) 267-0372

ADMINISTRATIVE RULES Fiscal Estimate & Economic Impact Analysis

r local Estimate a Essistant impe	act 7 that you			
 Type of Estimate and Analysis ☑ Original ☐ Updated ☐ Corrected 				
Administrative Rule Chapter, Title and Number PSC 113 Service Rules for Electric Utilities				
PSC 134 Standards for Gas Service				
PSC 184 Standards for Water Public Utility Service				
3. Subject				
Retention of electric/gas/water meters after being tested due to a cu	istomer's request or after a			
commission-refereed test. Retention of meter testing records.	stoner s request of after a			
4. Fund Sources Affected	5. Chapter 20, Stats. Appropriations Affected			
☐ GPR ☐ FED ☐ PRO ☐ PRS ☐ SEG ☐ SEG-S	, and died			
6. Fiscal Effect of Implementing the Rule				
	☐ Increase Costs			
☐ Indeterminate ☐ Decrease Existing Revenues	☐ Could Absorb Within Agency's Budget			
	☐ Decrease Cost			
7. The Rule Will Impact the Following (Check All That Apply)				
☐ State's Economy ☐ Spec	rific Businesses/Sectors			
☐ Local Government Units ☐ Publi	c Utility Rate Payers			
	ll Businesses (if checked, complete			
	achment A)			
8. Would Implementation and Compliance Costs Be Greater Than \$ ☐ Yes ☐ No	20 million?			
9. Policy Problem Addressed by the Rule				
The commission has encountered several situations where meters w	vere no longer available when initial			
or additional accuracy testing was requested. This rule ensures tha				
because of a customer's request are retained long enough that they are available for commission-referee				
testing. Further, it ensures that referee-tested meters are retained long enough for a customer to request				
an outside test. Finally, it establishes consistent retention periods for meter test records.				
10. Summary of the businesses, business sectors, associations representing business, local governmental units, and individuals that may be affected by the proposed rule that were contacted for comments.				
All electric, gas and water utilities; Wisconsin Utilities Association; utility workers associations;				
Wisconsin Federation of Independent Business; Wisconsin Manufacturers and Commerce; Citizens				
Utility Board, League of Wisconsin Municipalities; Wisconsin Towns Association; Wisconsin Alliance				
of Cities; IBEW; Municipal Electric Utilities of Wisconsin; Wisconsin Rural Water Association;				
Wisconsin Water Association.				
11. Identify the local governmental units that participated in the development of this EIA.				
Municipalities with municipal gas, electric and/or water utilities and members of the League of				
Wisconsin Municipalities, Wisconsin Towns Association, and Wisconsin Alliance of Cities.				
12. Summary of Rule's Economic and Fis cal Impact on Specific Businesses, Business Sectors, Public Utility Rate Payers, Local Governmental Units and the State's Economy as a Whole (Include Implementation and Compliance Costs Expected to be Incurred)				
In its comments the Wisconsin Utilities Association stated that while there may be costs to individual				
	•			

utilities, "the proposed rules will not adversely affect in any material way, the economy, a sector of the

STATE OF WISCONSIN DEPARTMENT OF ADMINISTRATION DOA-2049 (R03/2012) DIVISION OF EXECUTIVE BUDGET AND FINANCE 101 EAST WILSON STREET, 10TH FLOOR P.O. BOX 7864 MADISON, WI 53707-7864 FAX: (608) 267-0372

economy, productivity, jobs, or the competitiveness of this state." The water division of the Municipal Environmental Group stated that the requirement to test or retain meters could result in a significant economic impact, especially for a large utility undertaking a comprehensive meter replacement program. No specific financial impact figures were provided. Language changes were made to address this concern. Further, there is a provision that allows a utility to ask for a "waiver" in exceptional circumstances. A utility doing a comprehensive meter replacement could file such a petition.

- 13. Benefits of Implementing the Rule and Alternative(s) to Implementing the Rule Implementing this rule will help ensure that meter accuracy is adequately confirmed and will help ensure that billing for utility service is accurate. It should help prevent lingering questions and uncertainty about meter accuracy. Alternatives to implementing this rule are to not implement it or to adopt different retention periods. However, these retention periods were chosen so that customers will have the opportunity to receive another bill before deciding whether to request additional testing.
- 14. Long Range Implications of Implementing the Rule

This rule will ensure that meters remain available long enough for testing to be requested. This will help ensure that meter accuracy is adequately confirmed and will help ensure that billing for utility service is accurate. It should help prevent lingering questions and uncertainty about meter accuracy.

- 15. Compare With Approaches Being Used by Federal Government There are no federal laws on this issue.
- Compare With Approaches Being Used by Neighboring States (Illinois, Iowa, Michigan and Minnesota)

Although surrounding states anecdotally report at least some of the same problems experienced by this commission, none of them have rules that specify time periods for which meters must be retained. However, Iowa does advise utilities to keep meters until the time for an appeal has passed, especially if a referee test is performed. Further, when the Iowa Utilities Board issues orders granting waivers from meter testing requirements, it requires the utility to hold the meters for 120 days before disposing of them.

Retention periods for meter testing records vary among surrounding states, although the general format is the same. Records from an individual meter test must be retained for a period of time after the results are recorded in a history record that contains a wide variety of information about a particular meter, including all of the test results for that meter. That history record is retained for a longer period of time. The proposed rule requires utilities to retain an individual test record until it is recorded in the meter history record. The meter history record must be kept for the life of the meter, plus 6 years. Six years was chosen because it is the general statute of limitations for consumer issues.

Minnesota, Iowa and Illinois require that initial test records be kept for at least three years, while Michigan requires that they be kept for at least two years. In Minnesota, such records must be kept longer if necessary to permit compliance with commission rules. In Michigan, they must be kept longer, if necessary, to comply with rules regarding refunds on fast meters. In Illinois, meter history records need only be kept for three years. In Michigan and Minnesota, they must be kept for the life of the meter.

17. Contact Name	18. Contact Phone
Lisa Farrell	Number 608-267-9086

This document can be made available in alternate formats to individuals with disabilities upon request.