

(2) No gas lighting of any kind shall be used on any stage containing scenery, nor in any property room, storage room, scene dock, or fly gallery, except in localities where electricity is not available.

(3) In all theaters and assembly halls, all stairways, passageways, and exit doors shall be properly lighted and shall remain lighted throughout every performance or entertainment and until the audience has left the building.

ILHR 55.32 Sanitary facilities. (1) **TOILET ROOMS.** All occupancies included under the scope of this chapter shall be provided with separate toilet rooms for each sex. Separate toilet rooms for the employes and the general public need not be provided if the toilet rooms are accessible to both the employes and the general public.

(a) *Toilet rooms in connection with stage.* In theaters and assembly halls which are equipped for the showing of stage productions, separate toilet rooms for each sex, furnished with at least one water closet and one lavatory, shall be provided in connection with the stage.

(b) *Toilet room in connection with motion picture booth.* In theaters where motion picture machines are run continuously for a period of more than 2 hours without at least 10 minutes intermission for the motion picture machine operator for each 2-hour period, a toilet room, furnished with one water closet and one lavatory, shall be provided in direct connection with the motion picture booth.

(2) **SANITARY FIXTURES.** The number of water closets, urinals, lavatories and drinking facilities required for the total number of occupants of each sex shall be determined in accordance with the ratios established in Table 55.32, but in no case shall the ratio of the number of fixtures to number of employes be less than those specified in Table 54.12-B. The total number of persons will be considered equally divided between men and women unless a different ratio is established.

**TABLE 55.32
NUMBER OF FIXTURES REQUIRED FOR PLACES OF ASSEMBLY**

| Type of Occupancy | Type of Fixture | | | | Drinking Facilities |
|--------------------------------------|--|--|---|---|---|
| | Water Closets (WC) | | Urinals (U) | Lavatories (L) | |
| | Males (M) | Females (F) | Males (M) | | |
| Places of assembly | | | | | |
| 0-100 persons of each sex | 1 | 1 | 0 | One (L) for each 2 required | One (DF) each 150 persons up to 600 |
| 101-200 persons of each sex | 1 | 2 | 1 | | |
| 201-300 persons of each sex | 1 | 3 | 2 | | |
| 301-400 persons of each sex | 2 | 4 | 2 | | |
| 401-500 persons of each sex | 2 | 5 | 3 | | |
| 501-600 persons of each sex | 2 | 6 | 4 | | |
| Over 600 persons of each sex | One (WC) for each additional 600 (M), or fraction | One (WC) for each additional 275 (F), or fraction | One (U) for each additional 500 (M), or fraction | (WC) or (U), or both, or fraction | One addi- (DF) for additiona persons |
| Taverns and restaurants ¹ | One (WC) for each 75 (M), or fraction | One (WC) for each 30 (F), or fraction | One (U) ² for each 50 (M), or fraction | | |

¹The ratio of the number of fixtures to the number of persons accommodated in excess of 300 need be one-half of the figures shown.

²Urinal may be omitted in restaurants which accommodate less than 25 males and do not serve alcoholic beverages.

Note: See also rules of the department of health and social services for sanitary fixtures for public swimming places, mobile home parks, camping grounds, camping resorts, recreational camps and educational camps.

History: 1-2-56; r. and recr. Register, December, 1976, No. 252, eff. 1-1-77; am. (2), Register, December, 1977, No. 264, eff. 1-1-78; am. (2), Register, December, 1978, No. 276, eff. 1-1-79; am. (2), Register, December, 1981, No. 312, eff. 1-1-82; am. table, Register, August, 1985, No. 356, eff. 1-1-86.