

## Chapter ILHR 35

### INFECTIOUS AGENTS

ILHR 35.001 Purpose  
ILHR 35.01 Definitions

ILHR 35.02 Infectious agents

**ILHR 35.001 Purpose.** The purpose of this chapter is to identify, by administrative rules, those infectious agents relevant to the Employees' Right to Know Law, ss. 101.58 to 101.599, Stats.

**History:** Cr. Register, September, 1983, No. 333, eff. 10-1-83.

**ILHR 35.01 Definitions.** In this chapter:

(1) "Department" means the department of industry, labor and human relations.

(2) "Infectious agents" has the meaning set forth in s. 101.58 (2) (f), Stats.

**Note:** The statutory definition for infectious agents reads:

"Infectious agent" means a bacterial, mycoplasmal, fungal, parasitic or viral agent identified by the department by rule as causing illness in humans or human fetuses or both, which is introduced by an employer to be used, studied or produced in the workplace. "Infectious agent" does not include such an agent in or on the body of a person who is present in the workplace for diagnosis or treatment.

**History:** Cr. Register, September, 1983, No. 333, eff. 10-1-83.

**ILHR 35.02 Infectious agents.** Pursuant to ss. 101.58 (2) (f) and 101.598 (1), Stats., the bacterial, mycoplasmal, fungal, parasitic and viral agents and arboviruses specified in Tables 35.02-1, 35.02-2, 35.02-3, 35.02-4, 35.02-5, respectively, are designated as infectious agents.

**TABLE 35.02-1**

**BACTERIAL AND MYCOPLASMA AGENTS**

Bacillus anthracis  
Brucella abortus<sup>a</sup>  
Brucella canis  
Brucella melitensis<sup>a</sup>  
Brucella suis<sup>a</sup>  
Campylobacter fetus subspecies jejuni  
Chlamydia psittaci<sup>a</sup>  
Chlamydia trachomatis  
Clostridium botulinum  
Clostridium tetani  
Corynebacterium diphtheriae  
Francisella tularensis  
Legionella pneumophila  
Legionella-like organisms  
Leptospira interrogans — all serovars<sup>a</sup>  
Mycobacterium africanum  
Mycobacterium asiaticum  
Mycobacterium avium complex  
Mycobacterium bovis<sup>a</sup>  
Mycobacterium chelonae  
Mycobacterium fortuitum  
Mycobacterium kansasii  
Mycobacterium leprae<sup>a</sup>  
Mycobacterium malmoense

Mycobacterium marinum  
Mycobacterium scrofulaceum  
Mycobacterium simiae  
Mycobacterium szulgai  
Mycobacterium tuberculosis<sup>a</sup>  
Mycobacterium ulcerans  
Mycobacterium xenopi  
Neisseria gonorrhoeae  
Neisseria meningitidis  
Salmonella enteritidis (all serotypes)  
Salmonella typhi  
Shigella spp.<sup>a</sup>  
Treponema pallidum  
Vibrio cholerae  
Vibrio parahaemolyticus  
Yersinia pestis

<sup>a</sup>Agents of high virulence or contagion requiring special handling procedures.

**TABLE 35.02-2**

**FUNGAL AGENTS**

Blastomyces dermatitidis<sup>a</sup>  
Coccidioides immitis<sup>a</sup>  
Cryptococcus neoformans  
Epidermophyton spp  
Histoplasma capsulatum<sup>a</sup>  
Microsporium spp  
Sporothrix schenckii  
Trichophyton spp

<sup>a</sup>Agents of high virulence or contagion requiring special handling procedures.

**TABLE 35.02-3**

**PARASITIC AGENTS**

Ancylostoma spp — hookworm  
Ascaris spp  
Coccidia spp  
Cysticercus cellulosae  
Echinococcus granulosus  
Entamoeba spp  
Enterobius spp  
Fasciola spp  
Giardia spp  
Hymenolepis nana  
Leishmania spp  
Necator spp — hookworm  
Naegleria fowleri  
Plasmodium spp

ILHR 35.02

Sarcocystis spp  
Schistosoma spp  
Strongyloides spp  
Taenia solium  
Toxoplasma spp<sup>b</sup>  
Trypanosoma spp

<sup>b</sup>Special risk for pregnant females.

TABLE 35.02-4

## VIRAL AND RICKETTSIAL AGENTS

Hepatitis Viruses; A, B, NonA-NonB<sup>a</sup>  
Herpesvirus group  
  Herpesvirus hominis  
  Cytomegalovirus<sup>b</sup>  
  Epstein-Barr virus  
  Herpesvirus simiae<sup>a</sup>  
  Varicella virus  
Human immunodeficiency viruses<sup>c</sup>  
Influenza viruses  
Poliovirus  
Poxviruses  
  Cowpox virus  
  Molluscum contagiosum virus  
  Monkeypox virus  
  Orf virus  
  Paravaccinia virus  
  Tanapox virus  
  Vaccinia virus  
  Variola major virus<sup>a</sup>

Variola minor virus<sup>a</sup>  
Whitepox virus  
Yaboapox virus  
Rabies Virus<sup>a</sup>  
Rubella virus<sup>b</sup>  
Spongiform Encephalopathy Viruses  
  Creutzfeld-Jacob agent  
  Kuru agent  
Rickettsial Agents  
  Coxiella burnetii  
  Rickettsia akari  
  Rickettsia canada  
  Rickettsia conori  
  Rickettsia montana  
  Rickettsia mooseri  
  Rickettsia prowazeki<sup>a</sup>  
  Rickettsia rickettsii<sup>a</sup>  
  Rickettsia sennetsu  
  Rickettsia tsutsugamushi  
  Rochalimae quintana  
  Rochalimae vinsonii  
Vesicular Stomatitis Virus

<sup>a</sup>Agents of high virulence or contagion requiring special handling procedures.<sup>b</sup>Special risk for pregnant females.<sup>c</sup>Includes the virus HTLV-III, the virus which causes AIDS, Acquired Immuno-Deficiency Syndrome.

TABLE 35.02-5

## ARBOVIRUSES

Absettarov	Bahig	Boraceia	Chenuda
Abu Hammad	Bakau	Botambi	Chikungunya
Acado	Baku	Boteke	Chilibre
Acara	Bandia	Bouboui	Chim
African Horsesickness	Bangoran	Bovine Ephemeral Fever	Chobar Gorge
African Swine Fever	Bangui	Bujaru	Clo Mor
Aguacate	Banui	Bunyamwera	Cocal
Aino	Banzi	Burg el Arab	Colorado Tick Fever <sup>c</sup>
Akabane	Barmah Forest	Bushbush	Congo-
Alenquer	Batai	Bussuquara	Crimean Hemorrhagic
Alfuy	Batama	Buttonwillow	Fever
Almpiwar	Batken	Bwamba	Corriparta
Amapari	Bauline	Cabassou	Cotia
Ananindeua	Bebaru	Cacao	D'Aguilar
Anhanga	Belem	Cache Valley	Dakar Bat
Anhembi	Belmont	Caimito	Dengue-2
Anopheles A	Benevides	California Encephalitis <sup>c</sup>	Dengue-3
Anopheles B	Benfica	Calovo	Dengue-4
Apeu	Bertioga	Candiru	Dera Ghazi Khan
Apoi	Bhanja	Cape Wrath	Dhori
Araguari	Bimbo	Capim	Dugbe
Aride	Bimiti	Caraparu	Ebola
Arkonam	Birao	Catu	Edge Hill
Aruac	Bluetongue-Indigenous	Chaco	Entebbe Bat
Arumowot	Bluetongue-Exotic	Chagres	Ep. Hem. Dis.
Aura	Bobaya	Chandipura	Eubenangee
Avalon	Bobia	Changuinola	Everglades
Bagaza	Bocas	Charleville	Eyach

Flanders	Kern Canyon	Mosqueiro	Ross River
Fort Morgan	Ketapang	Mossuril	Royal Farm
Frijoles	Keterah	Mount Elgon Bat	Russian Spring-Summer
Gamboa	Keuraliba	M'Poko	Encephalitis
Gan Gan	Keystone	Mucambo	Sabo Saboya
Garba	Khasan	Murray Valley	Sagiyama
Germiston	Klamath	Encephalitis	Sakhalin
Getah	Kokobera	Murutucu	Sakpa
Gomoka	Kolongo	Nariva	Salanga
Gordil	Koongol	Navarro	Salehabad
Gossas	Korean Hemorrhagic	Ndumu	Sandfly F. (Naples)
Grand Arbaud	Fever	Negishi	Sandfly F. (Sicilian)
Gray Lodge	Koutango	Nepuyo	Sandjimba
Great Island	Kowanyama	New Minto	Sango
Guajara	Kumlinge	Ngaingan	Santa Rosa
Guama	Kunjin	Nique	Sathuperi
Guaratuba	Kununurra	Nkolbisson	Saumarez Reef
Guaroa	Kwatta	Nodamura	Sawgrass
Gumbo Limbo	Kyasanur Forest Disease	Nola	Sebokele
Hanzalova	Kyzylgach	Northway	Seletar
Hart Park	La Crosse	Ntaya	Sembalam
Hazara	Lagos Bat	Nugget	Semliki Forest
Huacho	La Joya	Nyamanini	Sepik
Hughes	Landjia	Nyando	Serra Do Navio
Hypr	Langat	Okhotskiy	Shamonda
Ibaraki	Lanjan	Okola	Shark River
Icoaraci	Lassa	Olifantsvlei	Shuni
Ieri	Latino	Omsk Hemorrhagic Fever	Silverwater
Ilesha	Lebombo	O'Nyong Nyong	Simbu
Ilheus	Le Dantec	Oriboca	Simian Hem. Fev.
Ingwavuma	Lipovnik	Oropouche	Sindbis
Inhangapi	Llano Seco	Orungo	Sixgun City
Inini	Lokern	Ossa	Slovakia
Inkoo	Lone Star	Ouango	Snowshoe Hare
Ippy	Louping Ill	Oubangui	Sokoluk
Irituia	Lukuni	Pacora	Soldado
Isfrahan	Machupo	Pacui	Sororoca
Israel Turkey Meningitis	Madrid	Pahayokee	Spondweni
Issyk-Kul	Maguari	Palyam	St. Louis Encephalitis
Itaituba	Mahogany Hammock	Paramushir	Stratford
Itaporanga	Main Drain	Parana	Sunday Canyon Tacaiuma
Itaqui	Malakal	Paroo River	Tacaribe
Jamestown Canyon <sup>c</sup>	Manawa	Pata	Taggert
Japanese Encephalitis	Manzanilla	Pathum Thani	Tahyna
Japunaut	Mapputta	Patois	Tamdy
Jerry Slough	Maprik	Phnon-Penh Bat	Tamiami
Johnston Atoll	Marburg	Pichinde	Tanga
Joinjakaka	Marco	Picola	Tanjong Rabok
Juan Diaz	Marituba	Piry	Tataguine
Jugra	Matariya	Pixuna	Telok Forest
Junin	Matruh	Pongola	Tembe
Jurona	Matucare	Ponteves	Tembusu
Jutiapa	Mayaro	Powassan	Tensaw
Kadam	Melao	Pretoria	Termeil
Kaeng Khoi	Mermet	Puchong	Tete
Kaikalur	Middleburg	Punta Salinas	Tettnang
Kairi	Minatitlan	Punta Toro	Thimiri
Kaisodi	Minnal	Qalyub	Thogoto
Kamese	Mirim	Quaranfil	Thottapalayam
Kammavanpettai	Mitchell River	Razdan	Tilligerry
Kannamangalam	Modoc	Restan	Timbo
Kao Shuan	Moju	Rift Valley Fever	Timboteua
Karimabad	Mono Lake	Rio Bravo	Tlacotalpan
Karshi	Montana Myotis	Rio Grande	Tonate
Kasba	Leukemia	Rochambeau	Toure
Kemerovo	Moriche	Rocio	Tribec

Triniti	Usutu	Warrego	Yaquina Head
Trivittatus <sup>c</sup>	Utinga	Wesselsbron	Yata
Trubanaman	Uukuniemi	Western Equine	Yellow Fever
Tsuruse	VEE (TC83)	Encephalitis	Yellow Fever (17D)
Turlock	Vellore	West Nile	Yogue
Tyuleniy	Venezuelan Equine	Whataroa	Zaliv Terpeniya
Uganda S	Encephalitis	Witwatersrand	Zegla
Umatilla	Venkatapuram	Wongal	Zika
Umbre	VS-Alagoas	Wongorr	Zinga
Una	Wad-Medani	Wyeomyia	Zingilamo
Upolu	Wallal	Yacaaba	Zirqa
Urucuri	Wanowrie		

---

<sup>c</sup>Agents with a higher probability of possible contact within the state.

Note: All communicable diseases as designated by ch. HSS 145 are to be reported in accordance with the rules of ch. HSS 145.

History: Cr. Register, September, 1983, No. 333, eff. 10-1-83; am. table 35.02-4, Register, November, 1986, No. 371, eff. 12-1-86.