

## Chapter NR 27

## ENDANGERED AND THREATENED SPECIES

NR 27.01 Definitions.  
 NR 27.02 Scope and applicability.  
 NR 27.03 Department list.

NR 27.04 Revision of Wisconsin endangered and threatened species lists.  
 NR 27.05 Permits for endangered and threatened species.  
 NR 27.06 Exceptions to permit requirements.

Note: Chapter NR 27 as it existed on September 30, 1979 was repealed and a new chapter NR 27 was created effective October 1, 1979.

**NR 27.01 Definitions.** As used in this chapter:

(1) "Department" means the Wisconsin department of natural resources.

(2) "Department list" means the U.S. list of endangered and threatened foreign and native species, and the Wisconsin list of endangered and threatened species.

(3) "Educational purposes", as used in s. 29.415, Stats., means the use of endangered or threatened species for public displays, public presentations or classes for the purpose of educating viewers or an audience about endangered species, and in the case of endangered and threatened plants, for demonstration plantings.

(4) "ENS" means the Office of Endangered and Nongame Species, Department of Natural Resources, Box 7921, Madison, WI 53707.

(5) "Process", as used in s. 29.415, Stats., as it pertains to wild plants, means the collection or removal of wild plants or plant parts from their native habitat for the purpose of propagation or introduction to a different property, or for the purpose of introducing wild plants from a different site to enhance existing populations of an endangered or threatened species, or for any other use.

(6) "Propagation for preservation purposes", as used in s. 29.415, Stats., means the care, nurturing and breeding of endangered or threatened taxa of wild plants or wild animals for the enhancement of existing naturally occurring populations of endangered or threatened plants or animals, or for the development of new populations in areas where they are likely to be pro-

ected and have sufficient habitat that they can increase in abundance and contribute to the survival of the species' gene pool over time.

(7) "Scientific purposes", as used in s. 29.415, Stats., means the use of endangered or threatened plants or animals for scientific research or inventories leading to increased scientific knowledge contributing to the well-being of those wild plant or wild animal species and their habitats.

(8) "Take" means shooting, shooting at, pursuing, hunting, catching or killing any wild animal; or the cutting, rooting up, severing, injuring, destroying, removing, or carrying away any wild plant.

(9) "Wild plant", as used in s. 29.415, Stats., and in this chapter, means any plant or plant part of any undomesticated taxa of the plant kingdom which is native to a natural ecosystem in Wisconsin, including individuals of these species when located outside of their natural environment.

History: Cr. Register, September, 1979, No. 285, eff. 10-1-79; renum. (3) and (4) to be (4) and (8), cr. (3), (5) to (7) and (9), Register, April, 1993, No. 448, eff. 5-1-93.

**NR 27.02 Scope and applicability.** This chapter contains rules necessary to implement s. 29.415, Stats., and operate in conjunction with that statute to govern the taking, transportation, possession, processing or sale of any wild animal or wild plant specified by the department's lists of endangered and threatened wild animals and wild plants.

History: Cr. Register, September, 1979, No. 285, eff. 10-1-79.

**NR 27.03 Department list.** (1) U.S. foreign and native endangered and threatened species list.

Common name	Scientific name	Historic range	Vertebrate population where endangered or threatened	Status
(a) MAMMALS				
1. Anoa	<i>Bubalus anoa depressicornis</i>	Indonesia	Entire	E
2. Anoa	<i>Bubalus anoa quarlesi</i>	do	do	E
3. Anteater, scaly	<i>Manis temmincki</i>	Africa	do	E
4. Antelope, bontebok	<i>Damaliscus dorcas dorcas</i>	South Africa	do	E
5. Antelope, giant sable	<i>Hippotragus niger variati</i>	Angola	do	E
6. Antelope, Mongolian saiga	<i>Saiga tatarica mongolica</i>	Mongolia	do	E
7. Argali	<i>Ovis ammon hodgsoni</i>	China (Tibet)	do	E
8. Armadillo, giant	<i>Priodontes maximus (=giganteus)</i>	Venezuela and Guyanato Argentina	do	E
9. Armadillo, pink fairy	<i>Chlamyphorus truncatus</i>	Argentina	do	E
10. Ass, African wild	<i>Equus africanus (=asinus)</i>	Somalia, Sudan, Ethiopia	do	E
11. Ass, Asian wild	<i>Equus hemionus</i>	Southwestern and Central Asia	do	E
12. Avahis	<i>Avahi spp. (all species)</i>	Malagasy Republic (=Madagascar)	do	E
13. Aye-Aye	<i>Daubentonia madagascariensis</i>	Malagasy Republic (=Madagascar)	do	E
14. Babiroussa	<i>Babyrousa babyrousa</i>	Indonesia	do	E
15. Bandicoot, barred	<i>Perameles bougainville</i>	Australia	do	E
16. Bandicoot, desert	<i>Perameles eremitana</i>	do	do	E
17. Bandicoot, lesser rabbit	<i>Macrotis leucura</i>	do	do	E
18. Bandicoot, pig-footed	<i>Chaeropus ecaudatus</i>	do	do	E
19. Bandicoot, rabbit	<i>Macrotis lagotis</i>	do	do	E
20. Banteng	<i>Bos javanicus (=banteng)</i>	Southeast Asia	do	E
21. Bat, gray	<i>Myotis grisescens</i>	Central and Southeast U.S.A.	do	E
22. Bat, Hawaiian hoary	<i>Lasiurus cinereus semotus</i>	U.S.A. (Hawaii)	do	E

23.	Bat, Indiana	<i>Myotis sodalis</i>	East and Midwestern U.S.A.	do	E
24.	Bat, Ozark big-eared	<i>Plecotus townsendii ingens</i>	U.S.A. (MO, OK, AR)	do	E
25.	Bat, Virginia big-eared	<i>Plecotus townsendii virginianus</i>	U.S.A. (KY, WV, VA)	do	E
26.	Bear, brown	<i>Ursus arctos pruinosus</i>	China (Tibet)	do	E
27.	Bear, brown	<i>Ursus arctos arctos</i>	Palaearctic	Italy	E
28.	Bear, brown or grizzly	<i>Ursus arctos horribilis</i>	Canada, Western U.S.A.	U.S.A.-48 conterminous States	T
29.	Bear, Mexican grizzly	<i>Ursus arctos nelsoni</i>	Mexico	Entire	E
30.	Beaver	<i>Castor fiber birlidai</i>	Mongolia	do	E
31.	Bison, wood	<i>Bison bison athabascae</i>	Canada, Northwest U.S.A.	Canada	E
32.	Bobcat	<i>Felis rufus escuinape</i>	Central Mexico	Entire	E
33.	Camel, Bactrian	<i>Camelus ferus (=bactrianus)</i>	Mongolia, China	do	E
34.	Cat, Andean	<i>Felis jacobita</i>	Chile, Peru, Bolivia, Argentina	do	E
35.	Cat, black-footed	<i>Felis nigripes</i>	Southern Africa	do	E
36.	Cat, flat-headed	<i>Felis planiceps</i>	Malaysia	do	E
37.	Cat, Iriomote	<i>Felis (=Mayallurus) iriomotensis</i>	Japan (Iriomote Island, Ryukyu Island)	do	E
38.	Cat, leopard	<i>Felis bengalensis bengalensis</i>	Eastern Asia	do	E
39.	Cat, marbled	<i>Felis marmorata</i>	Nepal, Malaysia, Burma, Indonesia	do	E
40.	Cat, Temminck's	<i>Felis temminckii</i>	China (Tibet), Malaysia, Indonesia (Sumatra)	do	E
41.	Cat, tiger	<i>Felis tigrina</i>	Costa Rica to Northern South America	do	E
42.	Chamois, Apennine	<i>Rupicapra rupicapra ornata</i>	Italy	do	E
43.	Cheetah	<i>Acinonyx jubatus</i>	Africa to India	do	E
44.	Chimpanzee	<i>Pan troglodytes</i>	West and Central Africa	do	T
45.	Chimpanzee, pigmy	<i>Pan paniscus</i>	Zaire	do	T
46.	Chinchilla	<i>Chinchilla brevicaudata boliviana</i>	Bolivia	do	E
47.	Civet, Malabar large-spotted	<i>Viverra megaspila civettina</i>	India	do	E
48.	Colobus, black	<i>Colobus satanas</i>	Equatorial Guinea, People's Republic of Congo, Cameroon, Gabon	do	E
49.	Colobus, Tana River red	<i>Colobus badius rufomitratus</i>	Kenya	do	E
50.	Colobus, Zanzibar red	<i>Colobus kirkii</i>	Tanzania	do	E
51.	Cougar, eastern	<i>Felis concolor cougar</i>	Eastern North America	do	E
52.	Deer, Bactrian	<i>Cervus elaphus bactrianus</i>	U.S.S.R., Afghanistan	do	E
53.	Deer, Bawean	<i>Axis porcinus kuhli</i>	Indonesia	do	E
54.	Deer, Barbary	<i>Cervus elaphus barbarus</i>	Morocco, Tunisia, Algeria	do	E
55.	Deer, Cedros Island mule	<i>Odocoileus hemionus cedronensis</i>	Mexico (Cedros Island)	do	E
56.	Deer, Columbian white-tailed	<i>Odocoileus virginianus leucurus</i>	U.S.A. (WA, OR)	do	E
57.	Deer, Corsican red	<i>Cervus elaphus corsicanus</i>	Corsica, Sardinia	do	E
58.	Deer, Eld's brow-antlered	<i>Cervus eldi</i>	India to Southeast Asia	do	E
59.	Deer, hog	<i>Axis (=Cervus) porcinus annamiticus</i>	Thailand, Indochina	do	E
60.	Deer, key	<i>Odocoileus virginianus clavian</i>	U.S.A. (southern FL.)	do	E
61.	Deer, marsh	<i>Blastocercus dichotomus</i>	Argentina, Uruguay, Paraguay, Brazil	do	E
62.	Deer, McNeill's	<i>Cervus elaphus macneilii</i>	China (Sinkiang, Tibet)	do	E
63.	Deer, musk	<i>Moschus moschiferus moschiferus</i>	South-central Asia	do	E
64.	Deer, pampas	<i>Ozotoceros bezoarticus</i>	Brazil, Argentina, Uruguay, Paraguay	do	E
65.	Deer, Persian fallow	<i>Dama dama mesopotamica</i>	Iraq, Iran	do	E
66.	Deer, Philippine	<i>Axis calamitanensis</i>	Philippines (Calamian Islands)	do	E
67.	Deer, swamp	<i>Cervus duvaucelli</i>	India, Nepal	do	E
68.	Deer, Yarkand	<i>Cervus elaphus yarkandensis</i>	China (Sinkiang)	do	E
69.	Dibbler	<i>Antechinus aptecalis</i>	Australia	do	E
70.	Dog, Asiatic wild (=Dhole)	<i>Cuon alpinus</i>	U.S.S.R., Korea, China, India, Southeast Asia	do	E
71.	Drill	<i>Papio leucophaeus</i>	Equatorial West Africa	do	E
72.	Dugong	<i>Dugong dugon</i>	East Africa to southern Japan including U.S.A. (Trust Territories)	do	E
73.	Duiker, Jentink's	<i>Cephalophus jentinki</i>	Sierra Leone, Liberia, Ivory Coast	do	E
74.	Eland, Western giant	<i>Taurotragus derbianus derbianus</i>	Senegal to Ivory Coast	do	E
75.	Elephant, African	<i>Loxodonta africana</i>	Africa	do	T
76.	Elephant, Asian	<i>Elephas maximus</i>	South-central and Southeast Asia	do	E
77.	Ferret, black-footed	<i>Mustela nigripes</i>	Western U.S.A., Western Canada	do	E
78.	Forester, Tasmanian (kangaroo)	<i>Macropus giganteus-tasmanianensis</i>	Australia (Tasmania)	do	E
79.	Fox, Northern swift	<i>Vulpes velox hebes</i>	U.S.A. (northern plains), Canada	Canada	E

80.	Fox, San Joaquin kit	<i>Vulpes macrotis mutica</i>	U.S.A. (California)	Entire	B
81.	Fox, Simien	<i>Canis (=Simia) simensis</i>	Ethiopia	do	B
82.	Gazelle, Clark's (=Dibatag)	<i>Ammodorcas clarkel</i>	Somalia, Ethiopia	do	E
83.	Gazelle, Cuvier's	<i>Gazella cuvieri</i>	Morocco, Tunisia	do	B
84.	Gazelle, Mhorr	<i>Gazella dama mhorr</i>	Morocco	do	E
85.	Gazelle, Moroccan (=Dorcas)	<i>Gazella dorcas massaesyala</i>	Morocco, Algeria	do	B
86.	Gazelle, Rio de Oro Dama	<i>Gazella dama lozanoi</i>	Spanish Sahara	do	E
87.	Gazelle, Arabian	<i>Gazella gazella</i>	Arabian Peninsula including Israel	do	E
88.	Gazelle, Sand	<i>Gazella subgutterosa marica</i>	Jordan, Arabian Peninsula	do	B
89.	Gazelle, Saudi Arabian	<i>Gazella dorcas saudiya</i>	Israel, Iraq, Jordan, Syria, Saudi Arabia, Kuwait	do	E
90.	Gazelle, Pelzeln's	<i>Gazella dorcas pelzelni</i>	Somalia	do	E
91.	Gazelle, slender-horned (=Rhim)	<i>Gazella leptoceros</i>	Sudan, Egypt, Algeria, Libya	do	B
92.	Gelada (baboon)	<i>Theropithecus gelada</i>	Northern Ethiopia	do	T
93.	Gibbons	<i>Hylobates spp. (including Nomascus)</i>	China, India, southeastern Asia	do	B
94.	Goral	<i>Nemorhaedus goral</i>	East Asia	do	B
95.	Gorilla	<i>Gorilla gorilla</i>	Central and Western Africa	do	E
96.	Hare, hispid	<i>Caprolagus hispidus</i>	India, Nepal, Bhutan	do	E
97.	Hartebeest, Swayne's	<i>Alcelaphus buselaphus swaynei</i>	Ethiopia, Somalia	do	B
98.	Hartebeest, Tora	<i>Alcelaphus buselaphus tora</i>	Ethiopia, Sudan, Egypt	do	E
99.	Hog, pigmy	<i>Sus salvanius</i>	India, Nepal, Bhutan, Sikkim	do	E
100.	Horse, Przewalski's	<i>Equus przewalskii</i>	Mongolia	do	B
101.	Huemul, North Andean	<i>Hippocamelus antisiensis</i>	Ecuador, Peru, Chile, Bolivia, Argentina	do	E
102.	Huemul, South Andean	<i>Hippocamelus bisulcus</i>	Chile, Argentina	do	E
103.	Hyena, Barbary	<i>Hyaena hyaena barbara</i>	Morocco	do	E
104.	Hyena, brown	<i>Hyaena brunnea</i>	Southern Africa	do	E
105.	Ibex, Pyrenean	<i>Capra pyrenaica pyrenaica</i>	Spain	do	E
106.	Ibex, Wallia	<i>Capra walle</i>	Ethiopia	do	E
107.	Impala, black-faced	<i>Aepyceros melanopus peteri</i>	Southwest Africa, Namibia, Angola	do	E
108.	Indris	<i>Indri spp. (all species)</i>	Malagasy Republic (=Madagascar), Comoro Island	do	B
109.	Jaguar	<i>Panthera onca</i>	U.S.A. (TX, NM, AZ), Central and South America	Mexico southward	B
110.	Jaguarundi cacomitli	<i>Felis yagouaroundi</i>	U.S.A. (TX), Mexico	Entire	E
111.	Jaguarundi	<i>Felis yagouaroundi fossata</i>	Mexico, Nicaragua	do	B
112.	Jaguarundi	<i>Felis yagouaroundi panamensis</i>	Nicaragua, Costa Rica, Panama	do	E
113.	Jaguarundi	<i>Felis yagouaroundi tolteca</i>	U.S.A. (AZ), Mexico	do	B
114.	Kangaroo, eastern gray (see also Forester, Tasmanian)	<i>Macropus giganteus (all subspecies except tasmaniensis)</i>	Australia	do	T
115.	Kangaroo, red	<i>Macropus (=Megaleta) rufus</i>	do	do	T
116.	Kangaroo, western gray	<i>Macropus fuliginosus</i>	do	do	T
117.	Kouprey	<i>Bos sauveli</i>	Vietnam, Laos, Cambodia, Thailand	do	B
118.	Langur, capped	<i>Presbytis pileatus</i>	India, Burma	do	E
119.	Langur, entellus	<i>Presbytis entellus</i>	China (Tibet), India, Pakistan, Kashmir, Sri Lanka, Sikkim, Bangladesh	do	B
120.	Langur, Douc	<i>Pygathrix nemaeus</i>	Cambodia, Laos, China, Vietnam	do	E
121.	Langur, golden	<i>Presbytis geei</i>	India (Assam), Bhutan	do	B
122.	Langur, long-tailed	<i>Presbytis potenziani</i>	Indonesia	do	T
123.	Langur, Pagi Island	<i>Nasalis (=Simias) concolor</i>	do	do	E
124.	Langur, purple-faced	<i>Presbytis senex</i>	Sri Lanka (=Ceylon)	do	T
125.	Lechwe, red	<i>Kobus leche</i>	Southern Africa	do	T
126.	Lemurs	<i>Lemuridae (incl. Cheirogaleidae, Lepilemuridae); all members of genera Lemur, Phaner, Hapalemur, Lepilemur, Microcebus, Allocebus, Cheirogaleus, Varecia</i>	Malagasy Republic (=Madagascar)	do	E
127.	Leopard	<i>Panthera pardus</i>	Africa, Southern and Eastern Asia	do	E
128.	Leopard, clouded	<i>Neofelis nebulosa</i>	Southeast and South-central Asia, Taiwan	do	B
129.	Leopard, snow	<i>Panthera uncia</i>	Central Asia	do	E
130.	Linsang, spotted	<i>Prionodon pardicolor</i>	Nepal, Assam, Vietnam, Cambodia, Laos, Burma	do	B
131.	Lion, Asiatic	<i>Panthera leo persica</i>	Turkey to India	do	B
132.	Loris, lesser slow	<i>Nycticebus pygmaeus</i>	Indochina	do	T

133.	Lynx, Spanish	<i>Felis lynx pardina</i>	Spain	do	E
134.	Macaque, Formosan rock	<i>Macaca cyclopis</i>	Taiwan	do	T
135.	Macaque, Japanese	<i>Macaca fuscata</i>	Japan (Shikoku, Kyushu and Honshu Island)	do	T
136.	Macaque, lion-tailed	<i>Macaca silenus</i>	India	do	E
137.	Macaque, stump-tailed	<i>Macaca arctoides</i>	India (Assam) to southern China	do	T
138.	Macaque, Toque	<i>Macaca sinica</i>	Sri Lanka (=Ceylon)	do	T
139.	Manatee, Amazonian	<i>Trichechus inunguis</i>	South America; Amazon River Basin	do	E
140.	Manatee, West African	<i>Trichechus senegalensis</i>	West Coast of Africa from Senegal River Cuanza River	do	T
141.	Manatee, West Indian (Florida)	<i>Trichechus manatus</i>	U.S.A. (southeastern) Caribbean Sea, South America	do	E
142.	Mandrill	<i>Papio sphinx</i>	Equatorial West Africa	do	E
143.	Mangabey, Tana River	<i>Cercocebus galeritus</i>	Kenya	do	E
144.	Mangabey, white-collared	<i>Cercocebus torquatus</i>	Senegal to Ghana; Nigeria to Gabon	do	E
145.	Margay	<i>Felis wiedii</i>	U.S.A. (NM, AZ), Central and South America	Mexico southward	E
146.	Markhor, Chiltan	<i>Capra falconeri chiltanensis</i>	Pakistan	Entire	E
147.	Markhor, Kabal	<i>Capra falconeri megaceros</i>	Afghanistan, Pakistan	do	E
148.	Markhor, straight-horned	<i>Capra falconeri jerdoni</i>	Pakistan, Afghanistan	do	E
149.	Marmoset, cotton-top	<i>Saguinus oedipus</i>	Colombia	do	E
150.	Marmoset, Goeldi's	<i>Callimico goeldi</i>	Brazil, Colombia, Ecuador, Peru	do	E
151.	Marsupial, eastern jerboa	<i>Antechinomys laniger</i>	Australia	do	E
152.	Marsupial-mouse large desert	<i>Sminthopsis psammophila</i>	do	do	E
153.	Marsupial-mouse, long-tailed	<i>Sminthopsis longicaudata</i>	do	do	E
154.	Marten, Formosan yellow- throated	<i>Martes flavigula chrysoaspila</i>	Taiwan	do	E
155.	Monkey, black howler	<i>Alouatta pigra</i>	Mexico, Guatemala, Belize	do	T
156.	Monkey Diana	<i>Cercopithecus diana</i>	Coastal West Africa	do	E
157.	Monkey, Francois' leaf	<i>Presbytis francoisi</i>	China (Kwangsi), Indochina	do	E
158.	Monkey, howler	<i>Alouatta villosa</i>	Mexico to South America	do	E
159.	Monkey, Lhoest's	<i>Cercopithecus lhoesti</i>	Upper Eastern Congo Basin, Cameroon	do	E
160.	Monkey, proboscis	<i>Nasalis larvatus</i>	Borneo	do	E
161.	Monkey, red-backed squirrel	<i>Saimiri oerstedii</i>	Costa Rica, Panama	do	E
162.	Monkey, red-bellied	<i>Cercopithecus erythrogaster</i>	Western Nigeria	do	E
163.	Monkey, red-eared nose- spotted	<i>Cercopithecus erythrotis</i>	Nigeria, Cameroon, Fernando Po	do	E
164.	Monkey, spider	<i>Ateles geoffroyi frontatus</i>	Costa Rica, Nicaragua	do	E
165.	Monkey, spider	<i>Ateles geoffroyi panamensis</i>	Costa Rica, Panama	do	E
166.	Monkey, Tonkin snub-nosed	<i>Pygathrix (=Rhinopithecus) avunculus</i>	Vietnam	do	T
167.	Monkey, woolly spider	<i>Brachyteles arachnoides</i>	Brazil	do	E
168.	Monkey, yellow-tailed woolly	<i>Lagothrix flavicauda</i>	Andes of northern Peru	do	E
169.	Mouse, Australian native	<i>Notomys pedunculatus</i>	Australia	do	E
170.	Mouse, Australian native	<i>Notomys aquilo</i>	do	do	E
171.	Mouse, Field's	<i>Pseudomys fieldi</i>	do	do	E
172.	Mouse, Gould's	<i>Pseudomys gouldii</i>	do	do	E
173.	Mouse, New Holland	<i>Pseudomys novaehollandiae</i>	do	do	E
174.	Mouse, salt marsh harvest	<i>Reithrodontomys raviventris</i>	U.S.A. (California)	do	E
175.	Mouse, Shark Bay	<i>Pseudomys praeconis</i>	Australia	do	E
176.	Mouse, Shortridge's	<i>Pseudomys shortridgei</i>	do	do	E
177.	Mouse, Smoky	<i>Pseudomys fumeus</i>	do	do	E
178.	Mouse, western	<i>Pseudomys occidentalis</i>	do	do	E
179.	Muntjac, Fea's	<i>Muntiacus feae</i>	Northern Thailand, Burma	do	E
180.	Native-cat, eastern	<i>Dasyurus viverrinus</i>	Australia	do	E
181.	Numbat	<i>Myrmecobius fasciatus</i>	do	do	E
182.	Ocelot	<i>Felis pardalis</i>	Southwest U.S.A., Central South America	Mexico southward	E
183.	Orangutan	<i>Pongo pygmaeus</i>	Borneo, Sumatra	Entire	E
184.	Oryx, Arabian	<i>Oryx leucoryx</i>	Arabian Peninsula	do	E

185.	Otter, Cameroon clawless	<i>Aonyx congica</i> (= <i>Paraonyx microdon</i> )	Cameroon	do	E
186.	Otter, giant	<i>Pteronura brasiliensis</i>	South America	do	E
187.	Otter, La Plata	<i>Lutra platensis</i>	Argentina, Bolivia, Uruguay, Brazil	do	E
188.	Otter, long-tailed	<i>Lutra longicaudis</i>	South America	do	E
189.	Otter, marine	<i>Lutra felina</i>	Peru, south to Straits of Magellan	do	E
190.	Otter, southern river	<i>Lutra provocax</i>	Chile, Argentina	do	E
191.	Otter, southern sea	<i>Enhydra lutris nereis</i>	West coast U.S.A. (WA) south to Mexico (Baja California)	do	T
192.	Panther, Florida	<i>Felis concolor coryi</i>	U.S.A. (LA and AR east to SC and FL)	do	E
193.	Planigale, little	<i>Planigale subtilissima</i>	Australia	do	E
194.	Planigale, southern	<i>Planigale tenuirostris</i>	do	do	E
195.	Porcupine, thin-spined	<i>Chaetomys subspinosus</i>	Brazil	do	E
196.	Possum, mountain pigmy	<i>Burrhamys parvus</i>	Australia	do	E
197.	Possum, scaly-tailed	<i>Wyulda squalicaudata</i>	do	do	E
198.	Prairie dog, Mexican	<i>Cynomys mexicanus</i>	Mexico	do	E
199.	Prairie dog, Utah	<i>Cynomys parvidens</i>	U.S.A. (Utah)	do	E
200.	Pronghorn, peninsular	<i>Antilocapra americana peninsularis</i>	Mexico (Baja California)	do	E
201.	Pronghorn, Sonoran	<i>Antilocapra americana sonoriensis</i>	U.S.A. (AZ), Mexico	do	E
202.	Pudu	<i>Pudu pudu</i>	Southern South America	do	E
203.	Puma, Costa Rican	<i>Felis concolor costaricensis</i>	Nicaragua, Panama, Costa Rica	do	E
204.	Quokka	<i>Setonix brachyurus</i>	Australia	do	E
205.	Rabbit, Ryukyu	<i>Pentalagus furnesi</i>	Japan (Ryukyu Island)	do	E
206.	Rabbit, volcano	<i>Romerolagus diazi</i>	Mexico	do	E
207.	Rat, false water	<i>Xeromys myoides</i>	Australia	do	E
208.	Rat, stick-nest	<i>Leporillus conditor</i>	do	do	E
209.	Rat, Morro Bay kangaroo	<i>Dipodomys heermanni</i>	U.S.A. (California)	do	E
210.	Rat-kangaroo, brush-tailed	<i>Bettongia penicillata</i>	Australia	do	E
211.	Rat-kangaroo, Gaimard's	<i>Bettongia gaimardi</i>	do	do	E
212.	Rat-kangaroo, Lesueur's	<i>Bettongia lesueur</i>	do	do	E
213.	Rat-kangaroo, plain	<i>Caloprymnus campestris</i>	do	do	E
214.	Rat-kangaroo, Queensland	<i>Bettongia tropica</i>	do	do	E
215.	Rhinoceros, black	<i>Diceros bicornis</i>	Sub-Saharan Africa	Sub-Saharan Africa	E
216.	Rhinoceros, great Indian	<i>Rhinoceros unicornis</i>	India, Nepal	Entire	E
217.	Rhinoceros, Javan	<i>Rhinoceros sondaicus</i>	Indonesia, Indochina, Burma, Thailand, Sikkim, Bangladesh, Malaysia	do	E
218.	Rhinoceros, northern white	<i>Ceratotherium simum cottoni</i>	Zaire, Sudan, Uganda, Central African Republic	do	E
219.	Rhinoceros, Sumatran	<i>Dicerorhinus</i> (= <i>Didermoceros</i> ) <i>sumatrensis</i>	Bangladesh to Vietnam to Indonesia (Borneo)	do	E
220.	Saki, white-nosed	<i>Chitropotes albanus</i>	Brazil	do	E
221.	Seal, Caribbean monk	<i>Monachus tropicalis</i>	Caribbean Sea, Gulf of Mexico	do	E
222.	Seal, Hawaiian monk	<i>Monachus schauinslandi</i>	Hawaiian Archipelago	do	E
223.	Seal, Mediterranean monk	<i>Monachus monachus</i>	Mediterranean, Northwest African Coast and Black Sea	do	E
224.	Seledang (= Gaur)	<i>Bos gaurus</i>	Bangladesh, Southeast Asia, India	do	E
225.	Serow, Sumatran	<i>Capricornis sumatraensis</i>	Sumatra	do	E
226.	Serval, Barbary	<i>Felis serval constantina</i>	Algeria	do	E
227.	Shapo	<i>Ovis vignei</i>	Kashmir	do	E
228.	Shou	<i>Cervus elaphus walliichi</i>	Tibet, Bhutan	do	E
229.	Siamang	<i>Symphalangus syndactylus</i>	Malaysia, Indonesia	do	E
230.	Sifakas	<i>Propithecus spp. (fall species)</i>	Malagasy Republic (= Madagascar)	do	E
231.	Sika (deer), Formosan	<i>Cervus nippon taiouanus</i>	Taiwan	do	E
232.	Sika (deer), North China	<i>Cervus nippon mandarinus</i>	China (Shantung and Chihli Provinces)	do	E
233.	Sika (deer), Ryukyu	<i>Cervus nippon keramae</i>	Japan (Ryukyu Island)	do	E
234.	Sika (deer), Shansi	<i>Cervus nippon grassianus</i>	China (Shansi Province)	do	E

235.	Sika (deer), South China	<i>Cervus nippon kopschi</i>	Southern China	do	E
236.	Sloth, Brazilian three-toed	<i>Bradypus torquatus</i>	Brazil	do	E
237.	Solenodon, Cuban	<i>Atopogale cubana</i>	Cuba	do	E
238.	Solenodon, Haitian	<i>Solenodon paradoxus</i>	Dominican Republic, Haiti	do	E
239.	Squirrel, Delmarva Peninsula fox	<i>Sciurus niger cinereus</i>	U.S.A. (DelMarVa Peninsula to Southeast PA)	do	E
240.	Stag, Barbary	<i>Cervus elephus barbarus</i>	Tunisia, Algeria	do	E
241.	Stag, Kashmir	<i>Cervus elephus hanglu</i>	Kashmir	do	E
242.	Suni, Zanzibar	<i>Nesotragus moschatus moschatus</i>	Zanzibar (and neighboring states)	do	E
243.	Tahr, Arabian	<i>Hemitragus jayakari</i>	Oman	do	E
244.	Tamaraw	<i>Bubalus mindorensis</i>	Philippines	do	E
245.	Tamarin, golden-rumped (=golden-headed Tamarin; =golden-lion Marmoset)	<i>Leontopithecus (=Leontideus) spp. (all species)</i>	Brazil	do	E
246.	Tamarin, pied	<i>Saguinus bicolor</i>	Northern Brazil	do	E
247.	Tamarin, white-footed	<i>Saguinus leucopus</i>	Northern Colombia	do	T
248.	Tapir, Asian	<i>Tapirus indicus</i>	Burma, Laos, Cambodia, Vietnam, Malaysia, Indonesia, Thailand	do	E
249.	Tapir, Brazilian	<i>Tapirus terrestris</i>	Colombia and Venezuela south to Paraguay and Argentina	do	E
250.	Tapir, Central American	<i>Tapirus bairdii</i>	Southern Mexico to Colombia and Ecuador	do	E
251.	Tapir, mountain	<i>Tapirus pinchaque</i>	Colombia, Ecuador and possibly Peru and Venezuela	do	E
252.	Tarsier, Philippine	<i>Tarsius syrichta</i>	Philippines	do	T
253.	Tiger	<i>Panthera tigris</i>	Temperate and Tropical Asia	do	E
254.	Tiger, Tasmanian (=Thylacine)	<i>Thylacinus cynocephalus</i>	Australia	do	E
255.	Uakari (all species)	<i>Cacajao spp. (all species)</i>	Peru, Brazil, Ecuador, Colombia, Venezuela	do	E
256.	Urial	<i>Ovis orientalis ophion</i>	Cyprus	do	E
257.	Vicuña	<i>Vicugna vicugna</i>	South American Andes	do	E
258.	Wallaby, banded hare	<i>Lagostrophus fasciatus</i>	Australia	do	E
259.	Wallaby, brindled naitailed	<i>Onychogalea frenata</i>	do	do	E
260.	Wallaby, crescent naitailed	<i>Onychogalea lunata</i>	do	do	E
261.	Wallaby, Parma	<i>Macropus parma</i>	do	do	E
262.	Wallaby, Western hare	<i>Lagorchestes hirsutus</i>	do	do	E
263.	Wallaby, yellow-footed rock	<i>Petrogale xanthopus</i>	do	do	E
264.	Whale, blue	<i>Balaenoptera musculus</i>	Oceanic	do	E
265.	Whale, bowhead	<i>Balaena mysticetus</i>	Oceanic (north latitudes only)	do	E
266.	Whale, finback	<i>Balaenoptera physalus</i>	Oceanic	do	E
267.	Whale, gray	<i>Eschrichtius robustus</i>	North Pacific Ocean: coastal and Bering Sea	do	E
268.	Whale, humpback	<i>Megaptera novaeangliae</i>	Oceanic	do	E
269.	Whale, right	<i>Balaena glacialis</i>	do	do	E
270.	Whale, Sei	<i>Balaenoptera borealis</i>	do	do	E
271.	Whale, sperm	<i>Physeter catodon</i>	do	do	E
272.	Wolf, gray	<i>Canis lupus</i>	Holarctic	U.S.A. (48 conterminous states other than MN), Mexico	E
273.	Wolf, gray	<i>Canis lupus</i>	U.S.A. (MN)	do	T
274.	Wolf, maned	<i>Chrysocyon brachyurus</i>	Argentina, Bolivia, Brazil, Paraguay, Uruguay	Entire	E
275.	Wolf, red	<i>Canis rufus</i>	U.S.A. (southeast U.S.A. west to central TX)	do	E
276.	Wombat, Barnard's	<i>Lasiorhinus barnardi</i>	Australia	do	E
277.	Wombat, Queensland hairy-nosed	<i>Lasiorhinus gillespiei</i>	do	do	E
278.	Yak, wild	<i>Bos grunniens mutus</i>	China (Tibet), India	do	E
279.	Zebra, Grevy's	<i>Equus grevyi</i>	Kenya, Ethiopia, Sudan	do	T
280.	Zebra, Hartmann's Mountain	<i>Equus zebra hartmannae</i>	Namibia	do	T
281.	Zebra, mountain	<i>Equus zebra zebra</i>	South Africa	do	E
(b) BIRDS					
1.	Akepa, Hawaii (honeycreeper)	<i>Loxops coccinea coccinea</i>	U.S.A. (Hawaii)	do	E
2.	Akepa, Maui (honeycreeper)	<i>Loxops coccinea ochracea</i>	do	do	E
3.	Akialoa, Kauai (honeycreeper)	<i>Hemignathus procerus</i>	do	do	E

4.	Akipolau (honeycreeper)	<i>Hemignathus wilsoni</i>	do	do	E
5.	Albatross, short-tailed	<i>Diomedea albatrus</i>	North Pacific Ocean: Japan, U.S.S.R., U.S.A. (AK, CA, HA, OR, WA)	Entire, except U.S.A.	B
6.	Blackbird, yellow-shouldered	<i>Agelaius xanthomus</i>	U.S.A. (Puerto Rico)	Entire	E
7.	Bobwhite, masked (quail)	<i>Colinus virginianus ridgwayi</i>	U.S.A. (Arizona), Mexico (Sonora)	do	E
8.	Booby, Abbott's	<i>Sula abbotti</i>	Indian Ocean: Christmas Island	do	E
9.	Bristlebird, western	<i>Dasyornis brachypterus longirostris</i>	Australia	do	T
10.	Bristlebird, western rufous	<i>Dasyornis broadbenti littoralis</i>	do	do	E
11.	Bulbul, Mauritius olivaceous	<i>Hypsipetes borbonicus olivaceus</i>	Mauritius	do	E
12.	Bullfinch, Sao Miguel (finch)	<i>Pyrrhula pyrrhula murina</i>	Eastern Atlantic Ocean: Azores	do	E
13.	Bushwren, New Zealand	<i>Xenicus longipes</i>	New Zealand	do	E
14.	Bustard, great Indian	<i>Choriotis nigriceps</i>	India, Pakistan	do	E
15.	Cahow (=Bermuda Petrel)	<i>Pterodroma cahow</i>	North Atlantic Ocean: Bermuda	do	E
16.	Condor, Andean	<i>Vultur gryphus</i>	Colombia to Chile and Argentina	do	E
17.	Condor, California	<i>Gymnogyps californianus</i>	U.S.A. (OR, CA), Mexico (Baja California)	do	B
18.	Coot, Hawaiian	<i>Fulica americana alai</i>	U.S.A. (Hawaii)	do	B
19.	Cotinga, banded	<i>Cotinga maculata</i>	Brazil	do	E
20.	Cotinga, white-winged	<i>Xipholena atropurpurea</i>	do	do	E
21.	Crane, black-necked	<i>Grus nigricollis</i>	China (Tibet)	do	E
22.	Crane, Cuba sandhill	<i>Grus canadensis nesiotis</i>	West Indies: Cuba	do	E
23.	Crane, hooded	<i>Grus monacha</i>	Japan, U.S.S.R.	do	B
24.	Crane, Japanese	<i>Grus japonensis</i>	China, Japan, Korea, U.S.S.R.	do	E
25.	Crane, Mississippi sandhill	<i>Grus canadensis pulla</i>	U.S.A. (Mississippi)	do	E
26.	Crane, Siberian white	<i>Grus leucogeranus</i>	U.S.S.R. (Siberia) to India, including Iran and China	do	B
27.	Crane, white-naped	<i>Grus vipio</i>	Mongolia	do	E
28.	Crane, whooping	<i>Grus americana</i>	Canada, U.S.A. (Rocky Mountains east to Carolinas), Mexico	do	B
29.	Creeper, Hawaii	<i>Loxops maculata mana</i>	U.S.A. (Hawaii)	do	E
30.	Creeper, Molokai (=Kakawahie)	<i>Loxops maculata flammea</i>	do	do	E
31.	Creeper, Oahu (=alauwahio)	<i>Loxops maculata maculata</i>	do	do	E
32.	Crow, Hawaiian (=alala)	<i>Corvus tropicus</i>	do	do	E
33.	Cuckoo-shrike, Mauritius	<i>Coquus (=Coracina) typicus</i>	Indian Ocean: Mauritius	do	E
34.	Cuckoo-shrike, Reunion	<i>Coquus (=Coracina) newtoni</i>	Indian Ocean: Reunion	do	E
35.	Curassow, razor-billed	<i>Mitu (=Crax) mitu mitu</i>	Brazil (Eastern)	do	E
36.	Curassow, red-billed	<i>Crax blumenbachii</i>	Brazil	do	E
37.	Curassow, Trinidad white-headed	<i>Pipile pipile pipile</i>	West Indies: Trinidad	do	E
38.	Curlew, Eskimo	<i>Numenius borealis</i>	Alaska and northern Canada to Argentina	do	E
39.	Dove, cloven-feathered	<i>Drepanoptila holosericea</i>	Southwest Pacific Ocean: New Caledonia	do	E
40.	Dove, Grenada	<i>Leptotilla wellsi</i>	West Indies: Grenada	do	B
41.	Dove, Palau ground	<i>Gallucolumba canifrons</i>	West Pacific Ocean: U.S.A. (Palau Islands)	do	B
42.	Duck, Hawaiian (=kotoa)	<i>Anas wyvilliana</i>	U.S.A. (Hawaii)	do	B
43.	Duck, Laysan	<i>Anas laysanensis</i>	do	do	B
44.	Duck, pink-headed	<i>Rhodonessa caryophyllacea</i>	India	do	E
45.	Duck, white-winged wood	<i>Cairina scutulata</i>	India, Malaysia, Indonesia, Thailand	do	E
46.	Eagle, Greenland white-tailed	<i>Haliaeetus albicilla groenlandicus</i>	Greenland and adjacent Atlantic islands	do	E
47.	Eagle, harpy	<i>Harpia harpyja</i>	Mexico south to Argentina	do	E
48.	Eagle, Philippine (=monkey-eating)	<i>Pithechophaga jefferyi</i>	Philippines	do	B
49.	Eagle, bald	<i>Haliaeetus leucocephalus</i>	North America south to northern Mexico	U.S.A. (conterminous States, except WA, OR, MN, WI, MI)	E
50.	Eagle, bald	<i>Haliaeetus leucocephalus</i>	do	U.S.A. (WA, OR, MN, WI, MI)	T
51.	Eagle, Spanish imperial	<i>Aquila heliaca adalberti</i>	Spain, Morocco, Algeria	Entire	E
52.	Egret, Chinese	<i>Egretta eulophotes</i>	China, Korea	do	E
53.	Falcon, American peregrine	<i>Falco peregrinus anatum</i>	Canada, U.S.A., Mexico	do	E
54.	Falcon, Arctic peregrine	<i>Falco peregrinus tundrius</i>	Alaska to Greenland, south to Argentina	do	E

55.	Falcon, Eurasian peregrine	<i>Falco peregrinus peregrinus</i>	Europe, Eurasia south to Africa and Mid-east	do	E
56.	Finch, Laysan (honeycreeper)	<i>Telespyza (=Psittirostra) cantans</i>	U.S.A. (Hawaii)	do	E
57.	Finch, Nihoa (honeycreeper)	<i>Telespyza (=Psittirostra) ultima</i>	do	do	E
58.	Flycatcher, Euler's	<i>Empidonax euleri johnstonei</i>	West Indies: Grenada	do	E
59.	Flycatcher, Palau fantail	<i>Rhipidura leplda</i>	West Pacific Ocean: U.S.A. (Palau Islands)	do	E
60.	Flycatcher, Seychelles paradise	<i>Terpsiphone corvina</i>	Indian Ocean: Seychelles	do	E
61.	Flycatcher, Tahiti	<i>Pomarea nigra</i>	South Pacific Ocean: Tahiti	do	E
62.	Flycatcher, Tinian monarch	<i>Monarcha takatsukasae</i>	Western Pacific Ocean: U.S.A. (Marianas Islands)	do	E
63.	Fody, Seychelles (weaver-finch)	<i>Foudia sechellarian</i>	Indian Ocean: Seychelles	do	E
64.	Frigatebird, Andrew's	<i>Fregata andrewsi</i>	East Indian Ocean	do	E
65.	Gallinule, Hawaiian	<i>Gallinula chloropus sandvicensis</i>	U.S.A. (Hawaii)	do	E
66.	Goose, Aleutian Canada	<i>Branta canadensis leucopareia</i>	Western U.S.A. (AK, CA, OR, WA), Japan	do	E
67.	Goose, Hawaiian (=nene)	<i>Branta sandvicensis</i>	U.S.A. (Hawaii)	do	E
68.	Goshawk, Christmas Island	<i>Accipiter fasciatus natalis</i>	Indian Ocean: Christmas Island	do	E
69.	Grackle, slender-billed	<i>Cassidix palustris</i>	Mexico	do	E
70.	Grasswren, Eyrean (flycatcher)	<i>Amytornis goyderi</i>	Australia	do	E
71.	Grebe, Atitlan	<i>Podilymbus gigas</i>	Guatemala	do	E
72.	Greenshank, Nordmann's	<i>Tringa guttifer</i>	U.S.S.R., Japan, south to Malaya, Borneo	do	E
73.	Guan, horned	<i>Oreophastis derbianus</i>	Guatemala, Mexico	do	E
74.	Gull, Audouin's	<i>Larus audouinii</i>	Mediterranean Sea	do	E
75.	Gull, relict	<i>Larus relictus</i>	India, China	do	E
76.	Hawk, Anjouan Island sparrow	<i>Accipiter francesii pusillus</i>	Indian Ocean: Comoro Islands	do	E
77.	Hawk, Galapagos	<i>Buteo galapagoensis</i>	Ecuador (Galapagos Island)	do	E
78.	Hawk, Hawaiian (=Io)	<i>Buteo solitarius</i>	U.S.A. (Hawaii)	do	E
79.	Hermit, hook-billed (hummingbird)	<i>Glaucis (=Ramphodon) dohrnii</i>	Brazil	do	E
80.	Honeycreeper, crested (=akolekohe)	<i>Palmeria dolei</i>	U.S.A. (Hawaii)	do	E
81.	Hornbill, helmeted	<i>Rhinoplax vigil</i>	Thailand, Malaysia	do	E
82.	Honeyeater, helmeted	<i>Meliphaga cassidix</i>	Australia	do	E
83.	Ibis, Japanese crested	<i>Nipponia nippon</i>	China, Japan, U.S.S.R., Korea	do	E
84.	Kagu	<i>Rhynochetos jubanus</i>	Southwestern Pacific Ocean: New Caledonia	do	E
85.	Kakapo (=owl-parrot)	<i>Strigops habroptilus</i>	New Zealand	do	E
86.	Kestrel, Mauritius	<i>Falco punctatus</i>	Indian Ocean: Mauritius	do	E
87.	Kestrel, Seychelles	<i>Falco araea</i>	Indian Ocean: Seychelles Islands	do	E
88.	Kite, Cuba hook-billed	<i>Chondrohierax uncinatus wilsonii</i>	West Indies: Cuba	do	E
89.	Kite, Grenada hook-billed	<i>Chondrohierax uncinatus mirus</i>	West Indies: Grenada	do	E
90.	Kite, Everglade (snail kite)	<i>Rostrhamus sociabilis plumbeus</i>	U.S.A. (Florida)	do	E
91.	Kokako (wattlebird)	<i>Callaeas cinerea</i>	New Zealand	do	E
92.	Macaw, glaucous	<i>Anodorhynchus glaucus</i>	Paraguay, Uruguay, Brazil	do	E
93.	Macaw, indigo	<i>Anodorhynchus leari</i>	Brazil	do	E
94.	Macaw, little blue	<i>Cyanopsitta sylvii</i>	do	do	E
95.	Magpie-robin, Seychelles (thrush)	<i>Copsychus sechellarum</i>	Indian Ocean: Seychelles Islands	do	E
96.	Malkoha, red-faced (cuckoo)	<i>Phaenicophaeus pyrrhocephalus</i>	Sri Lanka (=Ceylon)	do	E
97.	Mallard, Marianas	<i>Anas oustaleti</i>	West Pacific Ocean: (Guam, Marianas Island)	do	E
98.	Megapode, La Perouse's	<i>Megapodius laperouse</i>	West Pacific Ocean: U.S.A. (Palau Island, Marianas Island)	do	E
99.	Megapode, Maleo	<i>Macrocephalon maleo</i>	Indonesia (Celebes)	do	E
100.	Millerbird, Nihoa (willow warbler)	<i>Acrocephalus familiaris kingi</i>	U.S.A. (Hawaii)	do	E
101.	Nukupuu (honeycreeper)	<i>Hemignathus lucidus</i>	do	do	E
102.	Oo, Kauai (=Oo Aa) (honeyeater)	<i>Moho braccatus</i>	do	do	E



103.	Ostrich, Arabian	<i>Struthio camelus syriacus</i>	Jordan, Saudi Arabia	do	E
104.	Ostrich, West African	<i>Struthio camelus spatzi</i>	Spanish Sahara	do	E
105.	Ou (honeycreeper)	<i>Psittirostra psittacea</i>	U.S.A. (Hawaii)	do	E
106.	Owl, Anjouan scops	<i>Otus rutilus capnodes</i>	Indian Ocean: ComoroIsland	do	E
107.	Owl, giant scops	<i>Otus gurneyi</i>	Phillipines: Marinduque and Mindanao Island	do	E
108.	Owl, Palau	<i>Otus podargina</i>	West Pacific Ocean: U.S.A. (Palau Islands)	do	E
109.	Owl, Seychelles	<i>Otus insularis</i>	Indian Ocean:Seychelles Island	do	E
110.	Owlet, Mr. Morden's	<i>Otus ireneae</i>	Kenya	do	E
111.	Palila (honeycreeper)	<i>Psittirostra bailleui</i>	U.S.A. (Hawaii)	do	E
112.	Parakeet, Forbes'	<i>Cyanoramphus auriceps forbesi</i>	New Zealand	do	E
113.	Parakeet, golden	<i>Aratinga guarouba</i>	Brazil	do	E
114.	Parakeet, golden shouldered (=hooded)	<i>Psephotus chrysopterygius</i>	Australia	do	E
115.	Parakeet, Mauritius	<i>Psittacula echo</i>	Indian Ocean: Mauritius	do	E
116.	Parakeet, ochre-marked	<i>Pyrhura cruentata</i>	Brazil	do	E
117.	Parakeet, orange-bellied	<i>Neophema chrysogaster</i>	Australia	do	E
118.	Parakeet, paradise (=beautiful)	<i>Psephotus pulcherrimus</i>	do	do	E
119.	Parakeet, scarlet-chested (=splendid)	<i>Neophema splendida</i>	do	do	E
120.	Parakeet, turquoise	<i>Neophema pulchella</i>	do	do	E
121.	Parrot, Australian	<i>Geopsittacus occidentalis</i>	do	do	E
122.	Parrot, Bahaman or Cuban	<i>Amazona leucocephala</i>	West Indies: Cuba, Bahamas, Caymans	do	E
123.	Parrot, ground	<i>Pezoporus wallicus</i>	Australia	do	E
124.	Parrot, imperial	<i>Amazona imperialis</i>	West Indies: Dominica	do	E
125.	Parrot, Puerto Rican	<i>Amazona vittata</i>	U.S.A. (Puerto Rico)	do	E
126.	Parrot, red-browed	<i>Amazona rhodocorytha</i>	Brazil	do	E
127.	Parrot, red-capped	<i>Pionopsitta pileata</i>	do	do	E
128.	Parrot, red-necked	<i>Amazona arausiaca</i>	West Indies: Dominica	do	E
129.	Parrot, red-spectacled	<i>Amazona pretrei pretrei</i>	Brazil, Argentina	do	E
130.	Parrot, St. Lucia	<i>Amazona versicolor</i>	West Indies: St. Lucia	do	E
131.	Parrot, St. Vincent	<i>Amazona guildingii</i>	West Indies: St. Vincent	do	E
132.	Parrot, thick-billed	<i>Rhynchopsitta pachyrhyncha</i>	Mexico, U.S.A. (AZ, NM)	Mexico	E
133.	Parrot, vinaceous-breasted	<i>Amazona vinacea</i>	Brazil	Entire	E
134.	Parrotbill, Maui (honeycreeper)	<i>Pseudonestor xanthophrys</i>	U.S.A. (Hawaii)	do	E
135.	Pelican, brown	<i>Pelecanus occidentalis</i>	U.S.A. (Carolinas to Texas, CA), West Indies, Central and South America: Coastal	do	E
136.	Penguin, Galapagos	<i>Spheniscus mendiculus</i>	Ecuador (Galapagos Island)	do	E
137.	Petrel, Hawaiian dark-rumped	<i>Pterodroma phaeopygia sandwichensis</i>	U.S.A. (Hawaii)	do	E
138.	Pheasant, bar-tailed	<i>Symaticus humaie</i>	Burma, China	do	E
139.	Pheasant, Blyth's tragopan	<i>Tragopan blythii</i>	Burma, China, India	do	E
140.	Pheasant, brown eared	<i>Crossoptilon mantchuricum</i>	China	do	E
141.	Pheasant, Cabot's tragopan	<i>Tragopan caboti</i>	do	do	E
142.	Pheasant, Chinese monal	<i>Lophophorus lhuysii</i>	do	do	E
143.	Pheasant, Edward's	<i>Lophura edwardsi</i>	Vietnam	do	E
144.	Pheasant, Elliot's	<i>Symaticus ellioti</i>	China	do	E
145.	Pheasant, imperial	<i>Lophura imperialis</i>	Vietnam	do	E
146.	Pheasant, Mikado	<i>Symaticus mikado</i>	Taiwan	do	E
147.	Pheasant, Palawan peacock	<i>Polyplectron emphanum</i>	Phillipines	do	E
148.	Pheasant, Solater's monal	<i>Lophophorus sclateri</i>	Burma, China, India	do	E
149.	Pheasant, Swinhoe's	<i>Lophura swinhoii</i>	Taiwan	do	E
150.	Pheasant, western tragopan	<i>Tragopan melanocephalus</i>	India, Pakistan	do	E
151.	Pheasant, white eared	<i>Crossoptilon crossoptilon</i>	China (Tibet), India	do	E
152.	Pigeon, Azores wood	<i>Columba palanbus azorica</i>	East Atlantic Ocean: Azores	do	E
153.	Pigeon, Chatham Island	<i>Hemiphaga novaeseelandiae chathamensis</i>	New Zealand	do	E
154.	Pigeon, Mindoro zone-tailed	<i>Ducula mindorensis</i>	Phillipines	do	E
155.	Pigeon, Puerto Rican plain	<i>Columba inornata wetmorei</i>	U.S.A. (Puerto Rico)	do	E
156.	Piping-guan, black-fronted	<i>Pipile jacutinga</i>	Argentina	do	E
157.	Pitta, Koch's	<i>Pitta kochi</i>	Phillipines	do	E
158.	Plover, New Zealand shore	<i>Thinornis novaeseelandiae</i>	New Zealand	do	E
159.	Poo-uli	<i>Melanprosops phaeosoma</i>	U.S.A. (Hawaii)	do	E
160.	Prairie chicken, Attwater's greater	<i>Tympanuchus cupido attwateri</i>	U.S.A. (Texas)	do	E
161.	Quail, Merriam's Montezuma	<i>Cyrtonyx montezumae merriami</i>	Mexico (Vera Cruz)	do	E

162.	Quetzal, resplendent	<i>Pharomachrus mocinno</i>	Mexico to Panama	do	E
163.	Rail, Auckland Island	<i>Rallus pectoralis muelleri</i>	New Zealand	do	E
164.	Rail, California clapper	<i>Rallus longirostris obsoletus</i>	U.S.A. (California)	do	E
165.	Rail, light-footed clapper	<i>Rallus longirostris levipes</i>	U.S.A. (California), Mexico (Baja California)	do	E
166.	Rail, Lord Howe wood	<i>Tricholimnas sylvestris</i>	Australia (Lord Howe Island)	do	E
167.	Rail, Yuma clapper	<i>Rallus longirostris yunanensis</i>	Mexico, U.S.A. (AZ, CA)	do	E
168.	Rhea, Darwin's	<i>Pterocnemia pennata</i>	Argentina, Bolivia, Peru, Uruguay	do	E
169.	Robin, Chatham Island	<i>Petroica traversi</i>	New Zealand	do	E
170.	Robin, scarlet-breasted (fly-catcher)	<i>Petroica multicolor multicolor</i>	Australia (Norfolk Island)	do	E
171.	Rockfowl, grey-necked	<i>Picathartes oreas</i>	Cameron	do	E
172.	Rockfowl, white-necked	<i>Picathartes gymnocephalus</i>	Africa: Togo to Sierra Leone	do	E
173.	Roller, long-tailed ground	<i>Uratelornis chimaera</i>	Malagasy Republic (=Madagascar)	do	E
174.	Scrub-bird, noisy	<i>Atrichornis clamosus</i>	Australia	do	E
175.	Shama, Cebu black (thrush)	<i>Copsychus niger cebuensis</i>	Philippines	do	E
176.	Shearwater, Newell's Manx	<i>Puffinus puffinus newelli</i>	U.S.A. (Hawaii)	do	T
177.	Shrike, San Clemente loggerhead	<i>Lanius ludovicianus mearnsi</i>	U.S.A. (California)	do	E
178.	Siskin, red	<i>Carduelis (=Spinus) cucullatus</i>	South America	do	E
179.	Sparrow, Cape Sable seaside	<i>Ammodramus maritima mirabilis</i>	U.S.A. (Florida)	do	E
180.	Sparrow, dusky seaside	<i>Ammodramus maritima nigrescens</i>	do	do	E
181.	Sparrow, San Clemente sage	<i>Amphispiza belli clementeae</i>	U.S.A. (California)	do	T
182.	Sparrow, Santa Barbara song	<i>Melospiza melodia graminea</i>	do	do	E
183.	Starling, Ponape mountain	<i>Aplonis pelzelni</i>	West Pacific Ocean: U.S.A. (Caroline Island)	do	E
184.	Starling, Rothschild's (myna)	<i>Leucopsar rothschildi</i>	Indonesia (Bali)	do	E
185.	Stilt, Hawaiian	<i>Himantopus himantopus knudseni</i>	U.S.A. (Hawaii)	do	E
186.	Stork, oriental white	<i>Ciconia ciconia boyciana</i>	China, Japan, Korea, U.S.S.R.	do	E
187.	Teal, Campbell Island flightless	<i>Anas aucklandica nesiotis</i>	New Zealand (Campbell Island)	do	E
188.	Tern, California least	<i>Sterna albifrons browni</i>	Mexico, U.S.A. (CA)	do	E
189.	Thrasher, white-breasted	<i>Ramphocinculus brachyurus</i>	West Indies: St. Lucia, Martinique	do	E
190.	Thrush, large Kauai	<i>Phaeornis obscurus myadestina</i>	U.S.A. (Hawaii)	do	E
191.	Thrush, Molokai (=olomau)	<i>Phaeornis obscurus rutha</i>	do	do	E
192.	Thrush, New Zealand (wattlebird)	<i>Turnagra capensis</i>	New Zealand	do	E
193.	Thrush, small Kauai (=puaiohi)	<i>Phaeornis palmeri</i>	U.S.A. (Hawaii)	do	E
194.	Tinamou, solitary	<i>Tinamus solitarius</i>	Brazil, Paraguay, Argentina	do	E
195.	Trembler, Martinique brown (thrasher)	<i>Cinclocerthia ruficauda gutturalis</i>	West Indies: Martinique	do	E
196.	Wanderer, plain (collared-hemipode)	<i>Pedionomus torquatus</i>	Australia	do	E
197.	Warbler (wood), Bachman's	<i>Vermivora bachmanii</i>	Cuba, U.S.A. (Southeastern)	do	E
198.	Warbler (wood), Barbados yellow	<i>Dendroica petechia petechia</i>	West Indies: Barbados	do	E
199.	Warbler (wood), Kirtland's	<i>Dendroica kirtlandii</i>	U.S.A. (principally MI), Canada, West Indies: Bahama Islands	do	E
200.	Warbler (willow), reed	<i>Acrocephalus luscini</i>	Western Pacific Ocean: Marianas Islands	do	E
201.	Warbler (willow), Rodrigues	<i>Bebrornis rodericanus</i>	Mauritius (Rodrigues Islands)	do	E
202.	Warbler (wood), Semper's	<i>Leucopeza semperi</i>	West Indies: St. Lucia	do	E
203.	Warbler (willow), Seychelles	<i>Bebrornis sechellensis</i>	Indian Ocean: Seychelles Island	do	E
204.	Whipbird, Western	<i>Psophodes nigrogularis</i>	Australia	do	E
205.	Whip-poor-will, Puerto Rican	<i>Caprimulgus vociferans</i>	U.S.A. (Puerto Rico)	do	E
206.	White-eye, Norfolk Island	<i>Zosterops albogularis</i>	Indian Ocean: Norfolk Islands	do	E
207.	White-eye, Ponape great	<i>Rukia longirostra (=sanfordi)</i>	West Pacific Ocean: U.S.A. (Caroline Islands)	do	E
208.	White-eye, Seychelles	<i>Zosterops modesta</i>	Indian Ocean: Seychelles	do	E
209.	Woodpecker, imperial	<i>Campephilus imperialis</i>	Mexico	do	E
210.	Woodpecker, ivory-billed	<i>Campephilus principalis</i>	U.S.A. (southcentral and southeastern), Cuba	do	E
211.	Woodpecker, red-cockaded	<i>Picoides (=Dendrocopos) borealis</i>	U.S.A. (southcentral and southeastern)	do	E
212.	Woodpecker, Tristram's	<i>Dryocopus javensis richardsi</i>	Korea	do	E

213.	Wren, Guadeloupe house	<i>Troglodytes aedon guadeloupenis</i>	West Indies: Guadeloupe	do	E
214.	Wren, St. Lucia house	<i>Troglodytes aedon mesoleucus</i>	West Indies: St. Lucia	do	E
(c) REPTILES					
1.	Alligator, American	<i>Alligator mississippiensis</i>	Southeastern U.S.A in wild except those areas where listed as threatened as set forth below	Wherever found	E
2.	Do	do	do	U.S.A. (FL and certain areas of GA, SC, and TX, as set forth in 50 CFR s. 17.42(a)(1))	T
3.	Do	do	do	U.S.A. (LA)	T(S/A)
4.	Do	do	do	In captivity wherever found	T(S/A)
5.	Alligator, Chinese	<i>Alligator sinensis</i>	China	Entire	E
6.	Anole, Culebra giant	<i>Anolis roosevelti</i>	U.S.A. (Puerto Rico: Culebra Island)	do	E
7.	Boa, Jamaican	<i>Epicrates subflavus</i>	Jamaica	do	E
8.	Boa, Mona	<i>Epicrates monensis monensis</i>	U.S.A. (Puerto Rico)	do	T
9.	Boa, Puerto Rico	<i>Epicrates inornatus</i>	do	do	E
10.	Boa, Round Island [no common name]	<i>Casarea dussumieri</i>	Indian Ocean: Mauritius	do	E
11.	Boa, Round Island [no common name]	<i>Bolyeria multocarinata</i>	Indian Ocean: Mauritius	do	E
12.	Boa, Virgin Islands tree	<i>Epicrates monensis granti</i>	U.S. and British Virgin Islands	do	E
13.	Caiman, Apaporis River	<i>Caiman crocodilus apaporiensis</i>	Colombia	do	E
14.	Caiman, black	<i>Melanosuchus niger</i>	Amazon basin	do	E
15.	Caiman, broad-snouted	<i>Caiman latirostris</i>	Brazil, Argentina, Paraguay Uruguay	do	E
16.	Caiman, Yacare	<i>Caiman crocodilus yacare</i>	Bolivia, Argentina, Peru, Brazil	do	E
17.	Chuckwalla, San Esteban Island	<i>Sauromalus varius</i>	Mexico	do	E
18.	Crocodile, African dwarf	<i>Osteolaemus tetraspis tetraspis</i>	West Africa	do	E
19.	Crocodile, African slender-snouted	<i>Crocodylus cataphractus</i>	Western and central Africa	do	E
20.	Crocodile, American	<i>Crocodylus acutus</i>	U.S.A. (FL), Mexico, Mexico, South America, Central America, Caribbean	do	E
21.	Crocodile, Ceylon mugger	<i>Crocodylus palustris kimbula</i>	Sri Lanka	do	E
22.	Crocodile, Congo dwarf	<i>Osteolaemus tetraspis osborni</i>	Congo River drainage	do	E
23.	Crocodile, Cuban	<i>Crocodylus rhombifer</i>	Cuba	do	E
24.	Crocodile, Morelet's	<i>Crocodylus moreletii</i>	Mexico, Belize, Guatemala	do	E
25.	Crocodile, mugger	<i>Crocodylus palustris palustris</i>	India, Pakistan, Iran, Bangladesh	do	E
26.	Crocodile, Nile	<i>Crocodylus niloticus</i>	Africa	do	E
27.	Crocodile, Orinoco	<i>Crocodylus intermedius</i>	South America: Orinoco River Basin	do	E
28.	Crocodile, Philippine	<i>Crocodylus novaeguineae mindorensis</i>	Philippine Islands	do	E
29.	Crocodile, saltwater (=estuarine)	<i>Crocodylus porosus</i>	Southeast Asia, Australia, Papua-New Guinea, Pacific Islands	Entire, except Papua-New Guinea	E
30.	Crocodile, Siamese	<i>Crocodylus siamensis</i>	Southeast Asia, Malay Peninsula	Entire	E
31.	Gavial (=ghanal)	<i>Gavialis gangeticus</i>	Pakistan, Burma, Bangladesh, India	do	E
32.	Gecko, day	<i>Phelsuma edwardnewtoni</i>	Indian Ocean: Mauritius	do	E
33.	Gecko, Round Island day	<i>Phelsuma guentheri</i>	Indian Ocean: Mauritius	do	E
34.	Iguana, Anegada ground	<i>Cyclura pinguis</i>	West Indies: British Virgin Islands (Anegada Island)	do	E
35.	Iguana, Barrington land	<i>Conolophus pallidus</i>	Ecuador (Galapagos Island)	do	E
36.	Iguana, Fiji banded	<i>Brachylophus fasciatus</i>	Fiji, Tonga	do	E
37.	Iguana, Fiji crested	<i>Brachylophus vitiensis</i>	Fiji	do	E
38.	Iguana, Mona ground	<i>Cyclura stejnegeri</i>	U.S.A. (Puerto Rico: Mona Island)	do	T
39.	Lizard, blunt-nosed leopard	<i>Gambelia (=Crotaphytus) silus</i>	U.S.A. (California)	do	E
40.	Lizard, Coachella Valley fringe-toed	<i>Uma inornata</i>	do	do	T
41.	Lizard, Island night riversiana	<i>Xantusia (=Klauberina)</i>	do	do	T
42.	Lizard, St. Croix ground	<i>Ameiva polops</i>	U.S.A. (Virgin Islands: Green Cay, Protestant Cay)	do	E
43.	Monitor, Bengal	<i>Varanus bengalensis</i>	Iran, Iraq, India,	do	E

44.	Monitor, desert	<i>Varanus griseus</i>	Sri Lanka, Malaysia, Afghanistan, Burma, Vietnam, Thailand North Africa to Neareast, Caspian Sea through U.S.S.R. to Pakistan, Northwest India	do	E
45.	Monitor, Komodo Island	<i>Varanus komodensis</i>	Indonesia (Komodo, Rinjta, Padar, and western Flores Island)	do	E
46.	Monitor, yellow	<i>Varanus flavescens</i>	West Pakistan through India to Bangladesh	do	E
47.	Python, Indian	<i>Python molurus molurus</i>	Sri Lanka and India	do	E
48.	Rattlesnake, New Mexican ridge-nosed	<i>Crotalus willardi obscurus</i>	U.S.A.(NM), Mexico	do	T
49.	Snake, Atlantic salt marsh	<i>Nerodia fasciata taenata</i>	U.S.A.(Florida)	do	T
50.	Snake, eastern indigo	<i>Drymarchon corais couperi</i>	U.S.A. (AL,FL, GA, MS, SC)	do	T
51.	Snake, San Francisco garter	<i>Thamnophis sirtalis tetrataenia</i>	U.S.A. (California)	do	E
52.	Tartaruga	<i>Podocnemis expansa</i>	South America: Orinoco and Amazon River basins	do	E
53.	Terrapin, river (=Tuntong)	<i>Batagur baska</i>	Malaysia, Bangladesh, Burma, India, Indonesia	do	E
54.	Tomistoma	<i>Tomistoma schlegelii</i>	Malaysia, Indonesia	do	E
55.	Tortoise, angulated	<i>Geochelone yniphora</i>	Malagasy Republic (=Madagascar)	do	E
56.	Tortoise, Bolson	<i>Gopherus flavomarginatus</i>	Mexico	do	E
57.	Tortoise, desert	<i>Gopherus agassizii</i>	U.S.A. (Utah, Arizona, California, Nevada; Mexico	Beaver Dam Slope, Utah	T
58.	Tortoise, Galapagos	<i>Geochelone elephantopus</i>	Ecuador (Galapagos Islands)	Entire	E
59.	Tortoise, Indian flap-shell	<i>Lissemys punctata punctata</i>	India, Pakistan, Bangladesh	do	E
60.	Tortoise, radiated	<i>Geochelone (=Testudo) radiata</i>	Malagasy Republic (=Madagascar)	do	E
61.	Tracaja	<i>Podocnemis unifilis</i>	South America: Orinoco and Amazon River basins	do	E
62.	Tuatara	<i>Sphenodon punctatus</i>	New Zealand	do	E
63.	Turtle, aquatic box	<i>Terrapene carolina</i>	Mexico	do	E
64.	Turtle, black softshell	<i>Trionyx nigricans</i>	Bangladesh	do	E
65.	Turtle, Burmese peacock	<i>Morenia ocellata</i>	Burma	do	E
66.	Turtle, Cuatro Cienegas softshell	<i>Trionyx ater</i>	Mexico	do	E
67.	Turtle, geometric	<i>Geochelone geometrica</i>	Union of South Africa	do	E
68.	Turtle, green sea	<i>Chelonia mydas</i>	Circumglobal in tropical and temperate seas and oceans	Wherever found except where listed as endangered below	T
69.	Turtle, green sea	<i>Chelonia mydas</i>	Breeding colony populations in FL and on Pacific coast of Mexico	do	E
70.	Turtle, hawksbill sea (=carey)	<i>Eretmochelys imbricata</i>	Tropical seas	Entire	E
71.	Turtle, Indian sawback	<i>Kachuga tecta tecta</i>	India	do	E
72.	Turtle, Indian softshell	<i>Trionyx gangeticus</i>	Pakistan, India	do	E
73.	Turtle, Kemp's (=Atlantic) Ridley sea	<i>Lepidochelys kempii</i>	Tropical and temperate seas	do	E
74.	Turtle, leatherback sea	<i>Dermodochelys coriacea</i>	Tropical, temperate, and subpolar seas	do	E
75.	Turtle, loggerhead sea	<i>Caretta caretta</i>	Circumglobal in tropical and temperate seas and oceans	do	T
76.	Turtle, Olive (Pacific) Ridley sea	<i>Lepidochelys olivacea</i>	Wherever found except where listed as endangered below	do	T
77.	Turtle, Olive (Pacific) Ridley sea	<i>Lepidochelys olivacea</i>	Breeding colony populations on Pacific coast of Mexico	do	E
78.	Turtle, peacock softshell	<i>Trionyx hurum</i>	India, Bangladesh	Entire	E
79.	Turtle, Plymouth red-bellied	<i>Pseudemys (=Chrysemys) rubriventris bangsi</i>	U.S.A. (Massachusetts)	do	E
80.	Turtle, short-necked or western swamp	<i>Pseudemys dura umbrina</i>	Australia	do	E
81.	Turtle, spotted pond	<i>Geoclemmys (=Dawsonia) hamiltonii</i>	North India, Pakistan	do	E
82.	Turtle, three-keeled Asian	<i>Geoemyda (=Nicoria) tricarinata</i>	Central India to Bangladesh and Burma	do	E
(d) AMPHIBIANS					
1.	Coqui, golden	<i>Eleutherodactylus jasperi</i>	U.S.A. (Puerto Rico)	do	T
2.	Frog, Israel painted	<i>Discoglossus nigriventer</i>	Israel	do	E
3.	Frog, Panamanian golden	<i>Atelopus varius zeteki</i>	Panama	do	E
4.	Frog, Stephen Island	<i>Lelopelma hamiltoni</i>	New Zealand	do	E
5.	Salamander, Chinese giant	<i>Andrias davidianus davidianus</i>	Western China	do	E

6.	Salamander, desert slender	<i>Batrachoseps aridus</i>	U.S.A. (California)	do	E
7.	Salamander, Japanese giant	<i>Andrias davidianus japonicus</i>	Japan	do	E
8.	Salamander, Red Hills	<i>Phaeognathus hubrichti</i>	U.S.A. (Alabama)	do	T
9.	Salamander, San Marcos	<i>Eurycea nana</i>	U.S.A. (Texas)	do	T
10.	Salamander, Santa Cruz long-toed	<i>Ambystoma macrodactylum croceum</i>	U.S.A. (California)	do	E
11.	Salamander, Texas blind	<i>Typhlomolge rathbuni</i>	U.S.A. (Texas)	do	E
12.	Toad, African viviparous	<i>Nectophrynoides spp</i>	Tanzania, Guinea	do	E
13.	Toad, Cameroon	<i>Bufo superciliaris</i>	Equatorial Africa	do	E
14.	Toad, Houston	<i>Bufo houstonensis</i>	U.S.A. (Texas)	do	E
15.	Toad, Monte Verde	<i>Bufo periglenes</i>	Costa Rica	do	E
16.	Treefrog, pine barrens	<i>Hyla andersonii</i>	U.S.A. (FL, AL, NC, SC, NJ)	Florida	E
(c) FISHES					
1.	Ala Balik (trout)	<i>Salmo platycephalus</i>	Turkey	Entire	E
2.	Ayumodoki (loach)	<i>Hymenophysa (=Botia) curta</i>	Japan	do	E
3.	Blindcat, Mexican	<i>Prietella phreatophila</i>	Mexico	do	E
4.	Bonytail, Pahrnagat	<i>Gila robusta jordani</i>	U.S.A. (Nevada)	do	E
5.	Bonytongue, Asian	<i>Scleropages formosus</i>	Thailand, Indonesia, Malaysia	do	E
6.	Catfish [no common name]	<i>Pangasius sanitwongsei</i>	Thailand	do	E
7.	Catfish, giant	<i>Pangasianodon gigas</i>	do	do	E
8.	Cavefish, Alabama	<i>Speoplatyrhinus poulsoni</i>	U.S.A. (Alabama)	do	T
9.	Chub, bonytail	<i>Gila elegans</i>	U.S.A. (AZ, CA, CO, NV, UT, WY)	do	E
10.	Chub, humpback	<i>Gila cypha</i>	U.S.A. (AZ, CO, UT, WY)	do	E
11.	Chub, Mohave	<i>Gila mohavensis</i>	U.S.A. (California)	do	E
12.	Chub, slender	<i>Hybopsis cahni</i>	U.S.A. (TN, VA)	do	T
13.	Chub, spotfin	<i>Hybopsis monacha</i>	U.S.A. (AL, GA, NC, TN, VA)	do	T
14.	Cicek (minnow)	<i>Acanthorutilus handlirschi</i>	Turkey	do	E
15.	Cisco, longjaw	<i>Coregonus alpenae</i>	U.S.A. and Canada (Lakes Michigan, Huron, Erie)	do	E
16.	Cui-ui	<i>Chasmistes cujus</i>	U.S.A. (Nevada)	do	E
17.	Dace, Kendall Warm Springs	<i>Rhinichthys osculus thermalis</i>	U.S.A. (Wyoming)	do	E
18.	Dace, Moapa	<i>Moapa cortacea</i>	U.S.A. (Nevada)	do	E
19.	Darter, bayou	<i>Etheostoma rubrum</i>	U.S.A. (Mississippi)	do	T
20.	Darter, fountain	<i>Etheostoma fonticola</i>	U.S.A. (Texas)	do	E
21.	Darter, leopard	<i>Percina pantherina</i>	U.S.A. (AR, OK)	do	T
22.	Darter, Maryland	<i>Etheostoma sellare</i>	U.S.A. (Maryland)	do	E
23.	Darter, Okaloosa	<i>Etheostoma okaloosae</i>	U.S.A. (Florida)	do	E
24.	Darter, slackwater	<i>Etheostoma boschungii</i>	U.S.A. (AL, TN)	do	T
25.	Darter, snail	<i>Percina tanasi</i>	U.S.A. (Tennessee)	do	E
26.	Darter, watercress	<i>Etheostoma nuchale</i>	U.S.A. (Alabama)	do	E
27.	Gambusia, Big Bend	<i>Gambusia gaigei</i>	U.S.A. (Texas)	do	E
28.	Gambusia, Clear Creek	<i>Gambusia heterochir</i>	do	do	E
29.	Gambusia, Goodenough	<i>Gambusia antistadensis</i>	do	do	E
30.	Gambusia, Pecos	<i>Gambusia nobilis</i>	U.S.A. (NM, TX)	do	E
31.	Gambusia, San Marcos	<i>Gambusia georgei</i>	U.S.A. (Texas)	do	E
32.	Killifish, Pahrump	<i>Empetrichthys latos</i>	U.S.A. (Nevada)	do	E
33.	Madtom, Scioto	<i>Noturus trautmani</i>	U.S.A. (Ohio)	do	E
34.	Madtom, yellowfin	<i>Noturus flavipinnis</i>	U.S.A. (GA, TN, VA)	do	T
35.	Nekogigi	<i>Coreobagrus ichikawai</i>	Japan	do	E
36.	Pike, blue	<i>Stizostedion vitreum glaucum</i>	U.S.A. and Canada (Lakes Erie, Ontario)	do	E
37.	Pupfish, Comanche Springs	<i>Cyprinodon elegans</i>	U.S.A. (Texas)	do	E
38.	Pupfish, Devil's Hole	<i>Cyprinodon labialis</i>	U.S.A. (Nevada)	do	E
39.	Pupfish, Leon Springs	<i>Cyprinodon bovinus</i>	U.S.A. (Texas)	do	E
40.	Pupfish, Owens River	<i>Cyprinodon radiosus</i>	U.S.A. (California)	do	E
41.	Pupfish, Tecopa	<i>Cyprinodon nevadensis calidae</i>	do	do	E
42.	Pupfish, Warm Springs	<i>Cyprinodon nevadensis pectoralis</i>	U.S.A. (Nevada)	do	E
43.	Squawfish, Colorado River	<i>Ptychocheilus lucius</i>	U.S.A. (AZ, CA, CO, NM, NV, UT, WY)	do	E
44.	Stickleback, unarmored threespine	<i>Gasterosteus aculeatus williamsi</i>	U.S.A. (California)	do	E
45.	Sturgeon, shortnose	<i>Acipenser brevirostrum</i>	U.S.A. and Canada (Atlantic Coast)	do	E
46.	Tango, Miyako (Tokyo bitterling)	<i>Tanakia tanago</i>	Japan	do	E
47.	Temolek, Ikan (minnow)	<i>Probarbus jullieni</i>	Thailand, Cambodia, Vietnam, Malaysia, Laos	do	E
48.	Topminnow, Gila	<i>Poeciliopsis occidentalis</i>	U.S.A. (AZ, NM), Mexico	do	E

49.	Totoaba (seatrout or weakfish)	<i>Cynoscion macdonaldi</i>	Mexico (Gulf of California)	do	E
50.	Trout, Arizona	<i>Salmo apache</i>	U.S.A. (Arizona)	do	T
51.	Trout, Gila	<i>Salmo gilae</i>	U.S.A. (New Mexico)	do	B
52.	Trout, greenback cutthroat	<i>Salmo clarki stomias</i>	U.S.A. (Colorado)	do	T
53.	Trout, Lahontan cutthroat	<i>Salmo clarki henshawi</i>	U.S.A. (CA, NV)	do	T
54.	Trout, Little Kern golden	<i>Salmo aguabonita whitei</i>	U.S.A. (California)	do	T
55.	Trout, Paiute cutthroat	<i>Salmo clarki seleniris</i>	do	do	T
56.	Woundfin	<i>Plagiopterus argentissimus</i>	U.S.A. (AZ, NV, UT)	do	B
(f) SNAILS					
1.	Snail, Chittenango ovate amber	<i>Succinea chittenangoensis</i>	U.S.A. (New York)	NA	T
2.	Snail, flat-spired three-toothed	<i>Triodopsis platysayoides</i>	U.S.A. (West Virginia)	NA	T
3.	Snail, Iowa Pleistocene	<i>Discus macclintocki</i>	U.S.A. (Iowa)	NA	E
4.	Snail, Manus Island tree	<i>Papustyla pulcherrima</i>	Admiralty Islands (Manus Islands)	NA	B
5.	Snail, noonday	<i>Mesodon clarki nantahala</i>	U.S.A. (North Carolina)	NA	T
6.	Snail, Oahu tree	<i>Achatinella spp. (all species)</i>	U.S.A. (Hawaii)	NA	E
7.	Snail, painted snake coiled forest	<i>Anguispira picta</i>	U.S.A. (Tennessee)	NA	T
8.	Snail, Stock Island	<i>Orthalicus reses</i>	U.S.A. (Florida)	NA	T
9.	Snail, Virginia fringed mountain	<i>Polygyriscus virginianus</i>	U.S.A. (Virginia)	NA	E
(g) CLAMS					
1.	Pearly mussel, Alabama lamp	<i>Lampsilis virescens</i>	U.S.A. (AL, TN)	NA	E
2.	Pearly mussel, Appalachian monkeyface	<i>Quadrula sparsa</i>	U.S.A. (TN, VA)	NA	E
3.	Pearly mussel, birdwing	<i>Conradilla caelata</i>	do	NA	E
4.	Pearly mussel, Cumberland bean	<i>Villosa (=Micromya) trabalis</i>	U.S.A. (Kentucky)	NA	E
5.	Pearly mussel, Cumberland monkeyface	<i>Quadrula intermedia</i>	U.S.A. (AL, TN, VA)	NA	E
6.	Pearly mussel, Curtis'	<i>Epioblasma (=Dysnomia) florentina curtisi</i>	U.S.A. (Missouri)	NA	E
7.	Pearly mussel, dromedary	<i>Dromus dromas</i>	U.S.A. (TN, VA)	NA	B
8.	Pearly mussel, green-blossom	<i>Epioblasma (=Dysnomia) torulosa gubernaculum</i>	do	NA	E
9.	Pearly mussel, Higgins' eye	<i>Lampsilis higginsii</i>	U.S.A. (IL, IA, MN, MO, NE, WI)	NA	E
10.	Pearly mussel, Nicklin's	<i>Megaloniais nicklineana</i>	Mexico	NA	E
11.	Pearly mussel, orange-footed	<i>Plethobasus cooperianus</i>	U.S.A. (AL, IN, IA, KY, OH, PA, TN)	NA	E
12.	Pearly mussel, palo hilliput	<i>Toxolasma (=Carunculina) cylindrella</i>	U.S.A. (AL, TN)	NA	E
13.	Pearly mussel, pink mucket	<i>Lampsilis orbiculata</i>	U.S.A. (AL, IL, IN, KY, MO, OH, PA, TN, WV)	NA	E
14.	Pearly mussel, Sampson's	<i>Epioblasma (=Dysnomia) sampsoni</i>	U.S.A. (IL, IN)	NA	E
15.	Pearly mussel, Tampico	<i>Cyrtonaias tampicoensis tecomatensis</i>	Mexico	NA	E
16.	Pearly mussel, tubercled- blossom	<i>Epioblasma (=Dysnomia) torulosa torulosa</i>	U.S.A. (IL, KY, TN, WV)	NA	B
17.	Pearly mussel, turgid-blossom	<i>Epioblasma (=Dysnomia) trugidula</i>	U.S.A. (AL, TN)	NA	B
18.	Pearly mussel, white cat's paw	<i>Epioblasma (=Dysnomia) sulcata delicata</i>	U.S.A. (IN, MI, OH)	NA	B
19.	Pearly mussel, white wartyback	<i>Plethobasus cicatricosus</i>	U.S.A. (AL, TN)	NA	E
20.	Pearly mussel, yellow-blossom	<i>Epioblasma (=Dysnomia) florentina florentina</i>	do	NA	E
21.	Pigtoe, fine-rayed	<i>Fusconaia cuneolus</i>	U.S.A. (AL, TN, VA)	NA	E
22.	Pigtoe, rough	<i>Pleurobema plenum</i>	U.S.A. (KY, TN, VA)	NA	E
23.	Pigtoe, shiny	<i>Fusconaia edgariana</i>	U.S.A. (AL, TN, VA)	NA	E
24.	Pocketbook, fat	<i>Potamilus (=Proptera) capax</i>	U.S.A. (AR, IN, MO, OH)	NA	E
25.	Rifle shell, tan	<i>Epioblasma walkeri</i>	U.S.A. (KY, TN, VA)	NA	E
(h) CRUSTACEANS					
1.	Isopod, Socorro	<i>Thermosphaeroma (=Exosphaeroma) thermophilus</i>	U.S.A. (New Mexico)	NA	B
(i) INSECTS					
1.	Beetle, Delta green ground	<i>Elaphrus viridis</i>	U.S.A. (California)	NA	T
2.	Beetle, valley elderberry longhorn	<i>Desmocerus californicus dimorphus</i>	do	NA	T

3.	Butterfly, Bahama swallowtail	<i>Papilio andraemon bonhotiei</i>	U.S.A. (FL), Bahamas	NA	T
4.	Butterfly, El Segundo blue	<i>Euphilotes (=Shijimtaeoides) battooides allyni</i>	U.S.A. (California)	NA	E
5.	Butterfly, Lange's metalmark	<i>Apodemia mormo langei</i>	do	NA	E
6.	Butterfly, Lotis blue	<i>Lycaeldes argyrognomon lotis</i>	do	NA	E
7.	Butterfly, mission blue	<i>Icaricia icarioides missionensis</i>	do	NA	E
8.	Butterfly: Oregon silverspot	<i>Speyeria zerene hippolyta</i>	Oregon, Washington	NA	T
9.	Butterfly: Palos Verdes blue	<i>Glauropsyche lygdamus palosverdesensis</i>	U.S.A. (California)	NA	E
10.	Butterfly, San Bruno elfin	<i>Callophrys mossii bayensis</i>	do	NA	E
11.	Butterfly, Schaus swallowtail	<i>Papilio aristodemus ponceanus</i>	U.S.A. (Florida)	NA	T
12.	Butterfly, Smith's blue	<i>Euphilotes (=Shijimtaeoides) enoptes smithi</i>	U.S.A. (California)	NA	E
13.	Moth, Kern primrose sphinx	<i>Euproserpinus euterpe</i>	do	NA	T

## (j) PLANTS

Species		Scientific name	Common name	Historic range	Status
1.		<i>Alismataceae—Water-plantain family:</i>	Bunched arrowhead	U.S.A. (NC, SC)	E
a.		<i>Sagittaria fasciculata</i>			
2.		<i>Asteraceae—Aster family:</i>			
a.		<i>Echinacea tenesseeensis</i>	Tennessee purple coneflower	U.S.A. (TN)	E
b.		<i>Lipochaeta venosa</i>	None	U.S.A. (HI)	E
3.		<i>Berberidaceae—Barberry family:</i>			
a.		<i>Berberis sonnei</i>	Truckee barberry	U.S.A. (CA)	E
4.		<i>Betulaceae—Birch family:</i>			
a.		<i>Betula uber</i>	Virginia round-leaf birch	U.S.A. (VA)	E
5.		<i>Brassicaceae—Mustard family:</i>			
a.		<i>Arabis mcdonaldiana</i>	McDonald's rock-cress	U.S.A. (CA)	E
b.		<i>Erysimum capitatum var. angustatum</i>	Contra Costa wallflower	do	E
6.		<i>Cactaceae—Cactus family:</i>			
a.		<i>Ancistrocactus tobuschii (=Echinocactus t., Mammillaria t.)</i>	Tobusch fishhook cactus	U.S.A. (TX)	E
b.		<i>Coryphantha minima (=C. nellieae, Escobaria n., Mammillaria n.)</i>	Nellie cory cactus	do	E
c.		<i>Coryphantha ramillosa</i>	Bunched cory cactus	U.S.A. (TX), Mexico (Coahuila)	T
d.		<i>Coryphantha sneedii var. leei (=Escobaria l., Mammillaria l.)</i>	Lee pincushion cactus	U.S.A. (NM)	T
e.		<i>Coryphantha sneedii var. sneedii (=Escobaria s., Mammillaria s.)</i>	Sneed pincushion cactus	U.S.A. (TX, NM)	E
f.		<i>Echinocactus horizontalis var. nicholii</i>	Nichol's Turk's head cactus	U.S.A. (AZ)	E
g.		<i>Echinocereus engelmannii var. purpureus</i>	Purple-spined hedgehog cactus	U.S.A. (UT)	E
h.		<i>Echinocereus kuenzleri (=E. hempelii of authors, not Fobé)</i>	Kuenzler hedgehog cactus	U.S.A. (NM)	E
i.		<i>Echinocereus lloydii (=E. roetteri var. l.)</i>	Lloyd's hedgehog cactus	U.S.A. (TX)	E
j.		<i>Echinocereus reichenbachii var. albertii (=E. melanocentrus)</i>	Black lace cactus	do	E
k.		<i>Echinocereus triglochidiatus var. arizonicus (=E. arizonicus)</i>	Arizona hedgehog cactus	U.S.A. (AZ)	E
l.		<i>Echinocereus triglochidiatus var. inermis (=E. coccineus, var. t., E. phoeniceus var. t.)</i>	Spineless hedgehog cactus	U.S.A. (CO, UT)	E
m.		<i>Echinocereus viridiflorus var. davisii (=E. davisii)</i>	Davis' green pitaya	U.S.A. (TX)	E
n.		<i>Neolloydia mariposensis (=Echinocactus m., Echinomastus m.)</i>	Lloyd's Mariposa cactus	do	T
o.		<i>Pediocactus bradyi (=Toumeyia b.)</i>	Brady pincushion cactus	U.S.A. (AZ)	E
p.		<i>Pediocactus knowltonii</i>	Knowlton cactus	U.S.A. (NM, CO)	E
q.		<i>Pediocactus peeblesianus var. peeblesianus (=Echinocactus p., Navajoa p., Toumeyia p., Utahia p.)</i>	Peebles Navajo cactus	U.S.A. (AZ)	E

r.	<i>Pediocactus sileri</i> (= <i>Echinocactus s.</i> , <i>Utahia s.</i> )	Siler pineushion cactus	U.S.A. (AZ, UT)	E
s.	<i>Sclerocactus glaucus</i> (= <i>Echinocactus g.</i> , <i>E. subglaucus</i> , <i>E. whippleivar. g.</i> , <i>Pediocactus g.</i> , <i>S. franklinii</i> )	Uinta Basin hookless cactus	U.S.A. (CO, UT)	T
t.	<i>Sclerocactus mesae-verdae</i> (= <i>Coloradoa m.</i> , <i>Echinocactus m.</i> , <i>Pediocactus m.</i> )	Mesa Verde cactus	U.S.A. (CO, NM)	T
u.	<i>Sclerocactus wrightiae</i> (= <i>Pediocactus w.</i> )	Wright fishhook cactus	U.S.A. (UT)	E
7.	<i>Cistaceae</i> —Rockrose family:	Mountain golden heather	U.S.A. (NC)	T
a.	<i>Hudsonia montana</i>			
8.	<i>Crassulaceae</i> —Stonecrop family:	Santa Barbara Island	U.S.A. (CA)	E
a.	<i>Dudleya traskiae</i>	liveforever		
9.	<i>Cupressaceae</i> —Cypress family:	Chilean false larch (=alerce)	Chile, Argentina	T
a.	<i>Fitzroya cupressoides</i>			
10.	<i>Ericaceae</i> —Heath family:	Raven's manzanita	U.S.A. (CA)	E
a.	<i>Arctostaphylos hookeri</i> <i>ssp. ravenii</i>			
b.	<i>Rhododendron chapmanii</i>	Chapman rhododendron	U.S.A. (FL)	E
11.	<i>Fabaceae</i> —Pea family:	Rydberg milk-vetch	U.S.A. (UT)	T
a.	<i>Astragalus perianus</i>			
b.	<i>Baptisia arachnifera</i>	Hairy rattleweed	U.S.A. (GA)	E
c.	<i>Lotus dendroideus</i> (= <i>scoparius</i> ) <i>ssp. traskiae</i>	San Clemente Island broom	U.S.A. (CA)	E
d.	<i>Vicia menziesii</i>	Hawaiian vetch	U.S.A. (HI)	E
12.	<i>Hydrophyllaceae</i> —Waterleaf family:	None	U.S.A. (UT)	E
a.	<i>Phacelia argillacea</i>			
13.	<i>Lamiaceae</i> —Mint family:	do	U.S.A. (HI)	E
a.	<i>Haplostachys haplostachya</i> <i>var. angustifolia</i>			
b.	<i>Hedeoma todsenii</i>	Todsens pennyroyal	U.S.A. (NM)	E
c.	<i>Pogogyne abramsii</i>	San Diego mesa mint	U.S.A. (CA)	E
d.	<i>Stenogyne angustifolia</i> <i>var. angustifolia</i>	None	U.S.A. (HI)	E
14.	<i>Liliaceae</i> —Lily family:	Harper's beauty	U.S.A. (FL)	E
a.	<i>Harperocallis flava</i>			
b.	<i>Trillium persistens</i>	Persistent trillium	U.S.A. (GA, SC)	E
15.	<i>Malvaceae</i> —Mallow family:	Texas poppy-mallow	U.S.A. (TX)	E
a.	<i>Callitroche scabriuscula</i>			
b.	<i>Kokia cookii</i>	Cooke's kokio	U.S.A. (HI)	E
c.	<i>Malacothamnus clementinus</i>	San Clemente Island bush-mallow	U.S.A. (CA)	E
16.	<i>Nyctaginaceae</i> —Four-o'clock family:	MacFarlane's four-o'clock	U.S.A. (ID, OR)	E
a.	<i>Mirabilis macfarlanei</i>			
17.	<i>Onagraceae</i> —Evening-primrose family:	Eureka Valley evening-primrose	U.S.A. (CA)	E
a.	<i>Oenothera avita</i> <i>ssp. eurekaensis</i>			
b.	<i>Oenothera deltooides</i> <i>ssp. howellii</i>	Antioch Dunes evening-primrose	do	E
18.	<i>Papaveraceae</i> —Poppy family:	Dwarf bear-poppy	U.S.A. (UT)	E
a.	<i>Arctomecon humilis</i>			
19.	<i>Pinaceae</i> —Pine family:	Guatemalan fir (=pinabete)	Mexico, Guatemala, Honduras, El Salvador	T
a.	<i>Abies guatemalensis</i>			
20.	<i>Poaceae</i> —Grass family:	Solano (=Crampton's Orcutt) grass	U.S.A. (CA)	E
a.	<i>Orcuttia mucronata</i>			
b.	<i>Swallenia alexandrae</i>	Eureka Dune grass	do	E
c.	<i>Zizania texana</i>	Texas wild-rice	U.S.A. (TX)	E
21.	<i>Polygonaceae</i> —Buckwheat family:	Gypsum wild buckwheat	U.S.A. (NM)	T
a.	<i>Eriogonum gypsophilum</i>			
22.	<i>Ranunculaceae</i> —Buttercup family:	Northern wild monkshood	U.S.A. (IA, NY, OH, WI)	T
a.	<i>Aconitum noveboracense</i>			
b.	<i>Delphinium kinkense</i>	San Clemente Island larkspur	U.S.A. (CA)	E
23.	<i>Rosaceae</i> —Rose family:	Robbins cinquefoil	U.S.A. (NH and VT)	E
a.	<i>Potentilla robbinsiana</i>			
24.	<i>Sarraceniacae</i> —Pitcherplant family:	Green pitcher plant	U.S.A. (AL, GA)	E
a.	<i>Sarracenia oreophila</i>			
25.	<i>Scrophulariaceae</i> —Snapdragon family:	San Clemente Island Indian	U.S.A. (CA)	E
a.	<i>Castilleja grisea</i>			



b.	<i>Cordylanthus maritimus ssp. maritimus</i>	paintbrush Salt marsh bird's beak	U.S.A. (CA), Mexico (Baja California)	B
c.	<i>Pedicularis furbishiae</i>	Furbish lousewort	U.S.A. (ME), Canada (New Brunswick)	B

## (2) WISCONSIN ENDANGERED SPECIES LIST

## (a) Mammals

1. Pine Marten – *Martes americana*
3. Timber Wolf – *Canis lupus* (also U.S. Endangered)

## (b) Birds

1. Piping Plover – *Charadrius melodus*
2. Trumpeter Swan – *Cygnus buccinator*
3. Yellow-Throated Warbler – *Denroica dominica*
- 3m. Snowy Egret – *Egretta thula*
4. Peregrine Falcon – *Falco peregrinus* (also U.S. Endangered)
5. Worm-Eating Warbler – *Helmitheros vermivorus*
6. Loggerhead Shrike – *Lanius ludovicianus*
- 6m. Red-necked Grebe – *Podiceps grisegena*
7. Caspian Tern – *Sterna caspia*
8. Forster's Tern – *Sterna forsteri*
9. Common Tern – *Sterna hirundo*
10. Bowick's Wren – *Thyomanes bewickii*
11. Barn Owl – *Tyto alba*

## (c) Reptiles

1. Ornate Box Turtle – *Terrapene ornata*
2. Slender Glass Lizard – *Ophisaurus attenuatus*
3. Queen Snake – *Regina septemvittata*
4. Western Ribbon Snake – *Thamnophis proximus*
5. Northern Ribbon Snake – *Thamnophis sauritus*
6. Massasauga – *Sistrurus catenatus*

## (d) Amphibians

1. Blanchard's Cricket Frog – *Acris crepitans*

## (e) Fishes

1. Skipjack Herring – *Alosa chrysochloris*
2. Crystal Darter – *Ammocrypta asprella*
3. Bluntnose Darter – *Etheostoma chlorosomum*
4. Starhead Topminnow – *Fundulus notti*
5. Goldeye – *Hiodon alosoides*
6. Gravel Chub – *Hybopsis x-punctata*
- 6m. Black Redhorse – *Moxostoma duguensis*
7. Pallid Shiner – *Notropis annis*
8. Striped Shiner – *Notropis chrysocephalus*
9. Slender Madtom – *Noturus exilis*

## (f) Insects

1. Pecatonica River Mayfly – *Acanthametropus pecatonica*
- 1m. Red-veined Prairie Leafhopper – *Aftelia rubranura*
2. A Flat-headed Mayfly – *Anepeorus simplex*
- 2m. Swamp Metalmark Butterfly – *Calephelis mutica*
3. Northern Blue Butterfly – *Lycaeides idas*
4. Giant Carrion Beetle – *Nicrophorus americanus*
5. Poweshiek Skipper – *Oarisma poweshiek*
6. Extra-striped Snaketail Dragonfly – *Ophiogomphus anomalus*
7. Saint Croix Snaketail Dragonfly – *Ophiogomphus susbecha*
8. Silphium Borer Moth – *Papaipema silphil*
9. Phlox Moth – *Schinia indiana*
- 9g. Warpaint Emerald Dragonfly – *Somatochlora incurvata*
- 9m. Hine's Emerald Dragonfly – *Somatochlora hineana*
- 9i. Regal Fritillary – *Speyeria idalia*
10. Knobel's Riffle Beetle – *Stenelmis knobell*
- 10m. Lake Huron Locust – *Trimerotropis hurontana*

## (g) Mussels

1. Spectacle Case – *Cumberlandia monodonta*
2. Purple Wartyback – *Cyclonaias tuberculata*
3. Butterfly – *Ellipsaria lineolata*
4. Elephant Ear – *Elliplo crassidens*
5. Snuffbox – *Epioblasma triquetra*
6. Ebonyshell – *Fusconaia ebena*
7. Higgins Eye Pearly Mussel – *Lampsilis higginsii* (also U.S. Endangered)

8. Yellow and Slough Sandshell – *Lampsills teres*
9. Bullhead – *Plethobasus cyphus*
10. Winged Mapleleaf – *Quadrula fragosa*
11. Rainbow Shell – *Villosa iris*
- (h) Snails
1. Hubricht's Vertigo – *Vertigo hubrichti*
2. Occult Vertigo – *Vertigo occulta*
- (i) Plants
1. *Anemone caroliniana* – Carolina Anemone (Ranunculaceae: Crowfoot Family)
2. *Anemone multifida* – no common name (Ranunculaceae: Crowfoot family)
3. *Arenaria macrophylla* – no common name (Caryophyllaceae: Pink Family)
4. *Armoracia aquatica* – Lake Cress (Brassicaceae: Mustard Family)
- 4m. *Asclepias purpurascens* – Purple Milkweed (Asclepiadaceae: Milkweed Family)
5. *Asplenium viride* – Green Spleenwort (Polypodiaceae: Fern Family)
6. *Astragalus alpinus* – Alpine Milk Vetch (Fabaceae: Bean Family)
7. *Astragalus crassecarpus* – Prairie Plum (Fabaceae: Bean Family)
- 7m. *Astragalus neglectus* – Coppers Milk Vetch (Fabaceae: Bean Family)
- 7t. *Botrychium campestre* – Prairie Moonwort (Ophioglossaceae: Adder's-tongue Family)
8. *Botrychium lunaria* – Moonwort (Ophioglossaceae: Adder's-tongue Family)
- 8m. *Botrychium norno* – Goblin Fern (Ophioglossaceae: Adder's-tongue Family)
9. *Caltha natans* – a Marsh Marigold (Ranunculaceae: Crowfoot Family)
- 9m. *Canassia scilloides* – Wild Hyacinth (Liliaceae: Lily Family)
10. *Carex crus-corvi* – no common name (Cyperaceae: Sedge Family)
- 10m. *Carex laevivaginata* – Smooth-sheathed Sedge (Cyperaceae: Sedge Family)
11. *Carex lupuliformis* – no common name (Cyperaceae: Sedge Family)
12. *Carex media* – no common name (Cyperaceae: Sedge Family)
- 12m. *Carex schweinitzii* – Schweinitz's Sedge (Cyperaceae: Sedge Family)
13. *Catabrosa aquatica* – Brook Grass (Poaceae: Grass Family)
14. *Collinsonia canadensis* – Stoneroot (Lamiaceae: Mint Family)
15. *Conioselinum chinense* – Hemlock-parsley (Apiaceae: Parsley Family)
16. *Diarrhena americana* – Beak Grass (Poaceae: Grass Family)
17. *Draba lanceolata* – no common name (Brassicaceae: Mustard Family)
- 17g. *Eleocharis nitida* – Neat Spike-rush (Cyperaceae: Sedge Family)
- 17m. *Eleocharis wolfti* – Wolf Spike-rush (Cyperaceae: Sedge Family)
18. *Eleocharis quadrangulata* – a Spike-rush (Cyperaceae: Sedge Family)
19. *Erigenia bulbosa* – Harbinger-of-Spring (Apiaceae: Parsley Family)
20. *Fimbristylis puberula* – no common name (Cyperaceae: Sedge Family)
21. *Futrena pumila* – Umbrella Sedge (Cyperaceae: Sedge Family)
22. *Geocaulon lividum* – Northern Comandra (Santalaceae: Sandal-wood Family)
- 22m. *Gerardia skinneriana* – Pale False Foxglove (Scrophulariaceae: Fig Wort Family)
- 22p. *Juncus stygius* – Bog Rush (Juncaceae: Rush Family)
- 22t. *Lespedeza leptostachya* – Prairie Bush Clover (Fabaceae: Bean Family)
23. *Liatris punctata* – Dotted Blazing Star (Asteraceae: Composite Family)
24. *Listera auriculata* – Auricled Twayblade (Orchidaceae: Orchid Family)
- 24m. *Lonicera involucrata* – Fly Honeysuckle (Caprifoliaceae: Honeysuckle Family)
25. *Melica smithii* – Smith Melic Grass (Poaceae: Grass Family)
- 25g. *Muhlenbergia richardsonis* – Mat Muhly (Poaceae: Grass Family)
- 25j. *Orobanche ludoviciana* – Louisiana Broomrape (Orobanchaceae: Broomrape Family)
- 25m. *Oxytropis campestris* – Fassett's Locoweed (Fabaceae: Bean Family)
26. *Parnassia parviflora* – a Grass-of-Parnassus (Saxifragaceae: Saxifrage Family)
27. *Phlox glaberrima* – Smooth Phlox (Polemoniaceae: Phlox Family)
28. *Pinguicula vulgaris* – Butterwort (Lentibulariaceae: Bladderwort Family)
29. *Plantago cordata* – Heart-leaved Plantain (Plantaginaceae: Plantain Family)
- 29m. *Platanthera leucophaea* – Prairie White-Fringed Orchid (Orchidaceae: Orchid Family)
- 29t. *Polemonium occidentale ssp. lucustre* – Western Jacob's Ladder (Polemoniaceae: Phlox Family)
30. *Polygala incarnata* – Pink Milkwort (Polygalaceae: Milkwort Family)
- 30m. *Potamogeton pulcher* – Spotted Pond Weed (Potamogetonaceae: Pond Weed Family)
31. *Prenanthes aspera* – Rough White Lettuce (Asteraceae: Composite Family)
32. *Prenanthes crepidinea* – Great White Lettuce (Asteraceae: Composite Family)
33. *Pterospora andromedea* – Pine-drops (Pyrolaceae: Wintergreen Family)
34. *Pyrola minor* – Small Shinleaf (Pyrolaceae: Wintergreen Family)
36. *Ranunculus gmelinii* – Small Yellow Water Crowfoot (Ranunculaceae: Crowfoot Family)
- 36m. *Ranunculus lapponicus* – Lapland Buttercup (Ranunculaceae: Crowfoot Family)
37. *Rhododendron lapponicum* – Lapland Rosebay (Ericaceae: Heath Family)
38. *Ruellia humilis* – Wild Petunia (Acanthaceae: Acanthus Family)
39. *Salix cordata* – Sand Dune Willow (Salicaceae: Willow Family)
- 39m. *Salix pellita* – Satiny Willow (Salicaceae: Willow Family)
- 40d. *Scirpus hallii* – Hall's bulrush (Cyperaceae: Sedge Family)

- 40h. *Sceleria reticularis* – Netted Nut-rush (Cyperaceae: Sedge Family)  
 40q. *Scutellaria parvula* – Small Skullcap (Lamiaceae: Mint Family)  
 41. *Selaginella selaginoides* – no common name (Selaginellaceae: Selaginella Family)
- 41m. *Silene virginica* – fire pink (Caryophyllaceae: Pink Family)  
 42. *Solidago caesia* – Blue-stemmed Goldenrod (Asteraceae: Composite Family)  
 43. *Tanacetum huronense* – Lake Huron Tansy (Asteraceae: Composite Family)  
 44. *Thaspium barbinode* – Hairy Meadow Parsnip (Apiaceae: Parsley Family)  
 45. *Tiarella cordifolia* – Foamflower (Saxifragaceae: Saxifrage Family)  
 45m. *Trisetum mellicoides* – Purple False Oats (Poaceae: Grass Family)  
 46. *Vaccinium cespitosum* – Dwarf Bilberry (Ericaceae: Heath Family)  
 47. *Vaccinium vitis-idaea* – Mountain Cranberry (Ericaceae: Heath Family)  
 48. *Viburnum edule* – Squashberry (Caprifoliaceae: Honeysuckle Family)  
 49. *Viola fimbriatula* – a Violet (Violaceae: Violet Family)
- (3) WISCONSIN THREATENED SPECIES LIST
- (a) Mammals – None  
 (b) Birds  
 1. Henslow's sparrow – *Ammodramus henslowii*  
 1m. Red-shouldered Hawk – *Buteo lineatus*  
 2. Great Egret – *Casmerodius albus*  
 2m. Yellow Rail – *Coturnicops noveboracensis*  
 2l. Spruce Grouse – *Dendragapus canadensis*  
 3. Cerulean Warbler – *Dendroica cerulea*  
 4. Acadian Flycatcher – *Empidonax virescens*  
 6. Yellow-Crowned Night Heron – *Nycticorax violaceus*  
 7. Kentucky Warbler – *Oporornis formosus*  
 8. Osprey – *Pandion haliaetus*  
 10. Greater Prairie Chicken – *Tympanuchus cupido pinnatus*  
 11. Bell Vireo – *Vireo bellii*  
 12. Hooded Warbler – *Wilsonia citrina*
- (c) Reptiles  
 1. Wood Turtle – *Clemmys insculpta*  
 2. Blanding's Turtle – *Emydoidea blandingi*  
 3. Butler's Gartersnake – *Thamnophis butleri*
- (d) Amphibians – None
- (e) Fishes  
 1. Blue Sucker – *Cycoreplus elongatus*  
 2. Ozark Minnow – *Dionda nubila*  
 3. Speckled Chub – *Hybopsis aestivalis*  
 4. Black Buffalo – *Ictiobus niger*  
 5. Longear Sunfish – *Lepomis megalotis*  
 6. River Redhorse – *Moxostoma carinatum*  
 7. Greater Redhorse – *Moxostoma valenciennesi*  
 8. Pugnose Shiner – *Notropis anogenus*  
 9. Redfin Shiner – *Notropis unbratilis*  
 10. Gilt Darter – *Percina evides*  
 11. Paddlefish – *Polyodon spathula*
- (f) Insects  
 1. Spatterdock damer dragonfly – *Aeshna mutata*  
 2. Frosted Elf – *Incisalia irus*  
 2m. A Prairie Leafhopper – *Polyamia dilata*  
 2l. Pygmy Snaketail Dragonfly – *Ophiogomphus howei*
- (g) Mussels.  
 1. Ellipse – *Actinonaias ellipsiformis*  
 2. Slippershell – *Alasmidonta viridis*  
 3. Rock Pocketbook – *Arcidens confragosus*  
 4. Monkeyface – *Quadrula metanevra*  
 5. Wartyback – *Quadrula nodulata*  
 6. Salamander Mussel – *Simpsoniata ambigua*  
 7. Buckhorn – *Tritogonia verrucosa*
- (h) Snails  
 1. Wing Snaggletooth – *Gastrocopta procera*  
 2. Cherrystone Drop – *Hendersonia occulta*
- (i) Plants  
 1. *Aconitum novaboracense* – Northern Monkshood (Ranunculaceae: Crowfoot Family) (also U.S. Threatened)  
 2. *Adoxa moschatellina* – Muskrout (Adoxaceae: Moschatel Family)  
 3. *Agastache nepetoides* – Yellow Giant Hyssop (Lamiaceae: Mint Family)

4. *Agropyron dasystachyum* – Thickspike Wheatgrass (Poaceae: Grass Family)  
 4m. *Asclepias ovalifolia* – Dwarf Milkweed (Asclepiadaceae: Milkweed Family)  
 5. *Asclepias lanuginosa* – Woolly Milkweed (Asclepiadaceae: Milkweed Family)  
 6. *Asclepias sullivantii* – Prairie Milkweed (Asclepiadaceae: Milkweed Family)  
 7. *Asplenium pinnatifidum* – Pinnatifid Spleenwort (Polypodiaceae: Fern Family)  
 8. *Aster furcatus* – Forked Aster (Asteraceae: Aster Family)  
 9. *Besseyia bullii* – Kitten Tails (Scrophulariaceae: Fig Wort Family)  
 10. *Cacalia tuberosa* – Prairie Indian Plaintain (Asteraceae: Aster Family)  
 11. *Calamovilfa longifolia* – Sand Reed (Poaceae: Grass Family)  
 11m. *Callitriche heterophylla* – Large Water Starwort (Callitricheaceae: Water Starwort Family)  
 12. *Calypto bulbosa* – Calypso Orchid (Orchidaceae: Orchid Family)  
 13. *Carex careyana* – Carey's Sedge (Cyperaceae: Sedge Family)  
 14. *Carex concinna* – no common name (Cyperaceae: Sedge Family)  
 15. *Carex exilis* – Coast Sedge (Cyperaceae: Sedge Family)  
 16. *Carex formosa* – Handsome Sedge (Cyperaceae: Sedge Family)  
 17. *Carex garberi* – Garbers Sedge (Cyperaceae: Sedge Family)  
 18. *Carex lenticularis* – Lenticular Sedge (Cyperaceae: Sedge Family)  
 19. *Carex michauxiana* – no common name (Cyperaceae: Sedge Family)  
 20. *Carex prasina* – Drooping Sedge (Cyperaceae: Sedge Family)  
 21. *Cirsium hillii* – Prairie Thistle (Asteraceae: Aster Family)  
 22. *Cirsium pitcheri* – Dune Thistle (Asteraceae: Composite Family)  
 23. *Cypripedium arietinum* – Ram's-head Lady's-slipper (Orchidaceae: Orchid Family)  
 24. *Cypripedium candidum* – White Lady's slipper (Orchidaceae: Orchid Family)  
 25. *Drosera anglica* – a Sundew (Droseraceae: Sundew Family)  
 26. *Drosera linearis* – a Sundew (Droseraceae: Sundew Family)  
 27. *Echinacea pallida* – Purple Coneflower (Asteraceae: Composite Family)  
 28. *Eleocharis rostellata* – Beaked Spike Rush (Cyperaceae: Sedge Family)  
 29. *Festuca occidentalis* – Western Fescue (Poaceae: Grass Family)  
 30. *Fraxinus quadrangulata* – Blue Ash (Oleaceae: Olive Family)  
 31. *Gentiana alba* – Yellowish Gentian (Gentianaceae: Gentian Family)  
 32. *Gerardia gattingeri* – Round Stemmed False Foxglove (Scrophulariaceae: Fig Wort Family)  
 32m. *Gnaphalium saxicola* – Cliff Cudweed (Asteraceae: Aster Family)  
 33. *Habenaria flava* var. *herbiola* – Tubercled Orchid (Orchidaceae: Orchid Family)  
 34. *Hypericum sphaerocarpum* – Round Fruited St. Johns Wort (Hypericaceae: St. Johns Wort Family)  
 35. *Iris lacustris* – Dwarf Lake Iris (Iridaceae: Iris Family)  
 36. *Lespedeza virginica* – Slender Bush Clover (Fabaceae: Bean Family)  
 37. *Lesquerella ludoviciana* – Bladderpod (Brassicaceae: Mustard Family)  
 38. *Listera convallarioides* – Broad-leaved Twayblade (Orchidaceae: Orchid Family)  
 39. *Opuntia fragilis* – Brittle Prickly Pear (Cactaceae: Cactus Family)  
 40. *Orchis rotundifolia* – Small Round-leaved Orchis (Orchidaceae: Orchid Family)  
 41. *Orobanche fasciculata* – Clustered Broomrape (Orobanchaceae: Broomrape Family)  
 42. *Parnassia palustris* – a Grass-of-Parnassus (Saxifragaceae: Saxifrage Family)  
 43. *Parthenium integrifolium* – Wild Quinine (Asteraceae: Composite Family)  
 44. *Petasites sagittatus* – Sweet Coltsfoot (Asteraceae: Composite Family)  
 45. *Poa paludigena* – Bog Bluegrass (Poaceae: Grass Family)  
 46. *Polystichum braunii* – Braun's Holly Fern (Polypodiaceae: Fern Family)  
 47. *Potamogeton confervoides* – no common name (Potamogetonaceae: Pondweed Family)  
 48. *Potamogeton vaginatus* – Sheathed Pond Weed (Potamogetonaceae: Pond Weed Family)  
 49. *Polytaenia nuttallii* – Prairie-parsley (Aplaceae: Parsley Family)  
 50. *Psilocarya scirpoides* – Bald Rush (Cyperaceae: Sedge Family)  
 50m. *Ranunculus cymbalaria* – Seaside Crowfoot (Ranunculaceae: Crowfoot Family)  
 51. *Ribes oxycanthoides* – Hawthorn-leaved Gooseberry (Saxifragaceae: Saxifrage Family)  
 51m. *Salix planifolia* – Flat-leaved willow (Salicaceae: Willow Family)  
 51p. *Scirpus cespitosus* – Tussock Bulrush (Cyperaceae: Sedge Family)  
 51t. *Senecio indecorus* – Plains Ragwort (Asteraceae: Aster Family)  
 51w. *Silene nivea* – Snowy Campion (Caryophyllaceae: Pink Family)  
 52. *Solidago spathulata* var. *gillmani* – Dune Goldenrod (Asteraceae: Composite Family)  
 52m. *Sparganium glomeratum* – Clustered Bur Reed (Sparganiaceae: Bur Reed Family)  
 53. *Tofieldia glutinosa* – False Asphodel (Liliaceae: Lily Family)  
 54. *Trillium nivale* – Snow Trillium (Liliaceae: Lily Family)  
 55. *Trisetum spicatum* – Spike Trisetum (Poaceae: Grass Family)  
 56. *Valeriana sitchensis* – Marsh Valerian (Valerianaceae: Valerian Family)

**History:** Cr. Register, September, 1979, No. 285, eff. 10-1-79; r. (2) (g) 13. and 17.; renum. (2) (g) 1. to 12., 14. to 16., 18. to 33. to be (2) (g) 2. to 6., 9. to 12., 14., 15., 17. to 20., 22., 24., 26., 29., 30., 32. to 34., 37. to 39., 43., 44., 46. to 49., cr. (2) (g) 1., 7., 8., 10., 13., 16., 21., 23., 25., 27., 28., 31., 35., 36., 40. to 42., and 45., renum. (3) (g) 2. to 23. to be 5., 6., 8. to 12., 14. to 19., 21., 22., 24., 25., 29., 30., 33., 35., 38., cr. (3) (g) 2. to 4., 7., 13., 20., 23., 26. to 28., 31., 32., 34., 36. and 37.; Register, October, 1981, No. 310, eff. 11-1-81; r. (2) (b) 1., (c) 1., (e) 6., (3) (b) 5., (e) 1., 3., 6., 8. and 9., r. and recr. (2) (d), (3) (c) 1., (3) (d), am. (3) (g) 10. and 26., renum. (2) (b) 2. to 5. to be 1. to 4., (2) (b) 6. to be 5. and am., (2) (b) 7. and 8. to be 6. and 7.,

(2) (c) 2. to be 1., (2) (e) 1. to 5. and 7. to be 2., 4., 5., 6., 7. and 8., (3) (b) 1. to 4. to be 3. to 6., (3) (e) 2. to be 1., (3) (e) 4. and 5. to be 2. and 3., (3) (e) 7. to be 4., (3) (e) 10. to be 6., cr. (2) (b) 8., (2) (c) 2., (2) (e) 1. and 3., (3) (b) 1. and 2., (3) (e) 5., Register, November, 1982, No. 323, eff. 12-1-82; r. and recr. (1), Register, August, 1983, No. 332, eff. 9-1-83; cr. (2) (g) 4m., 7m., 8m., 9m., 22m., 30m., 40h., 40q., (3) (g) 2m., 3m., 4e., 4j., 4o., 4t., 5m., 13m., 15h., 15q., 17m., and 29m., Register March, 1985, No. 351, eff. 4-1-85; r. (3) (b) 2., renum. (3) (b) 3. to 6. to be 2. to 5.; Register, August, 1986, No. 368, eff. 9-1-86; r. (2) (b) 1. and 2., (3) (g) 17., 19. and 24., renum. (2) (b) 3. to 8. to be (2) (b) 4., 1., 8., 9., 11., and 6., (2) (e) 1. to 8. to be (2) (e) 5. to 9., 4., 2.

and 3., (2) (f) 1. to be (2) (g) 7., (2) (g) to be (2) (f), (3) (b) 1., 3. and 5. to be 9., 10. and 1., (3) (e) 1. to 6. to be (3) (e) 3., 1., 4., 5., 10. and 2., (3) (g) 1. to 16., 17m., 18., 20. to 23., 25. to 38., to be (3) (i) 1. to 6., 8. to 11., 14., 17. to 19., 22. to 35., 38. to 44., 46. to 57., cr. (2) (b) 2., 3., 5., 7., 10., (2) (e) 1., (2) (f), (2) (g) 1. to 6., 8. to 11., (2) (h), (2) (i) 22p., 22i., 25m. and 29m., (3) (b) 3., 5. to 8., 11. and 12., (3) (c) 6. to 9. and 11., (3) (g) and (h), (3) (i) 7., 12., 13., 15., 16., 20., 21., 36., 37. and 45., r. and recr. (3) (b) 4., (3) (d) and (3) (f), Register, August, 1989, No. 404, eff. 9-1-89; am. (2) and (3), Register, July, 1997, No. 499, eff. 8-1-97.

**NR 27.04 Revision of Wisconsin endangered and threatened species lists.** (1) PETITION FOR CHANGES. (a) *Requirements.* Any 3 persons may petition the department to review the status of any listed or unlisted wild animal or wild plant. Such petitions must be dated, in writing, and submitted to the BNS. To be considered, requests must show in full the following information:

1. Names and addresses of persons petitioning;
2. Designation of the particular species in question;
3. Narrative explanation of the request;
4. Complete scientific supporting data for the request including evidence of Wisconsin residency, past numbers and geographic distribution, current numbers and geographic distribution, a substantial decline in numbers, and a substantial threat to remaining numbers or habitat or both; and
5. Signatures of the persons making the request.

(b) *Review.* If the department finds the petitioners have presented substantial evidence to warrant a review, the department shall proceed in accordance with ch. 227, Stats.

History: Cr. Register, September, 1979, No. 285, eff. 10-1-79.

**NR 27.05 Permits for endangered and threatened species.** (1) ISSUANCE. The department shall issue endangered and threatened species permits in accordance with the provisions of and for the purposes authorized in s. 29.415, Stats. Conditions designed to protect and preserve species on the department list shall be imposed on permittees.

(2) PROCEDURES. (a) *Applications.* Applications for endangered and threatened species permits shall be made on forms furnished by the department and shall include:

1. Name and address of the applicant;
2. Personal description;
3. Purpose of the request;
4. Class, species, and number of specimens to be taken;
5. Area and period of time in which the specimens are to be taken;
6. Method of taking;
7. The place where specimens will be kept;
8. Duration of specimen possession;
9. Final disposition of specimens;
10. Applicant's signature; and
11. Such additional information as may be requested by the department.

(b) *Inspection.* A permit issued pursuant to this chapter shall be carried upon the person of the permittee when exercising the permit privileges. The permit and any authorized species obtained must be shown to the department or its agents upon request. Furs shall be marked or stamped with a stamp or tag furnished by the department to show such furs are legally held and possessed.

(c) *Annual report.* An annual progress report on activities authorized by the permit may be required by the department. The department shall notify the permittee if this report is required.

(d) *Permit conditions.* The permittee may only take, transport, possess, process or sell species on the department list subject to and in accordance with the conditions imposed by the department. Such conditions shall include but are not limited to the minimum standards for feeding, treatment, sanitation, pens and housing prescribed in s. NR 16.10.

(e) *Permit authority.* A permit issued pursuant to this chapter does not authorize the exchange, purchase or sale of specimens on

the department list with persons who do not hold an appropriate state or federal endangered or threatened species permit. This paragraph does not apply to the exchange or purchase of permitted state endangered or threatened plants from purchase of permitted state endangered or threatened plants from persons possessing a valid endangered and threatened species permit which allows the sale of specific species. All persons, including those persons or businesses which are based outside of Wisconsin, selling Wisconsin endangered or threatened plants shall possess a Wisconsin endangered or threatened species permit for those species being sold.

(f) *Care of injured animals.* A permit issued under the authority of this chapter does not authorize the routine care of injured animals.

(3) PLANTS. Permits are not required for persons to take wild plants of endangered or threatened species on property which they own or lease, or with landowner permission, except if the plants or their progeny are sold or processed, or in the course of forestry or agricultural practices or in the construction, operation or maintenance of a utility facility. Nothing in this rule prevents persons from propagating endangered or threatened wild plants on their own property as long as they do not sell these plants or distribute them to other properties which they do not own or lease.

(4) OTHER PERMITS. (a) Any person obtaining a permit under this section need not obtain a scientific collector's permit under s. NR 19.11 for that same species and purpose.

(b) The department may issue an endangered species certificate and seal to identify and mark a carcass, skin, hide, fur or part of an endangered or threatened species specimen held under a valid endangered or threatened species permit. A certificate and seal may only be transferred incidental to the transfer of the specimen for which the certificate and seal were issued.

(5) FEDERAL PERMITS. A federal permit is required for all endangered and threatened wild animals and wild plants on the federal lists, unless such requirement is waived by the U.S. department of interior.

(6) PERMIT REVOCATION. The department may revoke the current endangered and threatened species permit of a person who violates any condition of the permit and the person may be ineligible to receive a permit for the following calendar year. Permit conditions may include but are not limited to: covered species, collection limitations, requirements to use local propagule sources, propagation methods, sales limits and documentation requirements. The department may issue another permit only if the person has corrected all deficiencies from any previous permit and agrees to abide by all permit conditions.

History: Cr. Register, September, 1979, No. 285, eff. 10-1-79; renum. (4) to be (4) (a) and cr. (4) (b), Register, March, 1990, No. 411, eff. 4-1-90; am. (2) (c), (3) and (4) (b), cr. (6), Register, April, 1993, No. 448, eff. 5-1-93.

**NR 27.06 Exceptions to permit requirements.**

(1) FEDERAL PERMITS. (a) Any person taking, transporting, possessing or selling any wild animal or wild plant included in the U.S. foreign and native endangered and threatened species list, but not included in the Wisconsin endangered or threatened species lists, does not need a state permit if such person has a federal permit authorizing such possession. Any person who was previously exempted from needing a permit and is required to have a permit under this section shall apply for and be issued a permit no later than October 1, 1990.

(b) Any Native American Indian who is an enrolled tribal member may possess bald eagles or parts thereof for religious purposes if they have been issued a federal permit authorizing such possession.

(2) PRIOR ACQUISITION. (a) *Exemptions.* Any person taking, transporting or possessing any endangered or threatened plants or animals, or selling any endangered or threatened animals does not need a state permit if the specimens were acquired before the species' effective listing date. For wild animals added to these

lists after the above dates, no permit is required if the wild animals were acquired before the effective date of their addition to the list.

(b) *Proof.* Any person claiming an exemption under par. (a) must offer evidence acceptable to the department to show that the species was acquired prior to the effective date.

(c) *Marking.* All wild animals on the Wisconsin endangered and threatened species lists which are possessed, transported or sold pursuant to par. (a) shall be permanently marked, tagged or otherwise identified with a certificate and seal by or at the direction of the department to show the specimen or parts thereof is legally possessed. A certificate and seal may only be transferred incidental to the transfer of the specimen for which the certificate and seal were issued.

(3) **RECORDS.** (a) *Procedures.* Each person who possesses any live animal listed as a Wisconsin endangered or threatened species in s. NR 27.03 (2) or (3) shall keep a complete and accurate record in the English language of any action affecting the number of said wild animals that person possesses. This record shall be on forms provided by the department, and shall include a receipt book for purchases, births, or any action increasing the number of individuals in possession; and a separate book for sales, gifts, deaths or any action whereby the number of individuals in possession decreases. These receipts shall be completed immediately follow-

ing the action or transaction affecting populations in possession, and one copy shall be mailed to the department at that time.

(b) *Inspection.* The permittee shall make all permitted wild plants and wild animals in their possession and all applicable records available for inspection by the department at any time.

(4) **NON-WISCONSIN SPECIMENS.** (a) *Animals.* Permits are not required for the possession, processing, sale or transportation of carcasses, skins, hides and furs or parts thereof from wild animals on the Wisconsin endangered or threatened species lists if each item is marked with a permanent locked seal attached by or with the authority of the government of the country, state or province where the wild animal originated, or if an endangered species certificate and seal has been issued under s. NR 27.05 (4) (b) to identify and mark the specimens.

(b) *Fur garments.* Permits are not required for the possession, processing, sale or transportation of articles of clothing manufactured from the skins, hides or furs of animals on the Wisconsin endangered or threatened species lists if documentation accompanies each garment stating that the furs from which it was made were legally taken outside of Wisconsin.

*History:* Cr. Register, September, 1979, No. 285, eff. 10-1-79; am. (1), Register, January, 1981, No. 301, eff. 2-1-80; cr. (4), Register, October, 1981, No. 310, eff. 11-1-81; am. (1) (a) and (2), r. and recr. (1) (b), Register, March 1990, No. 411, eff. 4-1-90; am. (2) (a), (c), (3) (b) and (4) (a), Register, April, 1993, No. 448, eff. 5-1-93.