

**Chapter NR 460**

**Appendix NNNN**

**General Provisions Applicability to Chapter NR 465 Subchapter III**

The general provisions of this chapter listed under the column heading "Reference" apply to sources subject to ch. NR 465 subch. III only if a Yes appears in the same row under the column heading "Applies to Chapter NR 465 Subchapter III?". Certain provisions in other chapters which correspond to federal provisions in 40 CFR part 63 Subpart A are also included in the Reference column.

| <b>Reference</b>          | <b>Applies to Chapter NR 465 Subchapter III?</b> | <b>Comment</b>  |
|---------------------------|--|---|
| N 2.19 and 2.195          | <b>Yes</b>                                       |   |
| NR 406                    | <b>Yes</b>                                       |   |
| NR 407.04 (1) (b) 3.      | <b>Yes</b>                                       |   |
| NR 460.02                 | <b>Yes</b>                                       | Additional definitions in s. NR 465.22  |
| NR 460.03                 | <b>Yes</b>                                       |   |
| NR 460.04                 | <b>Yes</b>                                       |   |
| NR 460.05 (1)             | <b>Yes</b>                                       |   |
| NR 460.05 (2) and (3)     | <b>Yes</b>                                       | Section NR 465.21 (4) specifies the compliance dates.   |
| NR 460.05 (4) (a) and (b) | <b>Yes</b>                                       |   |
| NR 460.05 (4) (c)         | <b>Yes</b>                                       | Only sources using an add-on control device to comply with the standard shall complete startup, shutdown and malfunction plans.   |
| NR 460.05 (5)             | <b>Yes</b>                                       | Applies only to sources using an add-on control device to comply with the standards.  |
| NR 460.05 (6)             | <b>No</b>  | Chapter NR 465 subch. III does not establish opacity standards and does not require COMS.   |
| NR 460.05 (7)             | <b>Yes</b>                                       |   |
| NR 460.06 (1) (a)         | <b>Yes</b>                                       | Applies to all affected sources. Additional requirements for performance testing are specified in s. NR 465.28 (5) to (7).  |
| NR 460.06 (1) (b)         | <b>Yes</b>                                       | Applies only to performance tests for capture system and control device efficiency at sources using these to comply with the standards. Section NR 465.28 (1) specifies the schedule for performance test requirements that are earlier than those specified in s. NR 460.06 (1) (b). |
| NR 460.06 (2) to (4)      | <b>Yes</b>                                       | Applies only to performance tests for capture system and add-on control device efficiency at sources using these to comply with the standard.   |
| NR 460.06 (5)             | <b>Yes</b>                                       | Applies to all test methods except those used to determine capture system efficiency.   |
| NR 460.06 (6) and (7)     | <b>Yes</b>                                       | Applies only to monitoring of capture system and add-on control device efficiency at sources using these to comply with the standard.   |
| NR 460.07 (1) (a) and (b) | <b>Yes</b>                                       | Applies only to monitoring of capture system and add-on control device efficiency at sources using these to comply with the standard. Additional requirements for monitoring are specified s. NR 465.28 (9).  |

**Appendix NNNN (Continued)**  
**General Provisions Applicability to Chapter NR 465 Subchapter III**

| Reference                   | Applies to Chapter NR 465 Subchapter III? | Comment   |
|-----------------------------|---|---|
| NR 460.07 (1) (c)           | No  | Chapter 465 subch. III does not have monitoring requirements for flares.  |
| NR 460.07 (2)               | Yes                                       |   |
| NR 460.07 (3) (a) to (c)    | Yes                                       | Applies only to monitoring of capture system and add-on control device efficiency at sources using these to comply with the standard. Additional requirements for CMS operations and maintenance are specified in s. NR 465.28 (9). |
| NR 460.07 (3) (d)           | No  | Section NR 465.28 (9) specifies the requirements for the operation of CMS for capture systems and add-on control devices at sources using these to comply.  |
| NR 460.07 (3) (e)           | No  | Chapter NR 465. subch. III does not have opacity or visible emission standards.   |
| NR 460.07 (3) (f)           | No  | Section NR 465.28 (9) specifies the requirements for monitoring systems for capture systems and add-on control devices at sources using these to comply.  |
| NR 460.07 (3) (g)           | Yes                                       |   |
| NR 460.07 (3) (h)           | No  | Section NR 465.25 (2) requires reporting of CMS out-of-control periods.   |
| NR 460.07 (4) and (5)       | No  | Chapter NR 465 subch. III does not require the use of continuous emissions monitoring systems.  |
| NR 460.07 (6) (a) to (d)    | Yes                                       |   |
| NR 460.07 (6) (e)           | No  | Chapter NR 465 subch. III does not require the use of continuous emissions monitoring systems.  |
| NR 460.07 (7)               | No  | Section NR 465.28 (8) and (9) specify monitoring data reduction.  |
| NR 460.08 (1) to (4)        | Yes                                       |   |
| NR 460.08 (5)               | Yes                                       | Applies only to capture system and add-on control device performance tests at sources using these to comply with the standard.  |
| NR 460.08 (6)               | No  | Chapter NR 465 subch. III does not have opacity or visible emission standards.  |
| NR 460.08 (7)               | No  | Chapter NR 465 subch. III does not require the use of continuous emissions monitoring systems.  |
| NR 460.08 (8)               | Yes                                       | Section NR 465.25 (1) specifies the dates for submitting the notification of compliance status.   |
| NR 460.08 (09) and (10)     | Yes                                       |   |
| NR 460.09 (1)               | Yes                                       |   |
| NR 460.09 (2) (a)           | Yes                                       | Additional requirements are specified in s. NR 465.25 (3) and (4).  |
| NR 460.09 (2) (b) 1. to 5.  | Yes                                       | Requirements for startup, shutdown and malfunction records only apply to add-on control devices used to comply with the standard.   |
| NR 460.09 (2) (b) 6. to 12. | Yes                                       |   |
| NR 460.09 (2) (b) 13.       | No  | Chapter NR 465 subch. III does not require the use of continuous emissions monitoring systems.  |
| NR 460.09 (2) (b) 14.       | Yes                                       |   |
| NR 460.09 (2) (c)           | Yes                                       |   |

**Appendix NNNN (Continued)**  
**General Provisions Applicability to Chapter NR 465 Subchapter III**

| Reference                           | Applies to<br>Chapter<br>NR 465<br>Subchapter<br>III? | Comment  |
|-------------------------------------|---|--|
| NR 460.09 (3) (a) 1. to 3.          | <b>Yes</b>  |  |
| NR 460.09 (3) (a) 4. and 5.         | <b>No</b>   | The same records are required in s. NR 465.25 (2) (a) 7.                                       |
| NR 460.09 (3) (a) 6. to 10. and (b) | <b>Yes</b>  |  |
| NR 460.09 (4) (a)                   | <b>Yes</b>  | Additional requirements are specified in s. NR 465.25 (2).                                     |
| NR 460.09 (4) (b)                   | <b>Yes</b>  | Additional requirements are specified in s. NR 465.25 (2) (b).                                 |
| NR 460.09 (4) (c)                   | <b>No</b>   | Chapter NR 465 subch. III does not require opacity or visible emissions observations.          |
| NR 460.09 (4) (d)                   | <b>Yes</b>  |  |
| NR 460.09 (4) (e)                   | <b>Yes</b>  | Applies only to add-on control devices at sources using these to comply with the standard.     |
| NR 460.09 (5) (a) and (b)           | <b>No</b>   | Chapter NR 465 subch. III does not require the use of continuous emissions monitoring systems. |
| NR 460.09 (5) (c)                   | <b>No</b>   | Section NR 465.25 (2) (b) specifies the contents of periodic compliance reports.               |
| NR 460.09 (5) (d)                   | <b>No</b>   | Chapter 465 subch. III does not specify requirements for opacity or COMS                       |
| NR 460.09 (6)                       | <b>Yes</b>  |  |
| NR 460.10                           | <b>No</b>   | Chapter 465 subch. III does not specify use of flares for compliance.                          |
| NR 484                              | <b>Yes</b>  |  |