

Chapters Comm 50-64

APPENDIX B

The material contained in this appendix is for clarification purposes only. The information is for the benefit of fire department inspectors making inspections pursuant to s. 101.14 (2) (b), Stats. (See s. Comm 50.02 Special Note #3)

Rule Number	Topic of Rule	Subject of Investigation
		Ch. Comm 50—Administration and Enforcement
50.25	Petition for Variance	1. Fire Department Position Statement (form SBD-9890)
		Ch. Comm 51—Definitions and Standards
51.02 (24)	Fire Blocking	1. Maintenance
51.047	Fire Rated Door Assemblies in Fire Rated Construction	1. Maintenance 2. Operation 3. Unobstructed
51.047 (6)	Door Closing Devices (Fire Doors)	1. Maintenance 2. Use of Fusible Link
51.0485	Fire Dampers	1. Maintenance
51.049	Fire Stopping	1. Maintenance
51.06 (3)	Foam Plastics (Thermal Barrier)	1. Proper Type and Correct Installation 2. Maintenance
51.08 (2)	Isolation of Hazards (All Occupancies)	1. Maintenance of Enclosure
51.15 (2)	Exit Doors	1. Maintenance 2. Unobstructed
51.15 (3)	Exit Hardware	1. Proper Type 2. Signage 3. Security Locks and Key Locks Open During Occupied Periods
51.15 (4)	Exit Doorway	1. Proper Size and Type 2. Maintenance
51.161	Handrails	1. Maintenance 2. Replacement, When Needed
51.162	Guardrails	1. Maintenance 2. Replacement, When Needed
51.165	Stairway Identification	1. Proper Posting 2. Proper Signage on Buildings Constructed After January 1, 1982
51.166	Stairway Discharge	1. Proper Type 2. Maintenance
51.167	Exiting Through Areas of Hazard	1. Proper Type
51.20	Fire Escapes	1. Maintenance
51.21	Standpipe & Hose Systems	1. Correct Installation 2. Maintenance
51.22	Fire Extinguishers	1. Proper Type 2. Location 3. Maintenance 4. Operational
51.23	Automatic Sprinklers	1. Water Supply 2. Obstruction of Sprinkler Heads 3. Location of Fire Department Connection 4. Accessibility of Fire Department Connection
51.24 (5)	Fire Alarm Systems	1. Operation & Testing 2. Location of Pull Stations
51.245	Smoke Detectors	1. Correct Installation 2. Maintenance of Detectors 3. Operational

Rule Number	Topic of Rule	Subject of Investigation
Ch. Comm 52—General Requirements		
52.01	Fire Prevention, Detection and Suppression (High Rise Construction)	1. Proper Installation 2. Maintenance 3. Operation and Testing
52.011	Automatic Fire Sprinkler Systems for Low Rise Buildings	1. Proper Installation 2. Maintenance 3. Operation and Testing
52.02 (2)	Fire Department Access Openings	1. Proper Type, Size and Location 2. Maintenance
52.07	Atriums	1. Proper Type 2. Smoke Control System 3. Maintenance 4. Test Reports
52.19	Gas and Oil Lamps	1. Proper Type and Clearance 2. Maintenance
52.20	Electrical Work	1. Electrical Check List
52.21	Location and Maintenance of Exits	1. Maintenance
52.22	Repairs	1. Conformance
52.23	Cleanliness	1. Conformance
Ch. Comm 54—Factory, Office, Mercantile		
54.01 (3)	Fire Door Closing Devices	1. Maintenance 2. Operational
54.02	Number and Location of Exits	1. Maintenance 2. Proper Exit Hardware
54.06	Exit Doors, Exit Lights	1. Maintenance of Illumination
54.07	Passageways	1. Maintain in Clear, Unobstructed Condition
54.08	Stairway Enclosure	1. Maintenance
54.11	Lighting	1. Maintenance of Illumination
54.145	Fire Extinguishers	1. For Buildings Constructed After January 1, 1982: A. Proper Type B. Location C. Maintenance D. Operational
54.15	Standpipes	1. Maintenance
54.17	Fire Alarm	1. Maintenance 2. Location of Pull Stations
54.20	No Smoking Signs	1. Proper Posting
Ch. Comm 55—Theaters and Assembly Halls		
55.07	Number and Location of Exits	1. Maintenance of Illumination
55.08	Type of Exits	1. Maintenance 2. To be Clear and Unobstructed
55.09	Stairways	1. Maintenance 2. To be Clear and Unobstructed
55.10	Exit Doorways and Doors	1. See 51.15
55.11	Exit Lights	1. Maintenance of Illumination
55.12	Required Exit Width	1. To be Unobstructed
55.14	Width of Aisles	1. To be Unobstructed
55.15	Lobbies and Foyers	1. To be Clear and Unobstructed
55.17	Obstructions	1. Maintenance
55.22 (3)	Proscenium Wall (Openings)	1. Proper Type 2. Maintenance
55.24	Automatic Smoke Outlets	1. Operation
55.33	Standpipes	1. Correct Installation 2. Maintenance

Rule Number	Topic of Rule	Subject of Investigation
55.33 (3)	Fire Extinguishers	1. For Buildings Constructed After January 1, 1982: A. Proper Type B. Location C. Maintenance D. Operational
55.43	Openings	1. Operational 2. Maintenance
55.45	Relief Outlets	1. Maintenance
55.46	Electric Wiring	1. Electrical Check List
55.50	Maintenance	1. Elimination of Fire Hazard
Ch. Comm 56—Schools and Places of Instruction		
56.03	Smoke Detection	1. For Existing Buildings with Basements not Protected by Automatic Sprinklers or Smoke Detectors as of January 1, 1982, Automatic Smoke Detector System in Basement Corridors by January 1, 1983. A. Correct Installation B. Maintenance of Detectors
56.06	Exit	1. Maintenance
56.06 (6)	Exit Lights	1. Maintenance of Illumination
56.07	Required Exit Width	1. To be Unobstructed
56.09	Passageways	1. To be Unobstructed 2. Maintenance of Exit Doors
56.18	Fire Extinguishers	1. Proper Type 2. Location 3. Maintenance 4. Operational
56.19	Fire Alarms	1. Operation of System 2. Location of Pull Stations
56.20	Standpipes	1. Correct Installation 2. Maintenance
56.34	Exit Doors and Lights	1. Maintenance of Doors 2. To be Clear and Unobstructed
56.38	Fire Alarms	1. Operational 2. Testing 3. Location of Pull Stations
56.43	Exit Doors and Exit Lights	1. Maintenance of Doors 2. To Be Clear and Unobstructed
56.46	Fire Alarms	1. Operational 2. Testing 3. Location of Pull Stations
Ch. Comm 57—Residential Occupancies		
57.01 (3)	Basement and Ground Floor Protection	1. Proper Installation 2. Maintenance
57.02	Allowable Height and Area (Corridor Door Hold-Open Device, Access Roadways)	1. Maintenance 2. Operational 3. Clear and Unobstructed
57.03	Number and Location of Exits	1. Maintenance 2. Proper Exit Hardware
57.05	Type of Exits	1. Maintenance 2. To be Clear and Unobstructed 3. Proper Illumination
57.08	Enclosure of Interior Stairways and Shafts	1. Maintenance of Enclosure
57.09	Passageways	1. To Be Clear and Unobstructed 2. Maintenance of Exit Doors
57.10	Illumination of Exits and Exit Signs	1. Maintenance of Illumination and Signs

Rule Number	Topic of Rule	Subject of Investigation
57.15	Standpipes	1. Correction Installation 2. Maintenance
57.16	Smoke Detectors – All Buildings Except CBRF	1. For Existing Buildings Constructed Before May 23, 1978, Specified Smoke Detectors by January 1, 1983. A. Correct Installation B. Maintenance of Detectors 2. For Buildings Constructed After January 1, 1983: A. Correction Installation B. Maintenance of Detectors C. Interconnection of Corridor/Stairway Detectors to Required Manual Fire Alarm System D. Corridor/Stairway Smoke Detectors Provided with Emergency Power, if Required for the Building
57.165	Smoke Detectors — CBRF	1. Correct Installation 2. Maintenance of Detectors 3. Interconnection of Stairway, Complete Corridor and Common Use Room Detectors 4. Interconnection of Sleeping Room Detectors if Smoking is Permitted
57.17	Fire Alarms	1. Operation of Systems 2. Location of Pull Stations
57.18	Fire Extinguishers	1. For Buildings Constructed After January 1, 1982: A. Proper Type B. Location C. Maintenance D. Operational
57.19	Rowhouse (Living Unit Separation)	1. Proper Installation 2. Maintenance
Ch. Comm 58—Health Care Facilities		
58.04–58.05	Number, Type and Location of Exits	1. Maintenance 2. Proper Exit Hardware
58.06	Stairs	1. Maintenance 2. To Be Clear and Unobstructed 3. Proper Illumination.
58.18	Marking of Means of Egress	1. Correct Signage 2. Proper Illumination
58.20	Key Locking Hardware	1. Correct Hardware Type and Installation 2. Building Satisfies Rules for Detention and Correctional Facilities 3. Maintenance
58.21–58.23	Protection of Openings	1. Maintenance
58.24	Isolation of Hazards	1. Maintenance of Enclosure and Required Automatic Sprinkler System
58.25	Rubbish Chutes and Laundry Chutes	1. Protection of Enclosure 2. Sprinkler System Maintenance
58.27	Detection, Alarm and Communication Systems	1. Operational 2. Testing 3. Location of Pull Stations 4. Correct Installation 5. Maintenance
58.28	Standpipes	1. Correct Installation 2. Maintenance
58.29	Automatic Sprinkler and Other Suppression Systems	1. Water Supply 2. Obstruction of Sprinkler Heads 3. Location and Accessibility of Fire Department Connection
58.30–58.31	Smoke Barriers, Corridor Walls	1. Correct Installation 2. Maintenance
Ch. Comm 58—Places of Detention		

Rule Number	Topic of Rule	Subject of Investigation
58.48-58.49	Number, Type and Location of Exits	1. Maintenance 2. Proper Exit Hardware
58.50-58.51	Stairways and Smokeproof Towers	1. Maintenance 2. To Be Clear and Unobstructed 3. Proper Illumination
58.575	Emergency Lighting	1. Proper Type 2. Maintenance
58.58	Marking of Means of Egress	1. Correct Signage 2. Proper Illumination
58.59	Door Locks	1. Correct Type and Installation 2. Maintenance
58.60-58.61	Protection of Openings	1. Maintenance
58.63	Standpipes	1. Correct Installation 2. Maintenance
58.635	Fire Extinguishers	1. Proper Type 2. Location 3. Maintenance 4. Operational
58.64	Fire Alarms	1. Operation of System 2. Location of Pull Stations
58.65	Automatic Smoke Detection Systems	1. Correct Installation 2. Maintenance of Detectors
58.67	Smoke Barrier	1. Correct Installation 2. Maintenance
Ch. Comm 59—Hazardous Occupancies		
59.13	Type of Exits	1. Maintenance 2. Proper Exit Hardware
59.14	Number and Type of Exits	1. Maintenance 2. To Be Clear and Unobstructed
59.17	Enclosure of Stairways and Shafts	1. Maintenance of Enclosures
59.19	Illumination Levels	1. Proper Illumination
59.23	Fire Protection	1. Operation of System 2. Proper Type of Extinguisher 3. Location of Extinguisher 4. Extinguisher Operational 5. Water Supply 6. Obstruction of Sprinkler Heads 7. Location and Accessibility of Fire Department Connection 8. Maintenance of Systems
59.24	Fire Alarms	1. Operation and Testing 2. Location of Pull Stations
Ch. Comm 60—Child Day Care Facilities		
60.12	Doors	1. Joint Inspection Made
60.16	Electrical Work	1. Electrical Check List
60.19	Operating Features	1. Owner Responsibility
60.31	Exiting	1. Joint Inspection Made
60.32	Required Exit Width	1. Width to be Unobstructed
60.33	Passageways	1. Joint Inspection Made
60.34	Stair and Shaft Enclosure	1. Joint Inspection Made
60.35	Fire Extinguisher	1. Proper Type 2. Location 3. Maintenance 4. Operational
60.36	Fire Alarm System	1. Operation and Testing 2. Location of Pull Station

Rule Number	Topic of Rule	Subject of Investigation
60.38	Exit and Emergency Lighting	1. Joint Inspection Made
	Ch. Comm 61—Community-Based Residential Facilities	
61.10 (1) (h)	Construction, Building and Site	1. Maintenance
61.10 (3)	Smoke Separation	1. Maintenance
61.12	Exiting and Doors	1. To be Clear and Unobstructed
		2. Maintenance
61.14	Smoke Detection	1. Correct Installation
		2. Maintenance of Detectors
61.18 (4)	Ramp Requirements	1. Maintenance
61.20	Fire Extinguisher	1. Proper Type
		2. Location
		3. Maintenance
		4. Operational
61.24	Heating and Ventilating	1. Maintenance
61.25	Electrical	1. Electrical Check List
	Ch. Comm 62—Subch. I—Open Parking Structures	
62.26	Number, Location and Type of Pedestrian Exits	1. Maintenance
62.29	Illumination and Exit Lights	1. Maintenance of Illumination and Exit Lights
62.30	Fire Protection	1. Correct Installation of Standpipes
	Ch. Comm 62—Subch. III—Tents	
62.46	Fire Hazards	1. Elimination of Fire Hazard
62.47	Exits	1. Maintenance
62.49	Electrical Installation	1. Proper Installation
62.50	Fire Extinguishing Equipment	1. Proper Type
		2. Location
		3. Maintenance
		4. Operational
62.51	Illumination, Exit Lights and Signs	1. Maintenance of Illumination
	Ch. Comm 62—Subch. V—Assembly Seating Facilities	
62.72	Inspection and Maintenance	1. Proper Maintenance
		2. Conformance With Rules
62.75	Means of Egress	1. Maintenance
		2. To Be Clear and Unobstructed
62.80	Illumination and Emergency Lighting	1. Proper Illumination
62.81	Fire Prevention	1. Maintenance
	Ch. Comm 62—Subch. VII—Pedestrian Access Structures Connecting Buildings	
62.98	General Requirements Construction	1. Protection of Openings
		2. Maintenance
62.99	Exiting	1. Maintenance
		2. To Be Clear and Unobstructed
	Ch. Comm 64—HVAC	
64.08	Exhaust Ventilation System	1. Maintenance
64.09	Combustion Air Intakes	1. Maintenance
64.16	Air Cleansing Devices	1. Maintenance
64.19	Location of Outside Ventilating Air Intakes and Exhausts for Mechanical Ventilating Systems	1. Maintenance
64.21	Location of Equipment	1. Proper Equipment
		2. Maintenance
64.22 (5) (c)	Space Heaters	1. Use of Unvented Heaters Prohibited in Some Locations
64.22 (7)	Fireplaces and Fireplace Stoves	1. Proper Installation
		2. Maintenance
		3. Operation and Testing

Rule Number	Topic of Rule	Subject of Investigation
64.23 (5)	Piping	1. Installation 2. Maintenance
64.45	Chimneys, Smoke Stacks, Gas Vents, Mechanical Draft and Venting Devices	1. Maintenance
64.46	Masonry Chimneys	1. Maintenance
64.47	Metal Smokestacks	1. Maintenance
64.48	Factory-Built Chimneys and Gas Vents	1. Maintenance
64.49	Gas Vent	1. Maintenance
64.50	Chimney and Vent Connectors	1. Maintenance
64.51 (4)	Fire Protection	1. Correct Equipment 2. Proper Installation 3. Proper Clearances and Protection
64.52 (1)	Maintenance	1. Inspection of Chimney After Fire Before Reuse
64.61 (2)	Repair Areas	1. Maintenance
64.62 (2)	Vehicle Service Buildings	1. Maintenance
64.63 (2)	Garages	1. Maintenance
64.67 (5) (e), (f) and (g)	Kitchens	1. Maintenance
64.67 (6)	Automatic Suppression Systems	1. Correct System 2. Proper Installation 3. Maintenance and Operational



Chapters Comm 50-64

APPENDIX C

The 1989 Wis. Act 335 requires the department to establish rules for public buildings such that adequate space is provided within or adjacent to buildings for the separation, temporary storage and collection of recyclable materials likely to be generated by the occupants of the building.

When verified amounts of previously generated recyclable materials are available, the following may be used to determine adequate space for the separation, temporary storage and collection of recyclable materials:

One cubic yard should be allocated for each 200 pounds of

newspaper and mixed paper.

One cubic yard should be allocated for each 80 pounds of mixed or commingled recyclable materials.

The guidelines in the following table are provided for determining adequate space allocation when verified amounts of previously generated recyclable materials are not available. These guidelines are based on accumulation of recyclable materials likely to be generated by the building occupants for one week and one month, respectively.

Guidelines for Recommended Space Allocation by Type of Building Occupancy*

Type of Building Occupancy	Space Allocation (cu. ft./1,000 sq. ft. floor area)	
	One Week	One Month
Assembly Hall, Theater	2.2	10.0
Child Day Care		
with meals served	4.5	20.0
without meals served	3.0	12.0
Detention and correctional	13.5	60.0
Garage		
Storage	0	0
Repair	b	b
Health Care		
Hospital	13.85	60.0
Clinic, without meals served	8.0	36.0
Nursing/Rest Home	4.5	20.0
Hotel, Motel		
without meals served	3.5	15.0
Industrial	b	b
Library	2.2	10.0
Mercantile		
Department Store, Shopping Mall	9.0	40.0
Grocery	18.0	80.0
Museum, Art Gallery	2.2	10.0
Office	7.0	30.0
Residential, multi-family dwelling	9.0	40.0
Restaurant or Food Service	c	c
School, Places of Instruction	3.0	12.0
Warehouse	b	b

* This information is to be used only as a guide in determining space allocation. Space allocation may differ from the listed value when using verified amounts of previously generated recyclable materials.

^b Varies with type of activity.

^c Varies with number of meals served and type of meal service.

○

○

○

Chapters Comm 50-64

INDEX

See also first page of each chapter for listing of section headings.

A

Comm Section No(s).

ACADEMIES	ch. Comm 56	Footing and foundation approval	50.13
ACCESS:		Local regulations	50.06
Attics	51.02(18)(a)	Penalties	50.26
Buildings – fire department	54.01(5), 57.02(3)	Permission to start construction	50.14
Roofs	51.02(18)(b)	Petition for variance	50.25
Windowless floor levels – fire department	52.02	Plans prepared outside Wisconsin	50.08
ACCESSIBILITY FOR PHYSICALLY DISABLED: ..	52.04	Scope of code	50.02, 50.04
Access to primary floor	52.04(4)(a)	Tests and test reports	50.19, 51.044, 64.20
Additions	52.04(6)	AF (See area factors)	
Alterations	52.04(6)	AGRICULTURAL BUILDINGS:	
Corridors	52.04(9)	Exemption	50.04
Definitions	52.04(2)	Greenhouses	62.90–62.96
Doors	52.04(9)	AIR CONDITIONING:	
Drinking fountains	52.04(11)	Controls	63.26, 63.27
Interior circulation	52.04(4)(b)	Design criteria	63.24, 64.01
Multi-use buildings	52.04(5)	Equipment Efficiencies	63.20
New construction	52.04(4)	AIR INTAKES:	
Parking	52.04(3)(a)	Combustion equipment (Solid and liquidfuels)	64.09
Platforms	52.04(3)(d), 52.04(9)(e)	Fresh air	64.19
Ramps	52.04(3)(b), 52.04(3)(d), 52.04(7)	Location	64.07(1)
Site requirements	52.04(3)	Projection booths, ventilation	55.44
ACP TABLES	63.15, Fig 63.15	AIR LEAKAGE	63.11
Selecting	63.13(1)	AIRPLANE HANGARS:	
ACTIVITY METHOD	63.49	Plan review exemption	50.12(1)(f)
ADDITIONS:		ALARM SYSTEMS:	
Accessibility for the disabled	52.04(6)	Fire alarms	51.24
Application	50.03, 63.001(3)	High rise buildings	52.01
Assembly halls	55.02(2m)(c)4	Smoke detectors	51.245
Design	50.07	ALLEY:	
Sprinkler systems	52.01(1)(a), 52.011(5)	Definition	51.01(2)
ADJOINING BUILDINGS:		Exiting	52.26
Excavation protection	53.26	ALLOWABLE AREAS AND HEIGHT OF	
Parapets	51.02(12)	BUILDINGS	51.02, 51.03, 52.013, 54.01, 57.02, 59.12, 62.24, 62.43, 62.94
ADMINISTRATION AND ENFORCEMENT		ALLOWABLE STRESSES:	
(Ch. Comm 50):		Crane	53.14
Additions	50.03, 50.07, 52.04(6), 63.001(3)(a)	Masonry-empirical method	53.322(1)
Alterations	50.03, 50.07, 50.12, 63.001(3)(b)	ALTERATION	50.03(4), 51.01 (2e), 51.01 (105m), 63.001(3)(b)
Appeals	50.24	ALTERATIONS:	
Application of code	50.03, 50.04	Accessibility	52.04
Approval by certified city inspector	50.21	Code application	50.03
Approval of materials, equipment, devices testing laboratories	50.19	Design	50.07
Approval of plans and specifications ..	50.12, 63.01, 64.02	Plan review	50.12
Approval, revocation of	50.16	ALUMINUM CONSTRUCTION	53.54
Certificate of occupancy, local requirement	50.06	AMUSEMENT FACILITY	51.01 (2m)
Change of use	50.03, 52.04, 63.001	AMUSEMENT PARK:	
Changes to plans and specifications	50.12(6)	Amusement structures (Refer to ch. Comm 34)	
Design	50.07, 50.08	ANCHORAGE, ANCHORS:	
Design responsibilities	50.12(3)(a)	Bolts	53.34
Enforcement 50.21(6),	50.23	Concrete slabs on masonry (Restrained)	53.322
Evidence of plan approval	50.15	Masonry, general	53.316, 53.322, 53.323, 53.34
Existing buildings	50.05	Masonry, veneer	53.322(6), 53.36(5)
Expiration of plan approval	50.17		
Fees	50.20, ch. Comm 2a.b.c.d.		
First class city examination and approval	50.21		

Steel floor joists	53.52	AREAWAY:	
Timber fasteners	53.322, 53.61, 53.63	Definition	51.01(5a)
Uplift and suction forces	53.12	Habitable rooms below grade	57.11
Walls and partitions, intersecting	53.63	ARENA, Horse	ch. Comm 54 or 55
Wood fasteners	53.61	ASPHALT, Roof coverings	51.03-A, 51.05
Wood floor framing to masonry	53.322, 53.323	ASSEMBLY HALLS:	
Wood floor joists or beams on masonry	53.322, 53.323	100 persons or less	ch. Comm 54
Wood framing around openings	53.63	More than 100 persons	ch. Comm 55
Wood headers	53.63	ASSEMBLY SEATING FACILITIES	62.70-62.81
Wood joist anchors	53.63	ATRIUM:	
Wood nailing schedule	53.63	Definition	51.01(5b)
Wood partitions	53.63	General requirements	52.07
Wood sill anchors	53.63	ATTIC:	
Wood trusses	53.12, 53.62	Access	51.02, 57.19
ANTENNA	62.35, 62.41	Compartmentalization	51.02(18)
Plan review	50.12(1)(i)	Definition	51.01(6)
APARTMENT BUILDINGS	ch. Comm 57	AUDITORIUMS (See ASSEMBLY HALLS)	
APPEALS	50.24	AUTOMATIC, Definition	51.01(7), 63.05(2)
APPROVED, Definition	51.01(3)	AUTOMATIC FIRE SPRINKLER SYSTEM:	
APPROVED DIVERSIFIED TESTS:		Definition	51.01(7a)
Definition	51.01 (3a)	Health care facilities	58.24, 58.25, 58.29
Foam plastics	51.06	High rise buildings	52.01
ARCHITECT:		Housing for the elderly	57.016(2)
Design	50.07, 50.08	Low rise buildings	52.011, 52.012, 52.013
Plan submittal	50.12	School basements	56.03
Supervision	50.10	Specifications	51.23
AREA:		AUTOMATIC FIRE SUPPRESSION SYSTEM	
Conditioned floor area .. 63.001 (3), 63.25 (2), 63.27 (2)(a),		Definition	51.01(7b)
63.47		AUTOMATIC TIME SWITCH CONTROL DEVICE,	
Definition	63.05 (6)	Definition	63.05 (2)
Daylit area	63.45		
Definition	63.05 (13)		
Exterior roof or ceiling area .. 63.05 (21), 63.05 (16), 63.05			
(22), 63.05 (32)			
Exterior wall area	63.05 (80)		
Definition	63.05 (23)		
Fenestration area, Definition	63.05 (25)		
Gross, definition	51.01(4)		
Gross exterior wall area	63.05 (33), 63.18 (3)		
Definition	63.05 (27)		
Gross floor area	63.18 (3)		
Definition	63.03 (28)		
Gross floor area over outside or			
Unconditioned spaces	63.18 (3)		
Definition	63.05 (29)		
Gross lighted area, Definition	63.05 (30)		
Gross roof area, Definition	63.05 (31)		
Gross exterior roof area	63.18 (3)		
Definition	63.05 (32)		
Listed space area, Definition	63.05 (39)		
Net, definition	51.01(5)		
Opaque areas, Definition	63.05 (48)		
Support area, Definition	63.05 (62)		
Window area, Definition	63.05 (79)		
AREA CATEGORY METHOD	63.48		
AREA FACTORS	63.49		
AREAS:			
Allowable areas	54.01, 57.02, 59.12, 62.24, 62.43, 62.94		
Attic areas	51.02(19)		
Automatic sprinklers	52.013		
Draftstopping-floor/ceiling assemblies	53.63(2)		
Increase in areas	54.01, 57.02, 59.12		
Unlimited areas	54.01		
Thermal envelope components	63.18(3)		
		BALANCING	
		Air system	64.53 (2)
		Hydronic system	64.53 (2)
		BALCONY:	
		Definitions	51.01(8), 51.01(9)
		Exterior balcony, as exit	54.03, 57.05(12)
		Fire escapes	51.20
		BALLAST	
		Electronic	A63.45
		Magnetic	A63.45
		Tandem wiring	63.53
		BARRIER-FREE DESIGN	52.04
		BASEMENT:	
		Definition	51.01(10)
		Fire department access	52.02(2)
		Habitable room below grade	57.11
		Schools	56.03
		Windowless floor levels	52.012(1)
		BATHROOM (See TOILETS, TOILET ROOMS, REST	
		ROOMS, SANITARY FACILITIES)	
		BEAMS (Also see GIRDERS):	
		Concrete design	53.40
		Fire cuts	53.63
		Fire protective and fire-resistant	
		requirements	51.03, 51.043, 51.045
		Plywood beams	53.61
		Reinforced concrete	53.40

- Reinforced masonry 53.323
 Steel 53.50
 Structural, glue laminated 53.61
 Timber, heavy 53.61
 Wood 53.61
- BEARING:**
 Soil capacity 53.21
 Wood beams and girders 53.34, 53.63
 Wood columns 53.60
- BEARING WALL, Definition** 51.01(11)
- BED AND BREAKFAST ESTABLISHMENT:**
 Code exemption 50.04
 Definition 51.01(11a)
- BELOW-GRADE WALLS** 63.15 (6)
- BI-LEVEL ILLUMINATION** 63.50 (2)
- BLEACHERS, Temporary seats** 62.70-62.81
- BLOCKS, CONCRETE MASONRY UNITS** 53.311
- BOILERS** 63.20 (4), 64.22 (10)
- BOLTS (See ANCHORAGE AND ANCHORS)**
- BOWLING ALLEYS** ch. Comm 54 or 55
- BRACING:**
 Exterior stud walls 53.63
 Masonry walls, lateral 53.322
 Smokestacks 64.47
- BRIDGING:**
 Steel joists 53.50, 53.52
 Wood joists 53.63
- BUILDING:**
 Allowable areas and heights ... 51.02, 51.03, 52.013, 54.01, 56.01, 57.02, 59.12, 62.24, 62.43, 62.94
 Alterations 50.03, 50.07
 Capacity 54.05, 55.06, 57.04, 60.11
 Change of use 50.03, 52.04, 63.001
 Classes of construction 51.03
 Definition 51.01 (12)
 Existing 50.05
 Locations 51.02(7),(12), 51.03, 55.02(2m), 62.22
 Maintenance 52.22, 52.64, 55.50, 61.21
 Pole 51.03(6)
 Temporary 50.04
- BUILDING ENVELOPE** 63.10 - 63.18
 Definition 63.05 (4)
 Component standards 63.15
 Gross area of components 63.18 (3)
 Compliance methods 63.14
 System standards 63.16
 Energy cost budget 63.70
 Required documentation 50.12 (4)(b)
- BUILDING PLAN APPROVAL** 50.12
- BUTTRESS, Definition** 51.01(14)
- C**
- C (See thermal conductance)**
- CAISSONS** 53.24
- CALCULATIONS:**
 Energy conservation 50.12(4)(a)
 HVAC 50.12(4)(c)
- Structural 50.12(4)(b)
- CANOPIES:**
 Lighting 63.43 (2)
 Service stations 59.11
 Structural 53.11(4)
- CAPACITY (See BUILDING CAPACITY)**
- CAVITY WALL, Definition** 51.01(15)
- CEILING PROTECTION:**
 Day care centers 60.30
 Definition 51.01(16)
 Residential occupancies 57.01(3)
- CEILINGS** 51.03, 51.045
- CELLAR (See BASEMENT)**
- CEMENT (See PORTLAND CEMENT)**
- CERTIFICATE OF OCCUPANCY** 50.06
- CERTIFIED MUNICIPAL APPROVALS** 50.21
- CERTIFIED INSPECTOR, Definition** 51.01(16a)
- CFA (See conditional floor area)**
- CHANGE OF OCCUPANCY:**
 (Change of use) 50.03, 52.04, 63.001
- CHIMNEYS** 64.45, 64.46, 64.48, 64.50
- CHURCHES (See ASSEMBLY HALLS)**
- CIRCULATION, ACCESSIBILITY** 52.04
- CLASSIFICATION OF BUILDINGS:**
 Construction classification 51.03
 Occupancy classifications See OCCUPANCY
CHAPTERS chs. Comm 54, 55, 56, 57, 58, 59, 60, 61, 62
- CLASSROOMS:**
 Mobile training units 56.40
 Relocatable 56.30
- CLEANLINESS** 52.23
- CLEARANCE LIMITATIONS:**
 Fire Protection 64.51
 Headroom 51.164
 Open parking structures 62.25
- CLERESTORIES** 63.12 (2)(c)
- CLIMATE DATA** 63.23 (1)
- CLOSING DEVICE:**
 Definition 51.01(17)
 Residential occupancies 57.06(2)
- COLLEGES AND UNIVERSITIES** ch. Comm 56
- COLUMNS:**
 Definition 51.01(17n)
 Fire protection requirements 51.02, 51.03, 51.045
 Footings supporting 53.11
 Heavy timber 51.03
 Masonry 53.322
 Reinforced concrete 53.40
 Structural steel 53.50
 Wood 53.61, 53.63

COMBINATION SPACE AND WATER HEATING SYSTEMS 63.20 (4), 64.22 (10)

COMBUSTIBLE:
 Clearance to 64.51
 Construction, definition 51.01(18)
 Material, definition 51.01(19)
 Material, storage of 60.19

COMBUSTION AIR 64.09

COMFORT 63.05 (5), 63.25

COMFORT COOLING, Definition 63.05 (5)

COMFORT HEATING, Definition 63.05 (5)

COMMERCIAL MOTOR VEHICLE
 Definition 51.01(19a)

COMMISSIONING 64.53

COMMUNITY-BASED RESIDENTIAL FACILITIES (CBRF) ch. Comm 57 or 61
 Definition 51.01(19b)
 Exemption 50.04

COMPLETE BUILDING METHOD 63.47

COMPLIANCE FORMS 50.12 (4)(b)

COMPONENT STANDARDS METHOD 63.14, 63.15

COMPOSITE WALLS 53.322

COMPOSITION ROOFING 51.05

COMPUTER ROOMS 63.21 (2)(b)

CONCRETE: 53.40-53.42
 Types of 51.045

CONCRETE BLOCKS 53.311

CONCRETE CONSTRUCTION:
 Aggregate 53.40, 53.42
 Basement walls 53.322, 53.40
 Beams 53.40
 Block 53.311
 Columns 53.40
 Concrete 53.40-53.42
 Concrete, types of 51.045
 Erection 53.40
 Fire-resistance materials 51.043-51.045
 Fire-resistance ratings 51.043
 Gypsum concrete 53.41
 Lateral support 53.322, 53.40
 Materials 53.40
 Precast, Prestressed, Pretensioned 53.40
 Piers 53.322, 53.40
 Post-tensioned 53.40
 Protection against freezing 53.33
 Reinforced 53.40
 Stone 53.311, 53.40-53.42
 Tests 53.40
 Types 53.045
 Water 53.315
 Vermiculite 53.42
 Working stresses 53.311, 53.312, 53.40

CONCRETE FLOORS 63.15 (5)

CONDENSATION 63.11 (4)

CONDITIONED FLOOR AREA, Definition 63.05 (6)

CONDITIONED SPACE, Definition 63.05 (7)

CONDOMINIUMS ch. Comm 57

CONNECTED LIGHTING POWER 63.45

CONNECTORS, CHIMNEY & VENTS 64.50

CONSERVATION OF ENERGY ch. Comm 63

CONSTRUCTION:
 Aluminum 53.54
 Classes 51.03
 Concrete 53.40
 Definition 51.01(21)
 Masonry 53.32, 53.322, 53.323, 53.33, 53.34, 53.35
 Separation of classes 51.02(20)
 Stage separation 55.21
 Steel 53.50
 Temporary 50.04
 Types 51.03
 Wood framing 53.60, 53.61, 53.62, 53.63

CONVALESCENT HOMES ch. Comm 57

CONVENTS ch. Comm 57

COOLED SPACE,
 Definition 63.05 (8)

CORBELING MASONRY 53.34

CORRECTIONAL FACILITIES ch. Comm 58 subch. II

CORRIDOR, Definition 51.01(22)

CORRIDORS:
 Definition 51.01(22a)
 Required exits - fire ratings 51.03

COURT:
 Definition 51.01(23)
 Inner, definition 51.01(24)
 Inner lot line, definition 51.01(25)
 Outer, definition 51.01(26)
 Outer lot line, definition 51.01(27)
 Sizes 52.05

COURT WALLS, REQUIRED FIRE-RESISTIVE 51.03

CURB, CUT FOR BARRIER-FREE ACCESS 52.04(3)

CURTAIN, PROSCENIUM 55.23

CURTAIN WALL,
 Definition 51.01(28)

D

DAMPERS
 Combustion air 64.09 (2)
 Exhaust and intake 64.19 (5), 64.67 (5)(i)

DAMPERS AND SHUTTERS, FIRE 51.0485

DANCE HALLS ch. Comm 54 or 55

DAY CARE CENTERS ch. Comm 60

DAYLIT AREA 63.50 (3), A63.05 (13)
 Definition 63.05 (13)

DAYLIGHTING CONTROL	63.45 (2), 63.50 (3)	Residential facilities	57.12
Definition	63.05 (9)	DRY CLEANING ..	54.14(1)(c) (Also refer to ch. Comm 15)
DEAD LOADS	53.10	DUCT, Definition	51.01(31)
DEADBAND	63.26 (2)(d)	DUCT FURNACE, Definition	51.01(32)
Definition	63.05 (10)	DUCTS	64.31-64.40
DECAY PREVENTION	53.63	Duel duct systems	63.27 (2)(g)
DECORATIVE FEATURES:		Insulation	63.29 (3)
Assembly halls	55.18, 55.19	Kitchen exhaust	64.67
Exterior projections	51.03	Materials	64.34
Fire protection requirements	51.02(15)	Sealing	64.34
Interior finishes	51.06	Underground	63.27
DEFINITIONS:		DUMB WAITERS (Refer to ch. Comm 18)	
Certain words and topics	51.01, 63.05	DWELLING UNITS	63.45 (3)(p), 63.42 (4)
Occupancies, scopes ..	54.001, 55.01, 56.001, 56.30, 56.40,	DWELLINGS:	
56.50, 57.001, 58.001, 58.40, 59.10, 60.01, 61.001, 62.20,		Apartments	ch. Comm 57
62.35, 62.42, 62.52, 62.70, 62.90, 62.97		One and two-family units exempt	50.04
Types of construction	51.03	(Also refer to Uniform Dwelling Code chs. Comm 20-25)	
DEGREE DAY, Definition	63.05 (11)		
DEHUMIDIFICATION CONTROLS	63.27	E	
DEPARTMENT, Definition	51.01(29)	EA (See effective aperture)	
DESIGN CONDITIONS	63.23	EARTH PRESSURE:	
DESIGN AND SUPERVISION OF		Piling	53.24
CONSTRUCTION	50.07, 50.10	Pole foundations	53.28
DETECTORS (See SMOKE DETECTION)		Soil bearing capacity	53.21
DETENTION AND CORRECTIONAL		ECB (See energy cost budget)	
FACILITIES	ch. Comm 58 subch. II	ECCENTRIC LOADS	53.11
DIAPHRAGMS, PLYWOOD	53.61	ECONOMIZERS	63.31
DIRECT VENT SEALED COMBUSTION CHAMBER		Water economizers, definition	63.05 (15)
APPLIANCE:		EFFECTIVE APERTURE, Definition	63.05 (16)
Boilers	64.21(2)	EFFICACY, Definition	63.05 (17)
Definition	51.01(29a)	EFFICIENCIES	63.20, 63.21, A63.20
Furnaces	64.21(1)	ELECTRIC WELDING	53.53
Water heaters	64.21(2)	ELECTRICAL WORK:	
DISPLAY LIGHTING, Definition	63.05 (11)	CBRF	61.25
DISTANCE BETWEEN BUILDINGS	51.03	General Requirements	52.20
DISTRIBUTION OF EXITS	51.151	Sprinklers	51.23(1)
DIVISION WALL, Definition	51.01(30)	(See also Wis. Electrical Code ch. Comm 16)	
DOORS	63.15 (2), 63.18 (1), 63.18 (2)(a) 3., A63.18	ELPA (See exterior lighting power allowance)	
DOORS AND DOOR ASSEMBLIES, RATED	51.047	ELEVATORS (Refer to ch. Comm 18)	
DORMITORIES	ch. Comm 57	ELEVATOR SHAFTS (See VERTICAL OPENINGS)	
DRAFT STOPS	53.63	EMERGENCY LIGHTS	63.45 (3)(l)
DRAWINGS (See ADMINISTRATION AND		EMISSIVITY, Definition	63.05 (18)
ENFORCEMENT)		ENCLOSURE OF VERTICAL OPENINGS	
DRESSING ROOMS, STAGE	55.28	(See STAIRS AND STAIRWAYS and TYPES OF	
DRINKING FOUNTAINS:		CONSTRUCTION)	
Accessibility	52.04(11)	ENERGY CONSERVATION: (ch. Comm 63)	
Assembly halls	55.32	HVAC Equipment and systems:	
CBRF's	61.19	Controls	63.26, 63.27, 63.28
Correctional facilities	58.68	Cooling with outdoor air	63.31
Educational facilities	56.16	Equipment efficiencies	63.20
Factories, offices, stores	54.12	Insulation	63.29
General requirements	52.60(4)	Illumination and electrical systems:	
Health care facilities	58.32	Controls	63.45, 63.50, 63.51
		Lighting	63.40-63.49
		Motors	63.32

Nondepletable energy sources:
 Documentation 63.61
 Solar, wind, geothermal, and others 63.60

Scope and purpose:
 General 63.001
 Plans and specifications 63.01
 Purpose 63.002

Systems analysis design:
 Annual energy consumption 63.70
 Documentation 63.72
 Simulation 63.71

Thermal envelope
 Component standards 63.15
 System standards 63.16
 Calculations 63.18
 General requirements 63.11

ENERGY COST BUDGET 63.70

ENERGY RECOVERY (See heat recovery)

ENGINEER:
 Design 50.07, 50.08
 Plan submittal 50.12
 Supervision 50.10

EQUIPMENT, Definition 51.01(34)

EQUIPMENT CONTROLS 63.22, 63.27 (3)

EQUIVALENT THICKNESS, MASONRY 51.045

EXCAVATIONS 53.20-53.28

EXHAUST VENTILATION SYSTEMS: 64.08
 Definition 51.01(35)

EXHIBITION BUILDINGS ch. Comm 54

EXISTING, Definition 51.01(36)

EXISTING BUILDINGS:
 Additions, alterations, repairs 50.03, 63.001
 Application of code 50.03
 Barrier-free environment 52.04
 General orders on (Refer to chs. Ind. 160-164)

EXIT:
 Access, definition 51.01(36b)
 Aisles (See PASSAGEWAYS)
 Areas of hazards 51.167
 Capacity 51.15
 Court 52.05
 Court, definition 51.01(37)
 Definition 51.01(36a)
 Discharge grade, definition 51.01(38)
 Distribution 51.151
 Doors 51.15, 54.06, 55.10, 56.08, 57.06, 58.04, 58.49,
 59.13, 60.12, 61.12
 Doors, revolving, sliding 51.15(2), 54.06, 55.10
 Enclosures 51.02(14), 51.18
 Hardware 51.15(3)
 Horizontal 51.19
 Lights 51.15(5), 54.06, 55.11, 56.06, 57.10, 58.18, 58.57,
 59.14, 60.38, 62.29, 62.51
 Locking 51.15(3), 54.06(3), 58.20, 58.58
 Means of egress, definition 51.01(80a)
 Monumental stairs 54.08, 55.09
 Number required 54.02, 55.07, 56.06, 57.03, 58.05, 58.49,
 59.14, 60.11, 60.31, 61.12, 62.26, 62.47, 62.53, 62.75,
 62.95, 62.99
 Panic hardware 51.15(3)
 Ramps (See RAMPS)
 Rescue platforms 54.03, 57.05
 Signs 51.15(5), 63.45 (3)(n), 63.52

Sliding door glazed 57.06, 60.12
 Stairways 51.16
 Width 51.15, 54.04, 55.12, 56.07, 57.04, 58.12, 58.54, 59.15,
 60.32, 62.47
 Vertical, definition 51.01(39)

EXPLOSIVES, Storage of (Refer to ch. Comm 7)

EXPOSED EXTERIOR COLUMNS AND
 FRAMING 51.02(10)

EXTERIOR ENVELOPE, Definition 63.05 (19)

EXTERIOR LIGHTING
 Building facades 63.43 (2) (d)
 Canopy 63.43, (2) (b)
 Exempt 63.42
 Manufacturing 63.42 (1)
 Power allowance 63.43
 Soffits 63.43 (2) (b)
 What is covered 63.40

EXTERIOR OPENINGS:
 Doors (See DOORS AND DOOR ASSEMBLIES)
 Ducts 64.19
 Exits 51.15, 51.20
 Fire protection 51.02 (4), 51.03
 Intakes 64.19
 Vents 64.19, 64.39, 64.40

EXTERIOR ROOF OR CEILING,
 Definition 63.05 (20)

EXTERIOR ROOF OR CEILING AREA,
 Definition 63.05 (21)

EXTERIOR SHADE 63.50 (3) (b) 2.

EXTERIOR STAIRWAYS 51.16, 51.20, 54.03

EXTERIOR WALL:
 Construction 51.02(4), 51.03
 Definition 51.01(41), 63.05 (22)

EXTERIOR WALL AREA,
 Definition 63.05 (23)

F

FACTORIES 54.001

FACTORY, Definition 51.01(41a)

FAMILY, Definition 51.01(42)

FARM BUILDINGS, Exemption 50.04

FARM OPERATION, Definition of 51.01(42a)

FEE SCHEDULE (Refer to ch. Comm 2)

FENESTRATION,
 Definition 63.05 (24)
 ACP tables 63.15
 U-value 63.18 (2) (b)

FENESTRATION AREA, Definition 63.05 (25)

FENESTRATION IN-FILL PANELS 51.02(4)

FILLING STATIONS ch. Comm 54 or 59

FINISHES (See INTERIOR FINISHES)

FIRE:
 Alarms 51.24, 54.17, 56.19, 57.17, 58.64, 58.83, 59.24, 60.36
 Dampers 51.0485
 Doors 51.047

Escapes	51.20	FLOORS OVER UNCONDITIONED SPACE	63.15 (4), 63.18 (3) (b)
Exits (See EXIT)		FLUES	64.46
Extinguishers	51.22, 54.145, 55.33(3), 56.18, 57.18, 58.28, 58.63(3), 59.23, 61.20, 62.50	FOAM PLASTICS	51.06
Protection requirements	51.02, 51.03	FOOTING (Also see FOUNDATIONS)	53.20
Ratings of material and assemblies	51.04	FOUNDATIONS:	
Sprinklers	51.23, 52.01, 52.011, 52.012, 52.013	Basement wall loads	53.11
Standpipes	51.21, 54.15(2), 55.33(2), 56.20(2), 57.15(2), 58.28, 58.63(2), 59.23, 62.30	Caissons	53.24
Stopping	51.02 (24), 51.049	Concrete	53.40
Walls-division	51.02(13)	Design	53.11
FIRE DOOR, Definition	51.01(43)	Frost penetration	53.23
FIRE DOOR ASSEMBLY, Definition	51.01(44)	Masonry	53.322
FIRE DOOR CLOSING DEVICE, Definition	51.01(45)	Permit for	50.13, 50.14
FIRE RESISTANCE AND FIRE RESISTIVE MATERIAL, Definition	51.01(46)	Piers	53.322
FIRE RESISTANCE RATINGS:		Piles	53.24
Assemblies	51.045	Pole	53.28
Construction	51.03	Protection of adjoining property	53.26
Materials	51.045	Settlement	53.25
Standards and references	51.04	Soil bearing	53.21
Testing laboratories	51.044	Walls	51.02(4)
FIRE RESISTIVE:		Wood and timber, treated	51.02(4), 53.61, 53.64
Classification, definition	51.01(47)	FOYER,	
Protection, definition	51.01(48)	Definition	51.01(58)
Protection, directly applied, definition	51.01(49)	FREESTANDING FREEZER AND COOLER:	
Rating, definition	51.01(50)	Definition	51.01(58a)
Standards	51.04	Foam plastic	51.06
FIRE RETARDANT:		FREEZER WAREHOUSES	51.06
Roof coverings, definition	51.01(51)	FRONT YARD, Definition	51.01(59)
Treated wood, definition	51.01(52)	FROST, DEPTH OF FOUNDATION FOR	53.23
FIRE SUPPRESSION SYSTEM:		FUNERAL HOMES	ch. Comm 54 or 55
Definition	51.01(7b)	FURNACE:	
General requirement	51.23	Definition	51.01(61)
High rise buildings	52.01(1)	Duct, definition	51.01(62)
FIRE WINDOW ASSEMBLY		Requirements	63.20, 64.21, 64.22
Definition	51.01(53)	FURRING:	51.03, 51.06
FIREBLOCKING:		Fire division wall	51.02(13)
For wood frame construction	51.02 (24)	Fire doors	51.047, 54.02
FIREPLACES AND FIREPLACE STOVES	58.24, 64.22	Motion picture machine booths	55.43, 55.44
FIRST FLOOR,		Stage smoke outlets	55.24
Definition	51.01(54)		
FLAMEPROOFING REQUIRED	55.19, 62.45	G	
FLAME-SPREAD CLASSIFICATION		GALLERY	ch. Comm 56
Definition	51.01(55)	GALVANIZED:	
FLOODPLAIN, CONSTRUCTION WITHIN	50.07	Ducts	64.34
FLOOR:		Roofing	51.05
Definition	51.01(56a)	Siding	51.03
Finish	51.07, 52.57	GARAGES:	
Fire resistance	51.03	Mini-storage buildings	62.995
First, determination	51.02(14)	Repair	ch. Comm 59
Level, definition	51.01(57a)	Separations	51.08
Loads	53.10, 53.11, 53.13	Storage	ch. Comm 59
Mezzanine, definition	51.01(82)	GENERAL LIGHTING, Definition	63.05 (26)
Pits, in garage	59.11	GLA (see gross lighted area)	
Plywood	53.61	GLASS:	
Posting loads	54.17	Block assemblies	51.048
Protection for stoves, water heaters	64.51	Labeling	51.048
Trap door, stage	55.22	Sizes	51.03, 51.048
		Wired	51.048

GLAZING, SAFETY 51.14

GRADE:
 At building, definition 51.01(63)
 Exit discharge grade, definition 51.01(64)
 Lumber 53.61
 Plywood 53.61

GRAIN ELEVATORS ch. Comm 54

GRANDSTANDS 62.70-62.81

GRAVITY EXHAUST VENTILATION
 Definition 51.01(65)

GRAVITY SIPHON-TYPE VENTILATOR 64.08

GREENHOUSE 62.90-62.96

GROSS AREA, Definition 51.01(66)

GROSS EXTERIOR WALL AREA, Definition ... 63.05 (27)

GROSS FLOOR AREA, Definition 63.05 (28)

GROSS FLOOR AREA OVER OUTSIDE OR UNCONDITIONED SPACES, Definition 63.05 (29)

GROSS LIGHTED AREA 63.49 (5)
 Definition 63.05 (30)

GROSS ROOF AREA, Definition 63.05 (31)

GROSS EXTERIOR ROOF AREA, Definition ... 63.05 (32)

GROSS EXTERIOR WALL AREA, Definition ... 63.05 (33)

GROUND FLOOR:
 Definition 51.01(67)
 Number of stories 51.02(14)

GUARD TOWERS 58.67

GUARDRAILS: 51.162
 Grandstands 62.77
 Parking structures 62.28

GYMNASIUMS: ch. Comm 54 or 55
 Schools 56.02(5)

GYPSUM:
 Concrete 53.41
 Fire resistance ratings 51.045
 Reinforced 53.41

H

HABITABLE ROOM:
 Definition 51.01(67a), 61.01
 Floors below grade 57.11

HANDICAP (See ACCESSIBILITY FOR PHYSICALLY DISABLED)

HANDRAILS:
 Fire escapes 51.20
 Ramps, accessibility 52.04
 Stairways 51.161

HANGARS, AIRPLANE: ch. Comm 59
 Plan review exemption 50.12(1)

HAZARDOUS OCCUPANCIES: ch. Comm 59
 Construction 59.11
 Exiting 59.13-59.19
 Fire detection and suppression 59.23-59.24
 Height and area limitations 59.12
 Isolation of hazards 51.08 (2)

Occupancy separations 51.08
 Sanitary facilities 59.20

HAZARDOUS PIPING:
 Definition 51.01(68)
 Plenum 64.41

HAZARDS, ISOLATION OF 51.08 (2), 58.24

HC (See wall heat capacity)

HEADROOM 51.164, 62.25

HEALTH CARE FACILITIES: ch. Comm 58 subch. I
 Automatic sprinklers 58.24, 58.25, 58.29
 Class of construction 58.01
 Corridor wall construction 58.31
 Detention, alarm and communication systems 58.27
 General requirements 58.01
 Separation from other occupancies 58.02
 Smoke barriers 58.30

HEAT CAPACITY 63.15 (3), A63.15 (3) (b)
 Definition 63.05 (34)

HEAT PUMP AUXILIARY HEAT 63.22

HEAT RECOVERY 64.56 (3)

HEAT TRAPS Table 63.29-1

HEATED SIDEWALK, PROHIBITED 63.19

HEATED SPACE, Definition 63.05 (25)

HEATING SYSTEM, Definition 51.01(69)

HEATING, VENTILATING AND AIR CONDITIONING: ch. Comm 64

HEATING, VENTILATING AND AIR CONDITIONING SYSTEM, Definition 63.05 (36)
 Air cleansing devices 64.16
 Air movement and distribution 64.06
 Air velocities 64.31
 Automatic controls 64.17
 Chimneys, factory built 64.48
 Chimneys, masonry 64.46
 Combustion air intakes 64.09
 Contamination of air 64.18
 Dampers and damper controls 51.0485, 64.09
 Design 50.07, 50.08
 Duct connectors 64.35
 Duct construction 64.34
 Duct design 64.31
 Duct use 64.32
 Equipment installations 64.21
 Equipment ratings safety controls 64.20
 Exhaust ventilation system 64.08
 Fans and blowers 64.44
 Fire dampers and fire doors 51.0485
 Gas vents 64.50
 Gravity ventilation ducts 64.38
 Heat loss and capacity 64.03
 Inside design temperatures and ventilation 64.05
 Insulation 64.37
 Location of air intakes or exhausts 64.19
 Mechanical ventilation systems 64.06
 Natural ventilation systems 64.07
 Occupancy requirements 64.54-64.68
 Outside temperature design conditions 64.04
 Piping 64.23
 Plan submission 50.12
 Plenums 64.41
 Relief vents 64.40
 Smoke pipes 64.49
 Smokestacks, metal 64.47

Solid fuel burning	64.21			
Special equipment requirements	64.22			
Tempered air requirements	64.13			
Tempered outside air requirements	64.14			
Underground duct	64.33			
Ventilation discharge	64.39			
Vertical shafts	64.36			
HEAVY TIMBER CONSTRUCTION	51.03(4)			
HEIGHT:				
Automatic sprinklers	51.02(21), 52.01			
Chimneys	64.45			
Classifications of construction	51.03			
Definition	51.01(70)			
Masonry walls	53.322			
Parapet walls	51.02(12), 53.322			
Towers, spires, poles	53.61, 62.35			
Windloads	53.12			
HOLLOW BONDED WALL, Definition	51.01(71)			
HOLLOW MASONRY:				
Units	53.311			
Walls	53.321, 53.322, 53.34			
HOODS, KITCHEN EXHAUST	64.67			
HORIZONTAL EXITS	51.19			
HORSE ARENA	ch. Comm 54 or 55			
HOSE:				
Sprinklers	51.23			
Standpipes	51.21			
HOSPITALS:	ch. Comm 58 subch. I			
Definition	51.01(71a)			
HOTELS	ch. Comm 57			
HUMIDITY ...	53.05 (5), 63.05 (37), 63.25 (1), 63.27 (2) (c), 63.28			
HUMIDISTAT, Definition	63.05 (37)			
HVAC (See heating, ventilating and air conditioning)				
HVAC				
ControlsDeadband	63.26 (2) (d)			
Dehumidification	63.27			
Humidity control	63.28			
Off-hour isolation	63.27 (3)			
Shut-off dampers	64.19 (5)			
HVAC EQUIPMENT				
Field assembled	63.21			
Minimum efficiencies	63.20			
Mixed manufacturers	63.21			
Multiple functions	63.20 (4), (5), (6)			
Part-load performance	63.20 (3)			
Scope	63.20			
Sizing	63.23			
HVAC SYSTEMS				
Balancing	64.53			
Dual duct	63.27 (2)(g)			
Sizing	63.23			
Testing	64.53 (1), (4)			
			I	
			IN-FILL PANELS, FENESTRATION	51.02(4)
			INCREASE IN AREAS ALLOWED	54.01, 57.01, 59.12
			INDEPENDENT SYSTEMS	63.26 (2)
			INDIRECTLY CONDITIONED SPACE,	
			Definition	63.05 (38)
			INFILTRATION	63.11, 64.03
			INNER LOT LINE COURT, Definition	51.01(73)
			INSPECTIONS:	50.18
			Public school maintenance	56.21
			INSULATION:	63.17
			Ducts	63.29, 64.37
			Linings, duct	64.36
			Pipe coverings	63.29, 64.23
			Slab, perimeter	63.15(5)
			Thermal performance	63.14
			INTAKE, OUTSIDE AIR, Definition	51.01(74)
			INTERIOR BALCONY (See MEZZANINE)	
			Definition	51.01(75)
			INTERIOR DRAPES (See interior shading)	
			INTERIOR FINISHES:	
			Application of	51.07
			Definition	51.01(75a)
			Flame spread	51.07, 58.26
			Floor finish, toilet rooms	52.57
			Smoke developed	51.07, 58.26
			Walls, toilet rooms	52.58
			INTERIOR LIGHTING	63.44 - 63.53
			Exempt	63.45 (3)
			What is covered	63.45
			INTERIOR LIGHTING POWER	63.45
			INTERIOR LIGHTING POWER ALLOWANCE	63.46
			INTERIOR PARTITIONS	51.03
			INTERIOR SHADING	63.15 (2) (b), 63.18 (4)
			INTERIOR STAIRWAYS, ENCLOSED	51.18
			ISOLATION OF HAZARDS	51.08 (2), 58.24
				J
			JAILS	ch. Comm 58 subch. II
			JOISTS:	
			Concrete	53.40
			Decay resistance	53.63
			Fire cuts	53.63
			Fire resistance ratings	51.045
			Fire stopping	53.63
			Floor framing	53.63
			Steel	53.50, 53.52
			Wood	53.60-53.63L
			LABELS:	
			Exit door bolts	51.15(3)
			Fire doors	51.047
			Roofing	51.05

Safety glazing	51.14	Snow	53.11
Windows	51.048	Soil	53.21
LADDERS, ACCESS TO ATTIC OR ROOF	51.02(18)	Tests	53.21
LAMINATED MATERIALS	53.60	Wind	53.12
LATERAL BRACING	53.50	LOADS, PILES	53.24
LAUNDRY ROOMS:		LOADS, RAILINGS	51.14(3), 51.161, 62.28
Sprinklers	52.011	LOADS, WIND	53.12
LAVATORIES	52.60(3)	LOBBY:	
LIBRARIES	ch. Comm 56	Definition	51.01(77)
LIGHT:		Theaters	55.15
Exit signs ... 51.15, 54.06, 55.11, 56.06, 57.10, 58.18, 58.57,		LOCAL REGULATIONS	50.06
59.14, 60.38, 62.29, 62.51		LOCKS ON DOORS	51.15(3), 54.06(3), 58.20
Occupancies 54.11, 55.30, 56.17, 58.17, 58.575, 59.19,		LODGING HOUSES	ch. Comm 57
60.17, 62.60		LOT LINE, Definition	51.01(78)
Lighting power budgets	63.43-63.49	LOT LINES, Plot plan required	50.12(3)
LIGHT TRANSMITTING PLASTICS	51.065	LPB (See lighting power budget)	
LIGHTING		LPD (See lighting power density)	
Default wattages	Tables A63.45 1-6	LS (See listed space area)	
Efficacy	63.42 (6)	LUMBER	53.61
Definition	63.05 (17)	LUMEN MAINTENANCE	63.45 (2), 63.51 (6)
Multi-use facility	63.45 (1), Table 63.49 note f	Definition	63.05 (40)
Multifunction rooms	63.45 (1)	LUMINAIRES,	
Scope	63.40	Definition	63.05 (41)
Simultaneous activities	63.45 (1)	Portable	63.45
Trade-offs	63.41	Track lighting	63.45 (4)
LIGHTING CONTROLS			
Daylight	63.45 (2), 63.50 (3)	M	
Eligible	63.45 (2), 63.50	MAINTENANCE:	
Exterior	63.50 (6)	Assembly halls	55.50
Lumen maintenance, definition	63.05 (40)	Automatic fire sprinklers	51.23(6), 52.01(2)
LIGHTING POWER ALLOWANCE		CBRP's	61.24
Exterior	63.43	Fire alarms	51.24(10)
Interior	63.46 - 63.49	Fire extinguishers	51.22(3)
Complete building method	63.47	Exits	52.21
Area category method	63.48	General	52.22, 52.23
Activity method	63.49	HVAC systems	64.52
LIGHTING POWER ADJUSTMENT FACTOR.	Table 63.45	Public schools	52.22 note
LIGHTING POWER BUDGET	63.49 (5)	Smoke detectors	51.245(3)
LIGHTING POWER CONTROL CREDITS	63.45 (2)	Standpipes	51.21(8)
LIGHTING POWER DENSITY	63.47, 63.48, 63.49(5)	Toilet rooms	52.64
LINTEL	51.03(5)	MAJOR APPARATUS, Definition	51.01(79)
LISTED SPACE AREA, Definition	63.05 (39)	MANSARDS (Wall construction behind)	51.03(1), (2) (3)
LIVING UNIT, Definition	51.01(76a)	[Also refer to decorative combustible materials .. 51.02(15)]	
LOADS, DEAD	53.10	MANUAL, Definition	63.05 (42)
LOADS, DESIGN COMBINATIONS	53.15	MANUFACTURING, OCCUPANCY	ch. Comm 54
LOADS, FOOTINGS AND FOUNDATIONS	53.20	MASONRY CONSTRUCTION:	
LOADS, LIVE:		Aggregate	51.045, 53.312
Concentrated	53.11	Basement walls	53.322
Cranes	53.13	Block	53.311
Floor loads, occupancy	53.11	Brick	53.311
Footings	53.11	Cast stone	53.311
Impact	53.13	Cavity walls	53.321, 53.322
Posting loads	54.17	Cementitious materials	53.314
Reduction of loads	53.11	Ceramic	53.36
Roof	53.11	Ceramic veneer	53.36
Sidewalks	53.11	Change in thickness	53.34
		Chases	53.34

Chimney walls	53.321	MINIMUM DESIGN LOADS	53.10, 53.11
Clay or shale units	53.311	MOBILE TRAINING CLASSROOMS	56.40-56.46
Composite	53.322	MOISTURE MIGRATION	63.11 (4)
Concrete units	53.311	MONUMENTAL STAIRS	54.08, 55.09
Construction	53.33	MORTAR	53.312
Corbeling	53.34	MOTELS	ch. Comm 57
Definition	51.01(80)	MOTOR VEHICLE GARAGES	ch. Comm 59
Design, empirical	53.322	MOTORS	
Design, engineered	53.323	Minimum efficiency	63.32
Details, construction	53.34	Multispeed	63.32 (f)
Erection, general	53.01	Sizing	63.53 (2)-(4)
Fire resistance materials	51.043-51.045	MULTIBUILDING FACILITIES	63.41
Fire resistance ratings	51.043	MULTIPLE-ZONE SYSTEMS	63.27
Glass blocks	51.048	MULTISCENE DIMMING SYSTEM, Definition .	63.05 (46)
Grout	53.313	MUSEUMS	ch. Comm 56
Gypsum, mortar	53.312		
Gypsum units	53.311	N	
Hollow	53.311	NAILS	53.63
Jointing	53.322, 53.36	NATIONAL FENESTRATION RATING	
Lateral support	53.322	COUNCIL	63.18 (2) (b)
Materials	53.31	NET AREA,	
Mortar	53.312	Definition	51.01(83)
Piers	53.322	NONBEARING PARTITIONS OR WALLS:	
Protected	51.03(5)	Definition	51.01(84)
Protection against freezing	53.33	Fire protective requirements	51.03
Reinforced, ties and anchors	53.316	Fire resistance ratings	51.03
Stone	53.311	Genera	151.02
Terra cotta	53.36	Masonry	53.17, 53.322
Tests	53.35	NONCOMBUSTIBLE CONSTRUCTION	
Types	53.321	Definition	51.01(85)
Units	53.311	NURSING HOMES:	ch. Comm 58 subch. I
Unprotected	51.03(5)	Definition	51.01(86a)
Veneered walls	53.36		
Wall thickness	53.322	O	
Water	53.315	OBSTRUCTION-PROHIBITED:	
Working stresses	53.311, 53.312	Aisles	52.21
MASS WALLS	63.15 (3)	Exits	51.15(2)
Definition	63.05 (43)	Horizontal exit	51.19(2)
MASS WALL POSITION,		Stairways	51.16(3)
Definition	63.05 (44)	OCCUPANCY OR USE, Definition of	51.01(87)
MATERIALS, METHODS AND DEVICES,		VARIANCE, PETITION FOR	50.25
Approval of	50.19	OCCUPANCY CHAPTERS:	
MEANS OF EGRESS (See EXIT)		CHILD DAY CARE FACILITIES (including all public and	
Definition	51.01(80a)	private day care centers accommodating children, including	
MECHANICAL VENTILATION(See VENTILATION)		all buildings, or parts of buildings, used as day care	
MEDICAL AND CLINICAL AREA,		facilities)	Chapter Comm 60
Definition	63.05(45)	COMMUNITY-BASED RESIDENTIAL FACILITIES	
MENTAL HOSPITALS	ch. Comm 58 subch. I	(CBRF) (including facilities providing care, treatment and	
METAL BUILDINGS	63.18 (2)	services to 9 through 20 unrelated adults located in	
MERCANTILE, Occupancy	ch. Comm 54	existing buildings and sheltered facilities for battered	
MEZZANINE, MEZZANINE FLOOR:		women)	Chapter Comm 61
Definition	51.01(82)		
Number of stories	51.02(14)		
MINI-STORAGE BUILDINGS:	62.995		
Definition	51.01(82a)		

FACTORIES, OFFICE AND MERCANTILE BUILDINGS
 (including all factories and workshops, office buildings, telegraph and telephone offices, mercantile establishments where commodities are bought or sold, taverns, warehouses, railroad stations, exhibition buildings, and places where not more than 100 persons assemble for recreation, entertainment, worship, or dining purposes) Chapter Comm 54
HAZARDOUS OCCUPANCIES (including all garages [except private garages], filling stations and related buildings and structures, automobile tire or battery shops, and other occupancies where flammable or combustible liquids or other hazardous materials are manufactured, processed, stored, or otherwise handled) Chapter Comm 59
HEALTH CARE FACILITIES AND PLACES OF DETENTION (including hospitals, nursing home reformatories and lock-ups) Chapter Comm 58
RESIDENTIAL OCCUPANCIES (including all apartment buildings, garden apartments, row houses, town houses, condominiums, rooming houses, hotels, motels, dormitories, convents, monasteries, homes for the aged, community-based residential facilities, sheltered facilities for battered women, and other places of abode ... Chapter Comm 57
SCHOOLS AND OTHER PLACES OF INSTRUCTION
 (including all public and private schools, universities, colleges, academies, seminaries, libraries, museums and art galleries, including all buildings or parts of buildings used primarily for instructional purposes) ... Chapter Comm 56
SPECIALTY OCCUPANCIES (including open parking structures, radio and television transmitting and receiving antenna, tents, outdoor theaters, assembly seating facilities, greenhouses, pedestrian access structures connecting buildings) Chapter Comm 62
THEATERS AND ASSEMBLY HALLS (including all buildings, or parts of buildings, containing an assembly hall having a stage which may be equipped with curtains or permanent or movable scenery, or which is otherwise adaptable to the showing of plays, operas, motion pictures, or similar forms of entertainment; and all buildings, or parts of buildings other than theaters, which will accommodate more than 100 persons for entertainment, recreation, worship or dining purposes) Chapter Comm 55

OCCUPANCY SEPARATION 51.08 (1)
OCCUPANT LOAD:
 Calculating capacities . 54.06, 55.06, 56.07(2), 57.04, 58.12, 58.46, 59.16, 60.11
 Exit width 51.15(6)
OCCUPANT SENSORS 63.45 (2), 63.51 (4)
 Definition 63.05 (47)
OCCUPIED, Definition 51.01(88)
OIL STORAGE 64.23(5)
OPAQUE AREAS, Definition 63.05 (48)
OPAQUE WALL 63.05 (48), 63.15 (3), 63.18 (3) (c)
OPENINGS:
 Combustion air 64.09
 Exterior walls 51.02 (4), 51.03
 Fire department access 52.02
 Motion picture projection booths 55.39
 Protected with fire doors or windows 51.047, 51.048
 Rated construction 51.045, 51.049
 Stairways or shafts 51.02(11), 51.03

OPEN PARKING STRUCTURES ch. Comm 62 subch. I
OPEN SPACES, Definition 51.01(89)
OPEN WEB STEEL JOIST 53.52
ORIEL WINDOWS (Bay) 51.03
ORNAMENTAL CHANDELIERS, DEFINITION . 63.05 (49)
ORPHANAGES ch. Comm 57
OUTDOOR OPENINGS, Definition 51.01(90)
OUTDOOR THEATERS 62.52–62.62
OUTLET (SUPPLY OPENING), Definition 51.01(93)
OUT-PATIENT SURGICAL FACILITIES:
 Definition 51.01(93a)
 HVAC systems 64.57
OUTSIDE AIR, Definition 51.01(94)
OUTSIDE AIR INTAKE, Definition 51.01(95)
OUTSIDE STAIRS 51.16, 51.20, 54.03(1)

OWNER:
 Application for permit 50.12
 Responsibility 50.11

P

PANEL WALL, Definition 51.01(96)
PANIC HARDWARE 51.15(3)
PARAPET WALL 51.02(12)
PARITY, REST ROOM 55.32, 54.12, 52.50, 62.58
PARKING GARAGE, OPEN DECK .. ch. Comm 62 subch. I
PARKING LOTS 63.43
PARKING SPACES, for physically disabled 52.04(3)
PART LOAD PERFORMANCE 63.20 (3)
PARTITION, Definition 51.01(97)
PARTY WALL, Definition 51.01(98)
PASSAGEWAYS 52.21, 54.07, 56.09, 57.09, 59.15, 60.22, 60.33, 61.12
PEDESTRIAN ACCESS STRUCTURES 62.97
PENALTIES AND VIOLATIONS 50.26
PENTHOUSE: 51.03
 Definition 51.01(99)
PERIMETER ZONES 63.26 (2)
PERMITS, BUILDING:
 Agent municipalities 50.21
 Plan approval 50.12
 Footing and foundations 50.13
 Local 50.06
 To start construction 50.14

PETROLEUM STORAGE (Refer to ch. Comm 10)
PEWS, Width 55.13
PHOTOCELL SENSORS 63.51 (7)
PHYSICALLY DISABLED,
 General requirements 52.04

PIERS:
 Definition 51.01(100)
 Masonry 53.322

PILASTER, Masonry:
 Definition 51.01(101)
 General requirements 53.322

PILES 53.24

PIPE:
 Duct 64.33
 Insulation 63.29 (2)
 Smoke 64.49
 Steam or hot water 64.23

PIPING, HAZARDOUS, Definition 51.01(102)

PLACE OF ABODE, Definition 51.01(102a)

PLACE OF EMPLOYMENT, Definition 51.01(102b)

PLACES OF DETENTION: ch. Comm 58 subch. II
 Class of construction 58.42
 Exiting 58.47-58.58
 Fire detection and suppression 58.62-58.65
 Guard towers and observation stations 58.67
 Isolation of hazards 58.61
 Protection of openings 58.59-58.60
 Sanitary facilities 58.66
 Separation from other occupancies 51.08

PLANS:
 Examination and approval 50.12
 Fee (Also refer to ch. Comm 2) 50.20
 Plot 50.12
 Prepared outside Wisconsin 50.08
 Required for permit to start 50.14

PLASTICS, FOAM 51.06

PLASTICS, LIGHT TRANSMITTING 51.065

PLATFORMS:
 Guardrails 51.162
 Rescue platforms 54.03, 57.05
 Stairway landings 51.16(5)

PLENUM 64.41

PLOT PLAN, Required 50.12(3)

PLYWOOD 53.61

POLE BUILDING 51.03(6)

POLE FOUNDATIONS 53.28

POLICE STATION, Occupancy ch. Comm 54 or 58
 subch. II

PORCH, Definition 51.01(103)

PORTLAND CEMENT, Masonry mortar 53.35

POSTING:
 Floor loads 54.18
 Occupancy capacities 55.06

POWER PLANT, Occupancy ch. Comm 54

PRECISION COMMERCIAL OR INDUSTRIAL WORK,
 Definition 63.05 (50)

PRESSURE TREATED WOOD:
 Fire retardant, definition 51.01(52)
 For decay prevention 53.63

PRESTRESSED CONCRETE 53.40

PRISON, Occupancy 58.40-58.69

PRIVATE DRIVEWAYS, WALKWAYS, AND PARKING
 LOTS, Definition 63.05 (51)

PRIVATE GARAGE,
 Definition 59.01(5)

PROJECTION BOOTH 55.39

PROPERTY, ADJOINING, Protection of 53.26

PROPERTY LINE, Definition 51.01(104)

PROSCENIUM 55.21, 55.22, 55.23

PROTECTION AGAINST DECAY AND TERMITES . 53.63

PROTECTION OF VERTICAL SHAFTS . 51.02(11), 51.03,
 54.08, 55.09, 56.10, 57.08, 58.23(1), 58.25, 58.61, 59.17,
 60.34, 62.27

PROTECTION OF WALL OPENINGS 51.047, 51.048,
 51.049

PUBLIC BUILDING, Definition 51.01(104a)

PUBLIC DRIVEWAYS, WALKWAYS, AND PARKING
 LOTS, Definition 63.05 (52)

PUBLIC SEWERS, Connection with 52.62

PUBLIC THOROUGHFARE Definition 51.01(105)

R

R (See thermal resistance)

R-VALUES 63.05 (67)

RADIATION AND CONVECTION EQUIPMENT 64.21

RADIO ANTENNA 62.35

RAILING (See HANDRAILS)

RAMPS:
 Accessibility for physically disabled 52.04
 Factories, office and mercantile buildings 54.03
 General requirements 51.16
 Open parking structures 62.26
 Residential buildings 57.05
 Schools and other places of instruction 56.06
 Theaters and assembly halls 55.08

RANGE HOODS, Ventilating 64.67

RECOOLING, Definition 63.05 (53)

RECOVERED ENERGY 63.27 (2) (c), 63.31 (2) (c)
 Definition 63.05 (54)

RECREATION HALLS	ch. Comm 54 or 55	RETROACTIVITY	50.02, 51.047(6), 56.03(2), 57.16, 57.165, 61.14, 61.26, 63.001
RECYCLABLE MATERIAL, Definition	51.01(105e)	RETURN (or EXHAUST OPENING) Definition	51.01(109)
RECYCLING SPACE	52.24	REVOLVING DOORS	51.15
REDUCED FLICKER OPERATION, Definition	63.05 (55)	RISERS, For stairways	51.16
REDUCTIONS, Live loads	53.11	ROADWAY, Definition	51.01(110)
REFORMATORIES	ch. Comm 58 subch. II	ROOF, ROOF CONSTRUCTION: Access to attic or roof	51.02, 51.20, 57.19
REFRIGERATION	64.10	Anchorage	53.12
REHEATING, Definition	63.05 (56)	Coverings	51.02, 51.05
REINFORCED CONCRETE	53.40	Definition	51.01(111)
REINFORCED GYPSUM CONCRETE	53.41	Drainage	53.11
REINFORCED MASONRY	53.323	Fire-resistance ratings	51.043
REINFORCEMENT BARS	53.316, 53.40	Fire-resistive construction	51.03
RELOCATABLE CLASSROOMS	56.30	Heavy timber	51.03(4)
REMODELING AND ALTERATIONS: Accessibility	52.04	Joists (See JOISTS) Live loads	53.11
Code application	50.03	Mansard roofs	51.03
Design	50.07	Materials, roofing	51.02, 51.05
Definition	51.01(105a)	Nailing schedule	53.63
Plan review	50.12	Over stages	55.24
REPAIR: Assembly halls	55.50	Parapets	51.02(12), 53.34
CBRF's	61.24	Scuttles	51.02(18)
Exits	52.21	Sheathing	53.61
General	52.22, 52.23	Skylights	51.065
Repair garage	59.10	Thermal performance	63.12, 63.15 (4), 63.18 (1), 63.18 (2), 63.18 (3) (a)
Smoke detectors	51.245(3)	Wind loads	53.12
Toilet rooms	52.64	Wood frame construction	53.60-53.63
REQUIRED, Definition	51.01(106)	ROOF COVERING, Definition	51.01(112)
REQUIRED EXIT CORRIDOR Definition	51.01(106a)	ROOF COVERINGS	51.02, 51.05
RESCUE PLATFORMS	54.03, 57.05	ROOM, Definition	51.01(114)
RESET, Definition	63.05 (57)	ROOM, SPACE HEATERS	64.22
RESIDENCES, One- and two-family exempt (Also refer to Uniform Dwelling Code)	50.04	ROOMING HOUSE	ch. Comm 57
RESIDENTIAL OCCUPANCIES:	ch. Comm 57	ROW HOUSE:	ch. Comm 57
Allowable height and area	57.02	Definition	51.01(114a)
Construction	57.01	General	57.19
Fire alarms	57.17	RUBBLE MASONRY	53.322
Fire detection	57.16, 57.165		
Fire protection	57.016, 57.15		
Habitable rooms below grade	57.11		
Isolation of hazards	51.08 (2)		
Number, location, capacity and type of exit	57.03-57.10		
Rowhouse	57.19		
Sanitary facilities	57.12		
Windows	57.13		
REST ROOMS (See SANITARY FACILITIES)			
RESTAURANTS	ch. Comm 54 or 55		
RESTRAINED SUPPORT, Definition	51.01(107)		
RETAINING WALL:	53.27, 53.34		
Definition	51.01(108)		

S

SAND: Bearing soil capacity	53.21
Concrete	53.40
Mortar	53.12
SANITARIUM, Occupancy	ch. Comm 58 subch. I
SANITARY FACILITIES: Assembly halls	55.32
Assembly seating facilities	62.79
CBRF's	61.17
Day care centers	60.15
Detention facilities	58.68
Educational facilities	56.16
Factory, office, mercantile	54.12
For physically disabled	52.04 (4), 52.04 (6), 52.04 (8), 52.041, 52.042
Health care facilities	52.041, 52.042, 58.32
Garages, storage or repair	59.20
General requirements	52.50, 52.52, 52.53, 52.54, 52.55, 52.56, 52.57, 52.58, 52.59, 52.60, 52.61, 52.63, 56.64
Outdoor theaters	62.58
Residential facilities	57.12

Tents	62.48	SIMPLE SUPPORT, Definition	51.01(119)
SCHOOLS	ch. Comm 56	SIMULTANEOUS HEATING AND COOLING	63.27
SCONCE, Definition	63.05 (58)	SINKS (See LAVATORIES)	
SCOPE		SIZING, HVAC systems	63.23
Building envelope	63.10	SKATING RINKS (Indoor)	ch. Comm 54 or 55
Lighting	63.40	SKYLIGHTS	51.065, 63.12, A63.12
SCOPE OF CODE	50.02	SKYWALKS	62.97
SC	63.15 (2) (b), 63.18 (4)	SLAB-ON-GRADE FLOORS	63.15 (5), 63.18 (3)
Definition	63.05 (59)	SLEEPING AREA:	
SCUTTLE	51.02(18), 57.19	Definition	51.01(119a)
SEATS, SEATING:		CBRF's	61.14
Definition	62.10	Residential occupancies	57.16
Grandstands, bleachers, places of assembly	62.76	SMOKE BARRIER:	
Physically disabled	52.04	Detention facilities	58.64
Schools, auditoriums, gymnasiums	56.13, 56.14	Health care facilities	58.27
Theaters, assembly halls	55.13	SMOKE CONTROL SYSTEM - ATRIUMS	52.07(3), 52.07(12)
SEMINARIES	chs. Comm 56/57	SMOKE DETECTION:	
SEPARATION:		CBRF's	57.165, 61.14
Class of construction	51.02(20)	Educational facilities	56.03
Occupancies	51.08 (1)	Day care centers	60.25
SEPTIC TOILETS	52.62	General requirements	51.245
SERVICE STATIONS	ch. Comm 59	Residential facilities	57.16
SERVICE WATER HEATING		SMOKE DETECTOR, Definition	51.01(119b)
Circulating systems	63.29 (2)	SMOKE PIPES, SMOKESTACKS AND	
Equipment efficiencies	63.20 (4), 63.20 (5)	BREECHING	64.45, 64.46, 64.47, 64.48, 64.49, 64.50
Heat traps	Table 63.29-1	SMOKEPROOF STAIR ENCLOSURE:	
Insulation	63.29 (2)	Detention facilities	58.51
Non-circulating systems	63.29 (2)	Health care facilities	58.09
SETBACK, Definition	51.01(115)	General requirements	51.17
SHADING COEFFICIENT	63.15 (2) (b)	SOIL	53.20
Definition	63.05 (59)	SOLID FUEL EQUIPMENT:	
Manufacturer's literature	63.18 (4)	Definition	51.01(119c)
SHAFT:		Health care facilities	58.24
Definition	51.01(116)	General requirements	64.20, 64.21, 64.22
Rated	51.02(11), 51.03	SPACE HEATERS	64.22(5)
SHALL, Definition	51.01 (117)	Definition	51.01(120)
SHELL BUILDINGS	63.05 (61), 63.15(2) (b)	SPANDREL, Definition	51.01(120a)
Definition	63.05 (60)	SPECIALTY EVENT CENTER	51.01(119g)
SHORING, Adjoining foundations	53.26	SPECIALTY OCCUPANCIES:	ch. Comm 62
SHUTTERS, FIRE	51.047, 64.42	Assembly seating facilities	ch. Comm 62 subch. V
SIDEWALKS, HEATED	63.19	Greenhouses	ch. Comm 62 subch. VI
SIGNS:		Open parking structures	ch. Comm 62 subch. I
Barrier-free	52.04(3)52.04(10)	Outdoor theaters	ch. Comm 62 subch. IV
Capacity of occupancy	54.18, 55.06(4)	Pedestrian access structures	ch. Comm 62 subch. VII
Clearance limitation	62.25	Television and radio antenna	ch. Comm 62 subch. II
Definition	51.01(118)	Tents	ch. Comm 62 subch. III
Exit signs	51.15(5)	SPECIFICATIONS,	
Floor loads	54.17	Plan review	50.12(3), 50.12(4)
Toilet rooms	52.52	SPECULATIVE BUILDINGS	63.15 (2) (b)
		Definition	63.05 (61)

SPEED OF ACCESS (see PARITY)

SPIRAL STAIRS 51.16, 54.03, 57.07

SPRINKLERS:
 Definition 51.01(7a)
 Health care facilities 58.24, 58.25, 58.29
 High rise buildings 52.01
 Housing for the elderly 57.016(2)
 Low rise buildings 52.011, 52.012, 52.013
 School basements 56.03
 Specifications 51.23

STABILITY 53.16

STADIUMS ch. Comm 62 subch. V

STAIRS AND STAIRWAYS:
 Curved 51.16(6)
 Design features 51.16
 Enclosure 51.02(11), 51.03, 54.08, 55.09, 57.08, 58.06, 58.50,
 59.17, 60.23, 60.34, 61.12, 62.27
 Exterior 51.16, 51.20, 54.03
 Fire escape 51.20
 Interior enclosed stairs 51.18
 Identification 51.165
 Spiral 51.16(7), 54.03, 57.07
 Smokeproof tower 51.17, 58.09, 58.51

STANDARDS AND SPECIFICATIONS ADOPTED ... 51.25

STANDPIPES:
 Assembly halls 55.33(2)
 Detention facilities 58.63(2)
 Educational facilities 56.20(2)
 Factory, office, mercantile 54.15(2)
 Health care facilities 58.28
 Garages, storage or repair 59.23
 General requirements 51.21
 Open parking structures 62.30
 Outdoor theaters 62.58
 Residential facilities 57.15(2)

STEAM PIPES AND HOT WATER PIPES 64.23

STEEL CONSTRUCTION:
 Aluminum 53.54
 Caissons 53.24
 Certification and identification 53.50
 Fabrication 53.50
 Fire-resistance ratings 51.043
 Joists, open web construction 53.52
 Marking 53.50
 Metal frame protected construction 51.03(3)
 Metal frame unprotected construction 51.03(6)
 Piles 53.24
 Reinforcing 53.316
 Stainless steel 53.55
 Structural steel 53.50
 Welding 53.53

STEPS, Definition 51.01(120b)

STONE MASONRY 53.311, 53.322

STORAGE OF FLAMMABLES (Refer to ch. Comm 10)

STORAGE GARAGE ch. Comm 59

STORIES, NUMBER OF:
 Definition 51.01(121)
 Determination 51.02(14)

STORY, Definition 51.01(122)

STOVES (See RANGES)

STREET:
 Definition 51.01(124)
 Location 54.01, 55.04, 57.02, 59.12

STRUCTURAL REQUIREMENTS ch. Comm 53

STRUCTURE, Definition 51.01(125)

SUPERVISION 50.10

SUPPORT:
 Restrained, definition 51.01(107)
 Simple, Definition 51.01(119)

SUPPORT AREA, Definition 63.05 (62)

SYSTEMS STANDARDS METHOD 63.14, 63.16

T

TANDEM WIRING 63.53
 Definition 63.05 (63)

TASK LIGHTS 63.45

TASK ORIENTED LIGHTING, Definition 63.05 (64)

TEMPERATURE, DESIGN 64.04, 64.05

TEMPERED AIR, Definition 51.01(128)

TEMPERED OUTSIDE AIR
 Definition 51.01(129)

TEMPORARY BUILDINGS OR STRUCTURES 50.04

TENTS ch. Comm 62 subch. III

TERRACES, Definition 51.01(130)

TESTING LABORATORIES 51.044

TESTS:
 Diversified, foam plastic 51.01(3a)
 Fire alarm 51.24(5)
 Fire doors 51.047(1)
 Fire windows 51.048(1)
 Fire-resistance ratings of assemblies 51.043
 Heating equipment 64.20(1)

THEATERS AND ASSEMBLY HALLS ch. Comm 55

THERMAL BARRIER	51.06(3)	TRUSSES, WOOD	53.62
THERMAL BREAK, Definition	63.05 (65)	TYPES OF CONSTRUCTION	51.03
THERMAL CONDUCTANCE, Definition	63.05 (66)		
THERMAL ENVELOPE PERFORMANCE	63.14	U	
Component Standards	63.15	U (See thermal transmittance)	
System Standards	63.16	U _O (See thermal transmittance, overall)	
Calculation Procedures	63.18	U-VALUE	
THERMAL MASS	63.15 (3)	Calculation methods	63.18
THERMAL RESISTANCE, Definition	63.05 (67)	Doors	63.18 (2) (a) 3.
THERMAL TRANSMITTANCE, Definition	63.05 (68)	Fenestration	63.18 (2) (b), 63.15(2) (c)
THERMAL TRANSMITTANCE, OVERALL, Definition	63.05 (69)	Floors over unconditioned space ...	63.15 (4), 63.18 (3) (b)
THERMOSTAT, Definition	63.05 (70)	Opaque assembly	63.18 (2) (a)
THERMOSTAT CONTROLS	63.26	Opaque walls	63.15 (3), 63.18
THERMOSTAT SETPOINT	63.26 (2)	Parallel path correction factors	63.18 (2) (a)
THROW DISTANCE, Definition	63.05 (71)	Roofs	63.18
TIMBER:		Skylights	63.12
Glued-laminated structure	153.61	Zone method	63.18 (2) (a)
Type of construction	51.03(4)	UNCONDITIONED SPACE, Definition	63.05 (72)
TIME CLOCKS	63.26 (3), 63.50 (4), 63.50 (6)	UNDERPINNING	53.26
TIRE SHOPS	ch. Comm 59	UNIT HEATERS	64.21
TOE BOARDS	54.105	Definition	51.01(133)
TOILET COMPARTMENTS:		UNLISTED SPACE, Definition	63.05 (73)
Accessibility for physically disabled	52.04(8)	UNIT POWER DENSITY	63.49 (1)
Floors	52.57	URINALS	52.59(1), 52.60(2)
Sizes	52.59(2), 52.59(3)		
Walls and ceilings	52.58	V	
TOILET ROOMS	51.01(130g), 52.64, 58.66, 57.12	VAPOR BARRIER	63.11 (4)
TOILETS:		VARIABLE AIR VOLUME HVAC SYSTEM, Definition	63.05 (74)
Chemical	52.62	VARIANCE	50.25
Outdoor	52.63	VAV HVAC (See variable air volume HVAC system)	
TOWERS	ch. Comm 62 subch. II	VENEERED WALL:	
TOWNHOUSES,		Anchorage masonry units	53.36
Definition	51.01(130a)	Definition	51.01(134)
TRACK LIGHTING	63.45 (4)	VENTILATION:	
TRASH COLLECTION ROOM:		Air-cleansing devices	64.16
Individual rooms	52.012	Air movement and distribution	64.15
Recyclable materials, collection, separation and storage	52.24	Automatic controls	64.17
TREADS, STAIRS	51.16	Combustion air	64.09
TREATED WOOD (Fire Retardant)		Contamination	64.18
Definition	51.01(131)	Definition	51.01(136), 64.12(6)
TRIM	51.02(15), 51.07	Exhaust ventilation systems	64.08
		Gravity exhaust ventilation, definition	51.01(137)
		Location of intakes	64.19
		Mechanical ventilation, definition	51.01(138)
		Mechanical ventilation systems	64.06
		Natural ventilation systems	64.07
		Occupancy requirements	64.05(2)
		Tempered air	64.13
		Tempered outside air	64.14
		VENTILATOR, GRAVITY SIPHON TYPE	64.08(5)
		VENTS:	
		Chimney and connectors	64.50
		Factory-built	64.48
		Gas	64.49
		General requirements	64.45
		Masonry	64.46
		Metal	64.47

VERTICAL EXIT, Definition 51.01(139)

VERTICAL OPENINGS:
 Atriums 52.07
 Protection 51.02(11)
 Ratings – types of construction 51.03

VESTIBULE OPENINGS,
 Ventilation 64.07(2)

VLT (See visible light transmittance)

VISIBLE LIGHT TRANSMITTANCE,
 Definition 63.05 (75)

VIOLATIONS AND PENALTIES 50.26

VOLUME, Definition 51.01(139a)

W

WALL HEAT CAPACITY, Definition 63.05 (76)

WALLS 63.18 (33), 63.18 (3) (c)

WALLS ADJACENT TO UNCONDITIONED
 SPACE 63.15 (4)

WALLS AND PARTITIONS:
 Anchorage (See ANCHORAGE, ANCHORS)
 Assemblies, fire-resistance 51.042, 51.043, 51.045
 Exterior 51.02(4), 51.03
 Fire division 51.02 (13)
 Foundation 53.322
 Glass block 51.048
 Masonry (See MASONRY CONSTRUCTION)
 Openings, fire protections 51.047, 51.048, 51.049
 Parapets 51.02 (12)

WAREHOUSES: ch. Comm 54
 Definition 51.01 (153a)
 Freezer warehouses 51.06 (6)
 Mini-storage buildings 62.995

WARM-UP FACTORS 63.23 (7)

WASTE OIL BURNING EQUIPMENT 64.21

WATER CLOSETS:
 Accessibility for physically disabled 52.04(4), 52.04(6),
 52.04(8)
 Enclosure 52.59
 General requirements 52.60(1)

WELDER, Certification 53.53

WELDING 53.53

WELL EFFICIENCY, Definition 63.05 (77)

WIDTH, Aggregate exit 51.15(6)

WIND LOADS DESIGN 53.12

WINDOW, Definition 63.05 (78)

WINDOW AREA, Definition 63.05 (79)

WINDOW WALL RATIO 63.15 (2)
 Definition 63.05 (80)

WINDOWS:
 Fire 51.048
 Natural light 57.13, 58.03, 58.45, 60.13, 61.15
 Ventilation 57.13, 58.03, 58.45, 61.15, 64.07

WINDOWLESS FLOOR LEVELS 52.012, 52.02

WIRED GLASS:
 Fire-resistive doors and windows 51.047, 51.048

WIRING, ELECTRICAL:
 CBRF's 61.25
 General Requirements 52.20
 (See also Wis. Electrical Code ch. Comm 16)

WOOD BLOCKING IN NONCOMBUSTIBLE
 ASSEMBLIES 51.02(23)

WOOD BURNING STOVES:
 Definition 51.01(119c)
 Health care facilities 58.24
 General requirements 64.21, 64.22

WOOD CONSTRUCTION:
 Beams 53.60, 53.61, 53.62, 53.63
 Columns 53.60, 53.61, 53.62, 53.63
 Design 53.60
 Erection 53.60
 Fire-resistance ratings 51.043
 Fire retardant-treated, definition 51.01(52)
 Foundations 53.64
 Frame 51.03(7), 51.03(8)
 Plywood 53.60
 Trim 51.02(15)
 Trusses 53.62

Y

YARD, Definition 51.01(154)

Z

ZONE, Definition 63.05 (81)

ZONE CONTROLS 63.27

ZONE TEMPERATURE CONTROLS 63.26 (2)